
Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.





- We take pleasure in presenting to
 you this booklet of Orchid Culture,
 containing also a listing of our stock.
 - Having spared no effort to make it attractive, serviceable, and original, we believe it fills a definite need of the beginner and amateur and hope it helps dispel much of the mystery and secrecy so long associated with the Orchid.
 - We offer to share with you the benefits of our many years of experience in realizing a most fascinating and delightful hobby. There is nothing that will give one greater pleasure than growing this "ARISTOCRAT OF FLOWERS".
 - Anticipating the pleasure of serving you.

"The Oldest Orchid Establishment in America"

LAGER & HURRELL

SUMMIT • NEW JERSEY

ESTABLISHED EIGHTEEN HUNDRED NINETY SIX




Ten thousand orchid seeds may be held in the hollow of one's hand.

Introduction

While we emphasize the ease of Orchid growing throughout this booklet, we do make an exception in the case of seed germination. This is a specialized process and should be left to the experienced amateur or commercial grower. It is an operation requiring special equipment and a great deal of patience from the time the seed is sown until the seedlings themselves are safely established in pots. From this point on, Orchid growing is, relatively, a simple process and is explained in

detail throughout the text. We recommend that the beginner or amateur contemplating Orchids start with matured, established plants and as experience is gained he can then obtain some of the smaller sizes in seedlings. They are a fascinating diversion when one is not in a hurry for flowers and round out a general collection very nicely. We have several suggestions for Amateur's collections listed on page fifty-seven. We also enclose an insert with a listing of seedlings.



Orchids...

"Orchids are easy to grow"

If more people accepted these few words as fact rather than mere Orchid propaganda, this most interesting and fascinating family of plants would play a much larger part in our daily pleasures.

It is a pleasure to grow plants and watch them develop. Witness the hundreds of thousands of house plants in the homes of our friends. A sunny room, a bay window, or a small greenhouse are all suitable and usually filled with house and foliage plants of different types. Green plants are very acceptable because of their easy culture, but they can never bring the ultimate pleasure that comes with watching a flowering plant come into bloom. Many of our city friends have a plant or two in their homes that would do justice to an accomplished gardener. It's so natural for us all to have the desire for something growing, that few of us stop to wonder why we want plants and flowers around us.

It is possible to have ever green plants that are easy to grow, inexpensive, requiring very little attention, space or accessories, and that will give one the added satisfaction and enjoyment of fascinating, beautiful, long-lasting flowers. That plant is the Orchid.

"Orchids are not expensive"

The average Orchid plant costs no more than the usual holiday gift plant one purchases at a Florist. True, there are fine selected types that cost a great deal, but their value is more a thing of rarity or unique quality than beauty over the less expensive types. For the beginner and amateur, we have listed on page 57 a series of collections, which offer a wide range of selection designed to meet the different requirements consistant with locality, temperature, types, flowering seasons and prices. We offer only one collection of each class at a price below our catalog values, and do this to stimulate interest and help you get started. Another recommendation for Orchids, is the fact they require no special accessories.

"Orchids do not demand a great deal of attention"

Taken as a whole, Orchids are a much hardier family of plants than is usually believed. In their native habitats they are subject to constant fluctuations in temperature. It sometimes drops many degrees below what we consider a safe minimum temperature, and again rises with sun heat to an exceedingly high degree. To varying amounts of rain, from the constant daily, downpourings of a tropical rainy season to extreme drought periods. They are also subject to many more plant diseases and insect pests, than we in cultivating them have contact with. Yet with all of these hardships, they are found, in most cases, in fine physical condition. They demand no more attention under cultivation than the common house plant.

We welcome questions or letters of inquiry on anything pertaining to Orchid growing, and in cases where one is undecided as to what varieties would best suit their conditions, we ask they send us the enclosed questionnaire filled out so that we can recommend such varieties consistant with their requirements. It will be appreciated if those having Orchids will also fill out the Questionnaire and mail it back to us, so that we will have a record of the types, varieties and flowering seasons in which they are interested.

To aid those to whom the Orchid is an unknown field, and in answer to the many inquiries that we receive daily, we have listed below a few of the answers to the more frequent questions.

The life of an Orchid plant is not judged by years but by the treatment given it. As it ages and continues to grow, it throws out new shoots which develop into bulbs or growths, thereby increasing in size yearly. It is through this increase in size that we propagate additional stock by division. We have many plants grown from propagations which were taken from some of our old original stock dating back more than forty years.

All Orchid species flower once a year when in good condition, and there are a number of hybrids that, once reaching maturity, will sometimes flower more often. This is probably due to the influence of the two different species parents. The plant does not die after flowering and from seed takes from six to seven years to reach maturity.

The number of flowers a plant will bear has to do very greatly with the parent influence, and incidentally with the strength and condition of the plant. However, as we have been breeding for floriferous types, it is reasonable to expect an increase in the number of flowers on a single stem up to their maximum bearing. As a plant increases in size, it more often than not makes more than one flowering lead, so that it is entirely possible to have large plants, (Cattleyas) with twenty or more flowers. Other species and varieties also increase proportionately as they age.

Orchid flowers of the more popular type are without a doubt, the longest lasting of any in the floral kingdom, both on the plant and as a decorative cut-flower. Cattleyas on the plant will last two to four weeks under ordinary conditions, and when cut, two weeks and more. Cymbidiums and Cypripediums we have kept on the plants sometimes in excess of two months, and they are marvelous keepers when cut. The beautiful, fragile appearing Dendrobium Dearei will last sometimes four months on the plant, and there are many varieties that are surprising in this quality. Although all of them appear to be very frail, they are not, and for decorative work, even though their original cost is more than other flowers, their long lasting qualities make them less expensive.

"Care of Orchid Flowers"

Orchid flowers should not be cut until fully matured, and in the case of Cattleyas and their hybrids, this is usually three to four days from the time the buds open. In Cymbidiums and Cypripediums the developing time is longer,

and with the former, one should wait until all of the flowers on the spike have opened completely. When cutting, always use a very sharp knife, (never scissors) and after cutting place the flowers, in water, preferably, in a cool dark corner for a few hours to harden them. Use containers that hold a generous supply of cold water, which should be changed daily and when changing, it is well to cut a slight portion off the stem.

The Summer of 1838 saw the introduction of the first Orchid plants into the United States. A Mr. John Wright Boot of Boston, Massachusetts, imported a small collection to grow for his own pleasure. This was the beginning of Orchid growing in this Country as both a hobby and an industry. For the former, we can say we believe it has given, more people pleasure than any other horticultural pursuit. Their rare exotic charm, beauty, fragrance, ease of growing and a hundred other flowery adjectives, are not sufficient to fully describe this "Aristocrat of Flowers." Unfortunately, there has always been a great deal of mystery and secrecy, as well as the unfounded idea that Orchid growing was a pastime for only the wealthy. Nothing is further from the truth and we wish this little booklet to be dedicated to helping the many thousands of beginners and

For the beginner, or those contemplating growing Orchids, we have attempted to phrase cultural requirements and descriptions as simply as possible. We have also listed our recommendations for those beginners at the end of our plant listings, under the heading "Beginner's collections." We have taken into consideration climatic conditions, temperatures, etc., so that we have a series of collections to suit every requirement. In several cases throughout our listings, we have purposely deleted certain genera and species that we deem too difficult, or which require special equipment for the beginner.

enthusiasts to get started with a little collection.

GENERAL CULTURE

In the foregoing introduction "Orchids," we have attempted to dispel the mysteries, secrecies and misunderstandings so long associated with the Orchid.

We come now to General Culture, referring herein more specifically to the Cattleya, Laelia, Brasso and their hybrids. The subject "Culture," must necessarily be elastic to a certain extent, as climatic conditions vary with locations, but we believe a good general founda-

tion and understanding is the primary essential to successful plant growing, and thus armed, the term "Orchid Culture," should mean, "Orchids are easy to grow." We have included all through this booklet cultural notes pertaining to most of the different genera, but an understanding of this general culture is of first importance.

House Culture. For those beginners who would like to grow a plant or a small collection

in their homes, we have listed on page 55 of this booklet a few additional notes along with beginner's collections that will prove useful in connection with the following general outline.

Greenhouses. The saying "Any Greenhouse is suitable to grow Orchids," is quite correct. There are many small greenhouses in which the owner has been growing other types of plants, and would like to try a little collection of Orchids with them. This can be done nicely with, perhaps, only a few minor inexpensive changes. We will be glad to advise on any contemplated alterations or new work. It is important, of course, to acquire varieties of Orchids, suitable to grow with other plants. In cases of this kind we ask you to send us the questionnaire, filled in, and we will be pleased to suggest varieties best suited.

The "Special Orchid house," is not at all necessary, but is very nice where one is going in solely for Orchids. Some of the finest plants the writer has seen were grown in "Ordinary Greenhouses." We have in our range, an ancient wood frame greenhouse over fifty years old that is as good a growing house as our most modern. In the cases of large, varied, private collections the house, or houses, are usually divided into two or three sections—warm, intermediate and cool, as is the family of Orchids in general.

Ventilation. Orchids require plenty of fresh air for good, strong plant growth. As conditions vary so, the amounts used can only be left to one's good judgment consistant with proper temperatures. From late spring to fall more air may be given than through the winter months. Do not allow the atmosphere to become too dry by ventilating to excess during the hot summer. Care must always be taken to prevent drafts. Through the fall, winter and spring, it is important that the plants are not chilled and there are times during the winter when a slight crack of air in the middle of the day is sufficient. With houses having bottom air, the method of ventilating is different, as the shaded side can be opened during hot, dry weather with the top vents not so wide. This will keep the atmosphere from drying out to excess. In the winter, a little bottom air is good when the top can only be slightly opened, as the air entering the bottom circulates and loses its chill before reaching the plants.

Shading. We recommend most highly the wood slat shades in their different forms. Roller slat shades are best, as they can be raised or lowered at will, depending on the amount of sunlight through the day. Through the winter, here in the East, it is advisable to have as much light as possible, and we remove all shades

until early spring when the sun starts getting hotter. There is no definite time to replace shading, but we find it necessary to usually start in February. In cases where there are no wood slat shades, some of the forms of greenhouse shadings should be applied, and in early spring we find it advisable to apply a light coat for the first time and additional heavier coats as the sun gets brighter and hotter. Orchids require light but too bright a house will have a tendency to yellow the foliage and harden the plants too much. By the same token, too heavy and dark a shading will soften the plants too much. During the latter part of summer the coating will naturally begin to wear off, and by fall, when the sun has lost its burning qualities, should be quite thin, resulting in a lighter house so that the plants will ripen off to good advantage for the long, dull winter months. When all danger of the foliage burning is past, the shading should be removed entirely. One can easily see why we recommend the wood slat shades which do away with so much extra work. In exceedingly bright locations, it is sometimes necessary even with the use of wood slat shades to apply a thin coating of shade to the glass.

As a paint shade we recommend "Orchid Shade," which you will find listed under materials. This is a cold water product, easily applied with spray or brush and easy to remove in the late fall. Another shading used is a mixture of white lead and kerosine or gasoline, (if the latter, be sure the white gas and not Ethyl is used). It is more difficult to remove in fall.

For the beginner or amateur who is not always at home, we do recommend a permanent type of slat shade, even though home made. We have made shades using ordinary building lathe that have proven very successful.

Watering, Syringing, and Damping. DO NOT OVERWATER. There is no definite basis, amount, or schedule one can follow in watering, and conditions and houses vary so, that again good judgement in watering is better than any set rules. Needless to say, Orchids, in their growing seasons require considerable water but should never be kept continually in a wet state. There are a few exceptions to this, and these you will find noted in our cultural hints throughout this guide. It is true that where the plants grow in their native habitats they are subject to long rainy seasons, but one must also bear in mind that their root systems are exposed to the air and are not crowded into pots packed full of compost, and when the rain stops the plants are dry in a matter of minutes. They have a constant circulation

of air around them that we do not always have in our greenhouses.

In the matter of Cattleyas, etc., which this General Culture is dealing with primarily, we recommend looking the plants over at least once a week for a good watering. If they are dry by weight or condition of the compost, a watering is in order and in the case of a few plants, an easy method is a quick dipping in a pail or tub. Where a collection consists of more plants, a hose is the best. Assuming that the plants are potted uniformly (the same depth from the rim of the pot to the compost) then by filling up that space with water all of the plants receive the same amount proportionately even though in different sized pots. Through the winter always pick a nice, bright sunny morning for watering—never the afternoon. You will sometimes find—especially during a dull spell—that your plants are heavy and damp when inspection time comes. If so, pass them up until the next time. During spring, summer and fall, because of a drier condition the plants will require more water, and it is beneficial to syringe them in addition to the watering. A hose nozzle, set fine, is good to use, and this should be done on nice sunny days early in the morning and if the day continues to be hot, a repetition is good in the afternoon when the sun heat is off the glass. Do not let the bulbs shrivel for lack of water. After repotting, water should be given sparingly until root action or new growths appear. Daily syringings on nice days are quite safe for repotted plants. In syringing with a hose nozzle one should sweep over the plants as quickly as possible. In this way the leaves and bulbs get a bit of water with practically none added to the compost.

Damping the walks, stagings, and spaces between the plants is beneficial during hot, dry weather, and also helps during dull winter weather when the houses are dry from fire heat. Care must be exercised in **syringing** through the winter and should not be done on any but bright sunny days and never past noon.

Resting period. This subject is gone into more fully throughout the booklet under the separate cultural directions on the various genera.

Regarding Cattleyas and more specifically, species of Cattleyas and Laelias, my father, John E. Lager, states in some of his notes that many species, especially the Colombian Cattleyas, have little or no resting periods in their native states. In cultivation however, species do require a resting period, particularly C. Gigas, etc., and we do practice this procedure with good results. After a species has flowered, it rests, and during this dormant stage we use

water sparingly until new growths and root action appear, at which time we again start it in its regular growing routine. Hybrids, because of the varied influence of their parents, have for the most part, no resting season. It is interesting to note in connection with this subject, that seedlings up until the time they reach maturity, whether they are species or hybrids, have no resting season and should be grown continuously and never checked.

Heating and Temperatures. Heating is a necessary evil and until the day we all have our Orchid houses controlled with a not too future, practical air-conditioning system we must always exercise caution in the use of fire heat, whether it be hot water or steam. We divide Orchids as a family into three classes, as regards temperature; namely the warm, intermediate, and cool class. For minimum heat we recommend for the warm section a night temperature of 62 to 65 degrees with a day reading of 65 to 70 degrees. For the intermediate a night minimum of 60 to 62, and a day reading of 65 degrees. For the cool, a night minimum of 50 degrees with a day reading of 55 degrees. Please bear in mind that these recommendations have been taken from our own experiences and that in higher, dryer altitudes or lower, more humid localities, this table would necessarily have to be changed to suit local conditions. Through the months when heat is necessary, sunlight through the day plays a very important part. On a nice sunny day little fire heat is required, and with sunheat, temperatures can be allowed to go considerably higher than would be safe with the use of fire heat. No plants should be grown in close proximity to heating pipes. Benchings or stagings should be so constructed as to cut off direct radiation from pipes, and where a bench is located a short distance from heating pipes, it is wise to arrange a baffle or tray on which could be placed coke, charcoal or other materials which could be syringed from time to time. In the case of high stagings, heat has a chance to circulate and is absorbed.

In cold, damp, raw weather care must be exercised in connection with heat and moisture. It is especially important that little water (damping) be used to maintain the house in a happy condition. Do not syringe on such a day. If in doubt—play safe, on the dry side.

Benching and stagings. While there are many types employed for the average small house, we recommend flat, slat benches rather than step types. They are inexpensive, of easy construction, have greater capacity and allow for full light to all plants on any part of the

bench. Watering and general care are also simpler.

Diseases, Insect Pests and Control. Under cultivation Orchid plants are relatively clean in comparison with other foliage and flowering plants. If thrip or red spider are in evidence in the greenhouse, they might attack the young growths and it is important that other surrounding plants be kept clean. Orchid scale is quite common but not really serious and being easily seen is quite as easily removed. We make a practice of spraying our plants about every two weeks with an effective insecticide such as Wilson's O. K. or Red Arrow. We list these two materials.

In spraying we use a pump with a very fine mist nozzle and try to cover all parts of the plant with the material. A soft, half-inch paint brush is handy in cleaning scale and dust deposits from the leaves and bulbs. Do not use coarse, wirey haired brushes.

POTTING.

The division "Potting," is a very important sub-heading of Culture, and while difficult to describe, the accompanying eight pictures, will assist in clarifying our word picture of the complete operation.

In these remarks we refer specifically to the Cattleya family and its hybrids. Throughout this booklet we give our recommendations for composts and treatment of the different genera. However, in all cases the physical fundamentals of potting are similar even though composts and degrees of firmness vary.

Use only the best grades of materials, clean of foreign matter. A good fresh Osmunda (Orchid peat) fibre is tough and will not readily pull apart. When in storage for long periods it loses its life, turns brittle and should not be used. Sphagnum moss when specified should be a good quality live material.

Time to pot. There is no set time or season for potting. So long as Orchids flower in all seasons of the year, then, so long they must be potted in all seasons. We do make certain exceptions as in the case of winter flowering Cattleya Species. After flowering they are dormant and while in this stage

may be left until spring—provided root growth does not start. This is not so with the majority of hybrids, as they grow continuously and should be repotted immediately the flowers are cut. Do not wait until new roots appear as they are very likely to be injured or destroyed when repotted. A well established root system is essential for good strong plant growth.

Selecting plants to be repotted. Orchid plants should not be repotted unless they have: (A) Outgrown their present receptacle; (B) Compost decayed or sour; (C) Plant is in unhealthy condition possibly caused by faulty drainage, etc.

Cut number 1, pictures three plants in various stages of potting condition. The two end plants have outgrown their pots and should be repotted. The center plant was repotted a year ago and still has "pot room," for another growth.

Making ready compost. After selecting the plant to be repotted one should make ready the recommended suitable compost. In the case of Cattleyas and their hybrids we recommend a straight compost of a good grade Osmunda (Orchid peat) Fibre.



Cut Number One







Cut Number Two

Cut Number Three

Cut Number Four


Removing from pots, cleaning, etc. Cut Number 2 pictures the method of removing the plant from its pot. The knife blade should be inserted in several places around the edge of the pot and the plant wedged out. Cut Number 3 pictures the trimming and cleaning of a plant after it has been removed from the pot. All exterior roots should be carefully trimmed off close to the compost and if the material is decayed or sour, it should be removed and all the decayed roots trimmed off as well as all crocks removed. In our pictured plant the compost was in good condition, so that it was not necessary to remove but very little from the bottom. In cases where the compost has decayed or soured, one will usually find some good material surrounding the front of the plant with an established root system. This ball of good material and roots should be left undisturbed except for trimming. In cases of merely shifting a plant to a larger size pot because it has outgrown its present size, and the compost is in good condition, it is not necessary to remove any material. All plants should be thoroughly cleaned before repotting and we suggest a soft bristle, half-inch paint brush with a recognized insecticide. It is especially important to clean around the rhyzome where scale might lie. Dry loose, protective skin should be removed from

the bulbs. An ideal sized plant, unless one is going in for specimens, is four to five bulbs. We therefore recommend pruning, by cutting through the rhyzome, unnecessary back bulbs leaving the front of the plant with four to five good bulbs. This method of pruning is shown in cut Number 4, where we have taken three back bulbs from our demonstration plant, leaving four on the front.

Selecting new pot size. DO NOT OVER POT. An Orchid plant with a healthy root system should be potted for a two year growth period. In selecting the pot for such a plant, one should hold the trimmed plant inside the new pot as pictured in cut Number 5, and make allowance for at least two additional growths, representing two years.

In the case of a plant not being in healthy condition, and with a poor root system, do not allow for more than a one year growth period. This plant, after regaining its vigor, can then be shifted the following year into a larger sized pot.

Crocking. Good drainage is essential to all Orchids. In the case of Cattleyas, we recommend filling the pot with a third clean broken crock. Other varieties that require more drainage are indicated throughout the booklet.



Cut Number Five

This method of potting should give you all possible opportunities to get more than one lead from the front of your plant, as the eyes are the plant's potential new bulbs. By keeping the rhyzome and compost level a half-inch below the rim of the pot, the problem of watering is made simple as all plants so potted, when filled to the rim with water, will receive the same amount proportionately, regardless of size of pot. Please note watering of repotted plants under General Culture.

Do not remove old compost unless decayed or sour. Orchid plants resent being repotted in the sense of cleaning away all of the old compost. In the cases of seedlings these should be merely shifted to larger size of pots as their growth warrants and care should be taken to keep them growing all of the time. Always use clean pots and it is advisable to soak them in water for a while before use. For Cattleyas and their hybrids we recommend a medium grade of "Orchid peat" of the best quality obtainable.

Setting the plant. After a plant has been selected, cleaned and made ready for potting, place some Osmunda Fibre on the top of the crocks and, holding the plant with the left hand at the rhyzome, see cut Number 5, set it in position in the pot so that the back of the plant touches the edge of the pot. Keep the rhyzome a half-inch down from the rim of the pot and level. With the other hand, insert compost around the plant, setting it temporarily and with the potting stick ram the material down tight. (See cut Number 6.) All Cattleyas and their hybrids must be potted firm for best results. By inserting the potting stick down along the inside of the pot, (Cut Numbers 6 and 7) and wedging the point inwards, the material will naturally tighten toward the center. In the space made by the potting stick, insert more material, (Cut Number 7) and continue this operation all around the pot, until the compost is very firm. It is important that the material in the center of the pot around the rhyzome be as firm as that around the edge of the pot, and this result can only be obtained by the leverage process of inserting the stick and pressing inwards. In cutting in the compost, try to maintain it level with the bottom of the eyes on the front bulbs. (See Cut Numbers 5 and 8.) The rhyzome and eyes of the leading bulbs should not be buried, but should be exposed. In some cases where the rhyzome is on a decided slant, it may be necessary to cover the back part of the rhyzome and some of the back bulbs.



Cut Number Six



Cut Number Seven

are only actual time, materials used, plus traveling expenses.

FRESHLY IMPORTED ORCHIDS

Unestablished Unpotted Plants

We receive fresh importations of Orchids direct from the forests of Mexico, Central and South America and the East Indies, usually in the spring and fall. We have a number of customers who are interested in purchasing these **unestablished** plants as they arrive from the woods and they are sent out just as received. To those interested in freshly imported plants, we will be glad to send listings upon receipt of shipments, together with sizes, prices and descriptions.

Our importations consist, for the most part, of Cattleya species from Colombia, Venezuela and Oncidiums in variety from Brazil. They are priced, for the most part, below the price of Established potted plants and are, of course, very valuable to the grower of Commercial cut-flower stock. A few unestablished imported plants make a very interesting addition to a collection.

Write for our special Imported plant bulletins.

Completion of operation. Being satisfied the plant is well potted and perfectly firm, you may take a pair of scissors and trim the compost smooth. It is also advisable to drive a heavy wire stake along the side of the rhyzome into the peat in the middle of the pot. (See Cut Numbers 1 and 8) and tie the bulbs a little below the leaves to the stake. Many people keep a label record of their plants with respect to flowering season and time of potting together with the name and cross if a hybrid.

Cut Number 8 also shows the three bulb propagated piece taken off (Cut Number 4) and potted.

While the foregoing process sounds complicated it really is not, and we will be glad at any time to demonstrate potting, or answer further questions.

SERVICE:

It is to our benefit that your plants do well and we will be glad to assist the beginner or amateur by calling to check over plants and conditions from time to time. We also extend our services to those wishing advice on alterations or new building of glass. There are no charges for this service.

Repotting. We have had so many requests from Amateur growers and beginners who do not have the time to devote to the re-potting of their Orchids that we have arranged a "Potting service" to aid them. Our men are competent to handle all phases of this work. The charges



Cut Number Eight





Two interesting illustrations showing the development of the bud from the flowering sheath of a Cattleya. The sheath acts as a protection while the buds are forming until such time as they are strong enough to force their way through the top and continue to develop size of bud and flowering stems. It is a matter of some six weeks from the time the buds show at the base of the sheath until the stage as pictured in the bottom

illustration. It is important for good flowers that the plants be given as much sunlight as possible through this entire stage. It is interesting to note that some Cattleyas make up growths with protective sheaths months before the buds are formed while with others, the buds and flowers develop immediately the bulb is completed.

International News Photos.



ing on nice, bright, sunny mornings. Note the pattern of



International News Photos.

Evolution

The illustration pictures seven stages in the development of an Orchid plant from the germinated seed on through to maturity.

Raising seedlings from the test tube or flask stage through to maturity is a continuous operation of selection as to strength. All weak growers are culled out as the young plants are shifted to larger pots.

The test tube shows germinated seed about six months old which will be left in the test tube for a total period of a year before it is transplanted. They are then "pricked" off into community pots of about twenty-five to a pot and left for approximately a year, depending upon

rapidity of growth. The stronger plants are then selected and potted singly and from this stage on are shifted into larger pots as their growth warrants. A good average from seed to flowering would be six years.

The plant pictured in flower is one of our own seedlings flowering for the first time. In hybridizing we aim to produce floriferous types with good form, color, texture and definite flowering seasons. Only the finest pedigreed stock is used as parents. This, together with our method of selecting only the strongest of each size enables us to offer what we honestly believe to be the finest seedling stock available.

LISTING OF STOCK

ACAMPE

Epiphytes with Vanda like habits allied to Saccolabiums and requiring similar culture to Vandas. Will thrive in an intermediate house. The flowers last well, but the plants are generally considered of botanical interest only.

Papillosa, (India)—Summer and various. Flowers small. yellow marked with red, white lip. Fragrant.

Papillosa-

5-6 leaves \$ 5.00 9-10 leaves 7.50

ACROPERA

Epiphytal; bearing long, loose racemes of large and curiously shaped flowers. Does best in the Cattleya house. Grown in baskets with equal parts of sphagnum moss and fibrous peat.

Loddigesii, (Mexico)—Summer. Flowers tawny yellow with brown shadings. Lip darker and strongly scented.

4-5 bulbs 5.00


ADA

Allied to Odontoglossum; remarkable for its beautiful cinnabar-orange coloring. Requiring Odontoglossum treatment with a potting compost of $\frac{2}{3}$ osmunda and $\frac{1}{3}$ sphagnum moss.

Aurantiaca, (Mexico)—Winter and spring. Erect curving spikes. 5-6 bulbs 7.50

AERIDES

A handsome genus of epiphytes. Erect stems with thick fleshy roots at irregular intervals. The plants may be cultivated in pots half filled with crocks and surfaced with a mixture of sphagnum and peat, renewing when necessary with as little root disturbance



Aerides Virens.

as possible. The best time to repot is during March, as they start their growth after this period. When growing, give an abundance of moisture. When resting period arrives, which is indicated by the sealing over of the green tip of the roots, moisture must be gradually reduced. The temperature can be reduced accordingly. The plants should not have too sunny a position, but are better for judicious exposure to ripen them in the autumn.

Crassifolium, (Burma)—May and June. One of the most beautiful of the genus. Long, drooping spikes with amethyst—purple fragrant flowers.

3-4 pairs of leaves 15.00 Crispum, (India)—Late spring. Flowers large. White tipped with rosy pink. Fragrant.

4 and 5 pairs of leaves 15.00
Crispun var Lindleyanum, (India)—Spring. Large branching spikes of white and rich rosy pink flowers. Rare.
One plant only 25.00

Expansum, (Burma)—June and July. Elongated racemes of creamy-white flowers marked with purple.

7-9 leaves 15.00 Expansum— 14 leaves 20.00

Fieldingii, (India)—Spring. Rare. One of the finest, with long drooping racemes. Flowers unusually large, white mottled with clear light rose. Only one plant.

Lawrencea, (Mindanae)—Autumn. Yellowish shadings to purple. 4 pairs of leaves 15.00

Odoratum, (Cochin, China and India)—Early summer.
Pendulous, many flowered racemes. Creamy white shaded with pale magenta. Fragrant.

4-5 pairs of leaves 10.00 Odoratum—Larger plants.

Odoratum Majus—(Larger and longer spikes than the type).
4-5 pairs of leaves 15.00

Odoratum Album--Very rare. Flowers white.

One plant only 40.00

Quinquevulnerum, (Philippines)—July and August. Free, densly flowered, pendent racemes. White spotted with rosy purple. 3-4 pairs of leaves 7.50

Suavissimum, (East Indies)—Late summer. Long drooping spikes of fragrant white with rosy pink flowers.

3-4 pairs of leaves 10.00

Vandarum, (India)—Spring. Distinct in habit. Resembling

Vanda Teres. Large pure white flowers tinged with

Vandarum, (India)—Spring. Distinct in habit. Resembling
Vanda Teres. Large pure white flowers, tinged with
pink. One stem, eight to twelve inches 10.00

Virens, (Java)—Spring. Long drooping racemes, peach color spotted with purple.

3-4 pairs of leaves
7.50
Unidentified Species—
4-5 pairs of leaves
7.50

AERIDOVANDA


Mundayi, (A. Vandarum X Vanda Teres)—A hybrid requiring same culture and treatment as Aerides. Pure white.

1 stem, 8-12 inches 10.00

ANGRAECUM

A very remarkable family of plants, distributed through the west coast of Africa. The flowers are curiously shaped, the prevailing color white or greenish. All are characterized by a long, curved spur. Culture and potting compost similar to that of Aerides.

Distichum, (West Coast Africa)—Summer. Rare. Produces many ascending stems 3-6" high. Leaves closely set. Small pure white flowers from the base of the leaves. Very beautiful. 6-8 stems 7.50



Angraecum Eichlerianum.

ANGRAECUM-(Cont'd.)

10.00 Distichum—A few larger plants. Eburneum, (West Coast Africa)—Spring. A large plant. 2' or more in height. Stiff, erect flower spikes with numerous large greenish-white flowers lasting nearly two months. Very fragrant. 3-4 pairs of leaves 15.00 5-7 pairs of leaves Eburneum-Eichlerianum, (West Coast Africa)—Fall and various. Of very easy culture. Tall, leafy stems with light green flowers with white lips. Fragrant. Should be included in every collection. (See cut). 1 stem, 10-12 leaves 5.00 3-4 stems, 10-12 leaves each 7.50

10.00 Eichlerianum—Fine, many stemmed specimens. Gracilipes, (Madagascar)—Autumn. 7.50

3-4 pairs of leaves

little Scottianum, (Comoro Islands)—Summer. Distinct plant with numerous wirey, twisted stems. 3-4 pairs of leaves white flowers. (Rare).

Sesquipedale, (Madagascar)—Spring. An extraordinary species because of the exceptional length of its spurs, from 8-12" long. 3-5 large 6" flowers ivory white and waxy in appearance. Very fragrant.

3.4 pairs of leaves 15.00

Sesquipedale—Larger plants. 6-7 pairs of leaves 20.00 Sesquipedale—One fine strong specimen. 45.00

ANGULOA: "The Cradle Orchid"

Like Lycaste in habit. Likes plenty of water when growing. Should be repotted when new growth appears in compost $\frac{1}{3}$ sphagnum moss and $\frac{2}{3}$ osmunda fibre. Prefers shade.

Clowesii, (Colombia)—Late spring. Large, tulip-like, fragrant, bright yellow flowers with a white lip tinged 10.00 4-5 bulbs with orange.

Ruckeri, (Colombia)—Early summer. Yellow and crimson flowers. 3-4 bulbs 10.00

ARACHNANTHE

Lowii, (Syn. Vanda Lowii), (Borneo)—Fall. A most remarkable species having a tall stem with leaves two to three feet long. The drooping flower spikes are $\sin x$ to twelve feet in length and quite hairy, each bearing up to thirty flowers. A peculiar characteristic is that it produces from the base of every spike two to three flowers which differ in size, shape, color and texture from all the others. These basal flowers are larger, of a yellowish green shade, blotched with rich red brown, the flower being about three inches across. Only two plants in stock. Price on application.

ASPASIA

Requires intermediate temperatures and potting compost of osmunda and sphagnum moss.

Epidendroides, (Panama)—Various. Light greens Nice plants Principissa, (Panama)—Various. The flowers resemble


Odonts. 2" across, light greens with brown. Nice plants 7.50

BIFRENARIA

Intermediate house orchids, allied to Lycaste and re-



Angraecum Sesquipedale.



Brassia Verrucosa.

BIFRENARIA—(Cont'd.)

quiring similar culture. Grown best in the cool end of the Cattleya house and thrive on a compost of $\frac{2}{3}$ peat and $\frac{1}{3}$ moss.

Harrisoniae, (Brazil)—Spring. Flowers 3". Creamy white,lip purple, yellowish at the base. 4 bulbs 7.50

Vittelina, (Brazil)—Very rare. Small flowers, one inch across, deep chrome yellow, with a distinct brown spot on the center of the lip.

4 bulbs 20.00

BLETIA

A terrestrial genus of easy culture grown best in compost of loam, sphagnum moss and osmunda fibre. They require plenty of water when growing and should be kept rather dry when dormant, until growth again appears.

5.00

Florida, (Panama)—Various.

BRASSAVOLA

Epiphytes, closely related to Cattleyas and Laelias. They are of easy culture and grow best under similar conditions to those recommended for Cattleyas.

Digbyana, (Honduras)—April and May. Fine, large solitary creamy-white flowers. Beautifully fringed lip.

3-4 bulbs 7.50
Digbyana—Larger plants. 10.00—15.00

Glauca, (Mexico)—Spring. Flowers single on short stems. Bright yellow with orange lip and fragrant.

Nodosa, (Central America)—Autumn. Flowers profusely.
White blooms.
4-5 bulbs 5.00
4-bulbs 5.00

BRASSIA: "Spider Orchid"

Allied to Oncidiums. The flowers, carried on a single spike are remarkable in that the sepals and petals are lengthy and give the flower a fantastic but attractive appearance. The culture is similar to Oncidiums, but the resting season is not so pronounced. They succeed best in pots when the drainage is thorough and should be potted in good fibrous peat with a little sphagnum added. They enjoy an intermediate temperature and should have a moist atmosphere when growing.

Antherotes, (Tropical America)—Summer. Long arching spikes. Flowers orange yellow spotted, deep browns.

3-4 bulbs 5.00

Brachiata, (Guatemala)—Early summer. Long spikes. 6-12 flowers, green tinged with yellow, with brownish green spots. 3-4 bulbs 7.50

Gireoudiana, (Costa Rica)—Summer. Large flowers, similar in color to Brachiata. 3-4 bulbs 10.00

Kieliana, (Colombia)—Late spring. Flowers yellowish green to orange-yellow on scapes 12-18".

4-5 bulbs 7.50

Kieliana var Tristius—Sepals and petals deep amber brown. Lip yellow. 4.5 bulbs 10.00

Lawrenceana, (Demerara)—Summer. Flowers resembling but larger than Kieliana. 4-5 bulbs 7.50

Lawrenceana var Longissima, (Costa Rica)—Late spring.
Flowers much larger. Bright orange-yellows, with red, purple, brown spots and yellow lip. 4-bulbs 10.00

Maculata, (Jamacia)—Early summer. Greenish yellow, with brown and white spotting. 4 bulbs 7.50

Verrucosa, (Guatemala)—Spring. Many flowered arching spikes 1-2' long. Greenish spotted with deep purples. White lip, warted with black-green.

4-5 bulbs 5.00


(Note:—Smaller plants sometimes available at correspondingly lower prices).

BRASSOCATTLEYA:

(Hybrids from Brassovola \times Cattleya)

One of the most popular groups of large showy hybrids. Splendidly colored and characterized by large fringed lip. Their cultural requirements are similar to the Cattleya. See General Culture.

Admiral Jellico; F.C.C., N.Y.H.S. (Bc. Digbyano-Mossi 🔀



Brassocattleya Nestor.

BRASSOCATTLEYA—(Cont'd.) C. Lord Rothschild.)—A fine large flower of light
coloring. 4-5 bulbs 20.00
Aida, (Bc. Digbyana X C. Mendeli— 3-4 bulbs 10.00
Albion, (Bc. Thorntonii × C. Trianαe alba)— 4-5 bulbs 20.00
Albion var Summit—A fine pure white form. 4 bulbs 35.00
America, (Bc. Mme. Chas. Maron \times C. Cooksonii)—A fine well balanced Brasso. 4 bulbs 20.00
Andre Maron, (Bc. Mrs. J. Leemann X C. Schroederae)— Good plants. 4 bulbs 15.00
British Queen, (Bc. Digbyano-Mendelii X C. Lord Rothschild)—Very large flowers and good color.
4-5 bulbs 25.00
British Queen—Stonehurst variety. Considered the finest.
Only one. 4 bulbs 100.00 Carmen, (Bc. Digbyana X C. Mrs. Myra Peeters)—Nice
plants. 1 lead. 4-5 bulbs 15.00 Cliftonii Magnifica. F.C.C., R.H.S., (Bc. Digbyano-Mossiae
C. Triange)—One of the best, with fine shape, size
and color. 4 bulbs 30.00
Corrientes. (Bc. Ilene X C. Hardyana)—Fine, bold well colored Brasso. 4-5 bulbs 25.00
George Ward, (Bc. Rosita \times C. Tityus)—A flower of good texture, color and size. 4 bulbs 20.00
Gertrude West, (Bc. Dr. G. MacDonald X C. Heatherwood)— 4 bulbs 20.00
Hannibal var. Helen, (Bc. Digbyano-Warneri X C. Fabia) —One of the finest in color. 3-4 bulbs 50.00
Heatonensis, (B. Digbyana X C. Hardyana)—A large,
light colored flower with deeply fringed lip. 4 bulbs 15.00
Heatonensis—Fine variety. 4 bulbs 20.00
Heatonensis—Fine variety. 4 bulbs 20.00
Hartland, (Bc. Hannibal × C. Leda)—A fine new introduction having good shape, size, coloring and texture. 4 bulbs 35.00
Hartland, (Bc. Hannibal × C. Leda)—A fine new introduction having good shape, size, coloring and texture.
Hartland, (Bc. Hannibal × C. Leda)—A fine new introduction having good shape, size, coloring and texture. 4 bulbs 35.00 Hartland var. Summit—A very fine type. 4 bulbs 50.00 Hans Hunter, (Bc. Digbyana-Mossiae var. Queen Alexanra
Hartland, (Bc. Hannibal × C. Leda)—A fine new introduction having good shape, size, coloring and texture. 4 bulbs 35.00 Hartland var. Summit—A very fine type. 4 bulbs 50.00 Hans Hunter, (Bc. Digbyana-Mossiae var. Queen Alexanra × Suzanne Hye)— 4 bulbs 15.00
Hartland, (Bc. Hannibal × C. Leda)—A fine new introduction having good shape, size, coloring and texture. 4 bulbs 35.00 Hartland var. Summit—A very fine type. 4 bulbs 50.00 Hans Hunter, (Bc. Digbyana-Mossiae var. Queen Alexanra × Suzanne Hye)— 4 bulbs 15.00 Hans Hunter var. Mrs. James Walker. 4 bulbs 25.00 Imperatrixe de Russe, (B. Digbyana × C. Mendelii)—Nice
Hartland, (Bc. Hannibal × C. Leda)—A fine new introduction having good shape, size, coloring and texture. 4 bulbs 35.00 Hartland var. Summit—A very fine type. 4 bulbs 50.00 Hans Hunter, (Bc. Digbyana-Mossiae var. Queen Alexanra × Suzanne Hye)— 4 bulbs 15.00 Hans Hunter var. Mrs. James Walker. 4 bulbs 25.00
Hartland, (Bc. Hannibal × C. Leda)—A fine new introduction having good shape, size, coloring and texture. 4 bulbs 35.00 Hartland var. Summit—A very fine type. 4 bulbs 50.00 Hans Hunter, (Bc. Digbyana-Mossiae var. Queen Alexanra × Suzanne Hye)— 4 bulbs 15.00 Hans Hunter var. Mrs. James Walker. 4 bulbs 25.00 Imperatrixe de Russe, (B. Digbyana × C. Mendelii)—Nice light coloring. 1 lead. 4 bulbs 15.00 Leemannii: (See Mrs. J. Leemann). Lindleyana, (B. Tuberculata × C. Intermedia), (Brazil)—
Hartland, (Bc. Hannibal × C. Leda)—A fine new introduction having good shape, size, coloring and texture. 4 bulbs 35.00 Hartland var. Summit—A very fine type. 4 bulbs 50.00 Hans Hunter, (Bc. Digbyana-Mossiae var. Queen Alexanra × Suzanne Hye)— 4 bulbs 15.00 Hans Hunter var. Mrs. James Walker. 4 bulbs 25.00 Imperatrixe de Russe, (B. Digbyana × C. Mendelii)—Nice light coloring. 1 lead. 4 bulbs 15.00 Leemannii: (See Mrs. J. Leemann). Lindleyana, (B. Tuberculata × C. Intermedia), (Brazil)—Autumn. A natural hybrid. Small flowers on short spikes. Blush white. Lip white marked with rose.
Hartland, (Bc. Hannibal × C. Leda)—A fine new introduction having good shape, size, coloring and texture. 4 bulbs 35.00 Hartland var. Summit—A very fine type. 4 bulbs 50.00 Hans Hunter, (Bc. Digbyana-Mossiae var. Queen Alexanra × Suzanne Hye)— 4 bulbs 15.00 Hans Hunter var. Mrs. James Walker. 4 bulbs 25.00 Imperatrixe de Russe, (B. Digbyana × C. Mendelii)—Nice light coloring. 1 lead. 4 bulbs 15.00 Leemannii: (See Mrs. J. Leemann). Lindleyana, (B. Tuberculata × C. Intermedia), (Brazil)— Autumn. A natural hybrid. Small flowers on short spikes. Blush white. Lip white marked with rose. 5 bulbs 5.00 Madam Charles Maron, (B. Digbyana × C. Gigas), (Or
Hartland, (Bc. Hannibal × C. Leda)—A fine new introduction having good shape, size, coloring and texture. 4 bulbs 35.00 Hartland var. Summit—A very fine type. 4 bulbs 50.00 Hans Hunter, (Bc. Digbyana-Mossiae var. Queen Alexanra × Suzanne Hye)— 4 bulbs 15.00 Hans Hunter var. Mrs. James Walker. 4 bulbs 25.00 Imperatrixe de Russe, (B. Digbyana × C. Mendelii)—Nice light coloring. 1 lead. 4 bulbs 15.00 Leemannii: (See Mrs. J. Leemann). Lindleyana, (B. Tuberculata × C. Intermedia), (Brazil)— Autumn. A natural hybrid. Small flowers on short spikes. Blush white. Lip white marked with rose. 5 bulbs 5.00 Madam Charles Maron, (B. Digbyana × C. Gigas), (Or Maronae)—A beautiful Brasso, running to lilac shad-
Hartland, (Bc. Hannibal × C. Leda)—A fine new introduction having good shape, size, coloring and texture. 4 bulbs 35.00 Hartland var. Summit—A very fine type. 4 bulbs 50.00 Hans Hunter, (Bc. Digbyana-Mossiae var. Queen Alexanra × Suzanne Hye)— 4 bulbs 15.00 Hans Hunter var. Mrs. James Walker. 4 bulbs 25.00 Imperatrixe de Russe, (B. Digbyana × C. Mendelii)—Nice light coloring. 1 lead. 4 bulbs 15.00 Leemannii: (See Mrs. J. Leemann). Lindleyana, (B. Tuberculata × C. Intermedia), (Brazil)—Autumn. A natural hybrid. Small flowers on short spikes. Blush white. Lip white marked with rose. 5 bulbs 5.00 Madam Charles Maron, (B. Digbyana × C. Gigas), (Or Maronae)—A beautiful Brasso, running to lilac shadings, with large, fringed lip. 4-5 bulbs 15.00 Madam Charles Maron—Fine variety. Several plants.
Hartland, (Bc. Hannibal × C. Leda)—A fine new introduction having good shape, size, coloring and texture. 4 bulbs 35.00 Hartland var. Summit—A very fine type. 4 bulbs 50.00 Hans Hunter, (Bc. Digbyana-Mossiae var. Queen Alexanra × Suzanne Hye)— 4 bulbs 15.00 Hans Hunter var. Mrs. James Walker. 4 bulbs 25.00 Imperatrixe de Russe, (B. Digbyana × C. Mendelii)—Nice light coloring. 1 lead. 4 bulbs 15.00 Leemannii: (See Mrs. J. Leemann). Lindleyana, (B. Tuberculata × C. Intermedia), (Brazil)—Autumn. A natural hybrid. Small flowers on short spikes. Blush white, Lip white marked with rose. 5 bulbs 5.00 Madam Charles Maron, (B. Digbyana × C. Gigas), (Or Maronae)—A beautiful Brasso, running to lilac shadings, with large, fringed lip. 4-5 bulbs 15.00 Madam Charles Maron—Fine variety. Several plants. 1 lead. 4-5 bulbs 20.00 Madam Charles Maron var. Summit—Very fine type.
Hartland, (Bc. Hannibal × C. Leda)—A fine new introduction having good shape, size, coloring and texture. 4 bulbs 35.00 Hartland var. Summit—A very fine type. 4 bulbs 50.00 Hans Hunter, (Bc. Digbyana-Mossiae var. Queen Alexanra × Suzanne Hye)— 4 bulbs 15.00 Hans Hunter var. Mrs. James Walker. 4 bulbs 25.00 Imperatrixe de Russe, (B. Digbyana × C. Mendelii)—Nice light coloring. 1 lead. 4 bulbs 15.00 Leemannii: (See Mrs. J. Leemann). Lindleyana, (B. Tuberculata × C. Intermedia), (Brazil)—Autumn. A natural hybrid. Small flowers on short spikes. Blush white. Lip white marked with rose. 5 bulbs 5.00 Madam Charles Maron, (B. Digbyana × C. Gigas), (Or Maronae)—A beautiful Brasso, running to lilac shadings, with large, fringed lip. 4-5 bulbs 15.00 Madam Charles Maron—Fine variety. Several plants. 1 lead. 4-5 bulbs 20.00 Madam Charles Maron var. Summit—Very fine type. 25.00 Massangeana, (Bc. Mrs. J. Leeman × C. Trianae)—
Hartland, (Bc. Hannibal × C. Leda)—A fine new introduction having good shape, size, coloring and texture. 4 bulbs 35.00 Hartland var. Summit—A very fine type. 4 bulbs 50.03 Hans Hunter, (Bc. Digbyana-Mossiae var. Queen Alexanra × Suzanne Hye)— 4 bulbs 15.00 Hans Hunter var. Mrs. James Walker. 4 bulbs 25.00 Imperatrixe de Russe, (B. Digbyana × C. Mendelii)—Nice light coloring. 1 lead. 4 bulbs 15.00 Leemannii: (See Mrs. J. Leemann). Lindleyana, (B. Tuberculata × C. Intermedia), (Brazil)—Autumn. A natural hybrid. Small flowers on short spikes. Blush white. Lip white marked with rose. 5 bulbs 5.00 Madam Charles Maron, (B. Digbyana × C. Gigas), (Or Maronae)—A beautiful Brasso, running to lilac shadings, with large, fringed lip. 4-5 bulbs 15.00 Madam Charles Maron—Fine variety. Several plants. 1 lead. 4-5 bulbs 20.00 Massangeana, (Bc. Mrs. J. Leeman × C. Trianae)— 25.00 Massangeana, (Bc. Mrs. J. Leeman × C. Trianae)— 4-5 bulbs 12.50 Mars, (Bc. Mrs. J. Leeman × C. Maggie Raphael alba)—
Hartland, (Bc. Hannibal × C. Leda)—A fine new introduction having good shape, size, coloring and texture. 4 bulbs 35.00 Hartland var. Summit—A very fine type. 4 bulbs 50.03 Hans Hunter, (Bc. Digbyana-Mossiae var. Queen Alexanra × Suzanne Hye)— 4 bulbs 15.03 Hans Hunter var. Mrs. James Walker. 4 bulbs 25.00 Imperatrixe de Russe, (B. Digbyana × C. Mendelii)—Nice light coloring. 1 lead. 4 bulbs 15.00 Leemannii: (See Mrs. J. Leemann). Lindleyana, (B. Tuberculata × C. Intermedia), (Brazil)—Autumn. A natural hybrid. Small flowers on short spikes. Blush white. Lip white marked with rose. 5 bulbs 5.00 Madam Charles Maron, (B. Digbyana × C. Gigas), (Or Maronae)—A beautiful Brasso, running to lilac shadings, with large, fringed lip. 4-5 bulbs 15.00 Madam Charles Maron—Fine variety. Several plants. 1 lead. 4-5 bulbs 20.00 Madam Charles Maron var. Summit—Very fine type. 25.00 Massangeana, (Bc. Mrs. J. Leeman × C. Trianae)— 4-5 bulbs 12.50 Mars, (Bc. Mrs. J. Leemann × C. Maggie Raphael alba)—A nice light colored Brasso. 4 bulbs 20.00 Mars var. Magnifica—A fine cream colored flower.
Hartland, (Bc. Hannibal × C. Leda)—A fine new introduction having good shape, size, coloring and texture. 4 bulbs 35.00 Hartland var. Summit—A very fine type. 4 bulbs 50.00 Hans Hunter, (Bc. Digbyana-Mossiae var. Queen Alexanra × Suzanne Hye)— 4 bulbs 15.00 Hans Hunter var. Mrs. James Walker. 4 bulbs 25.00 Imperatrixe de Russe, (B. Digbyana × C. Mendelii)—Nice light coloring. 1 lead. 4 bulbs 15.00 Leemannii: (See Mrs. J. Leemann). Lindleyana, (B. Tuberculata × C. Intermedia), (Brazil)—Autumn. A natural hybrid. Small flowers on short spikes. Blush white. Lip white marked with rose. 5 bulbs 5.00 Madam Charles Maron, (B. Digbyana × C. Gigas), (Or Maronae)—A beautiful Brasso, running to lilac shadings, with large, fringed lip. 4-5 bulbs 15.00 Madam Charles Maron—Fine variety. Several plants. 1 lead. 4-5 bulbs 20.00 Madam Charles Maron var. Summit—Very fine type. 25.00 Massangeana, (Bc. Mrs. J. Leeman × C. Trianae)— 4-5 bulbs 12.50 Mars, (Bc. Mrs. J. Leemann × C. Maggie Raphael alba)—A nice light colored Brasso. 4 bulbs 35.00 Mirabilis, (Bc. Mrs. J. Leemann × C. Mendelii)—
Hartland, (Bc. Hannibal × C. Leda)—A fine new introduction having good shape, size, coloring and texture. 4 bulbs 35.00 Hartland var. Summit—A very fine type. 4 bulbs 50.00 Hans Hunter, (Bc. Digbyana-Mossiae var. Queen Alexanra × Suzanne Hye)— 4 bulbs 15.00 Hans Hunter var. Mrs. James Walker. 4 bulbs 25.00 Imperatrixe de Russe, (B. Digbyana × C. Mendelii)—Nice light coloring. 1 lead. 4 bulbs 15.00 Leemannii: (See Mrs. J. Leemann). Lindleyana, (B. Tuberculata × C. Intermedia), (Brazil)—Autumn. A natural hybrid. Small flowers on short spikes. Blush white. Lip white marked with rose. 5 bulbs 5.00 Madam Charles Maron, (B. Digbyana × C. Gigas), (Or Maronae)—A beautiful Brasso, running to lilac shadings, with large, fringed lip. 4-5 bulbs 15.00 Madam Charles Maron—Fine variety. Several plants. 1 lead. 4-5 bulbs 20.00 Madam Charles Maron var. Summit—Very fine type. 25.00 Massangeana, (Bc. Mrs. J. Leeman × C. Trianae)— 4-5 bulbs 12.50 Mars, (Bc. Mrs. J. Leemann × C. Maggie Raphael alba)—A nice light colored Brasso. 4 bulbs 35.00
Hartland, (Bc. Hannibal × C. Leda)—A fine new introduction having good shape, size, coloring and texture. 4 bulbs 35.00 Hartland var. Summit—A very fine type. 4 bulbs 50.00 Hans Hunter, (Bc. Digbyana-Mossiae var. Queen Alexanra × Suzanne Hye)— 4 bulbs 15.00 Hans Hunter var. Mrs. James Walker. 4 bulbs 25.00 Imperatrixe de Russe, (B. Digbyana × C. Mendelii)—Nice light coloring. 1 lead. Leemannii: (See Mrs. J. Leemann). Lindleyana, (B. Tuberculata × C. Intermedia), (Brazil)—Autumn. A natural hybrid. Small flowers on short spikes. Blush white. Lip white marked with rose. 5 bulbs 5.00 Madam Charles Maron, (B. Digbyana × C. Gigas), (Or Maronae)—A beautiful Brasso, running to lilac shadings, with large, fringed lip. 4-5 bulbs 15.00 Madam Charles Maron—Fine variety. Several plants. 1 lead. 4-5 bulbs 20.00 Massangeana, (Bc. Mrs. J. Leeman × C. Trianae)— 4-5 bulbs 12.50 Mars, (Bc. Mrs. J. Leeman × C. Maggie Raphael alba)—A nice light colored Brasso. 4 bulbs 35.00 Mirabilis, (Bc. Mrs. J. Leemann × C. Mendelii)— 4 bulbs 35.00 Mirabilis, (Bc. Mrs. J. Leemann × C. Dowiana)—A fine large flower, running to yellow. 4 bulbs 15 00 Mrs. J. Leemann—Fine variety. Only 1 plant.
Hartland, (Bc. Hannibal × C. Leda)—A fine new introduction having good shape, size, coloring and texture. 4 bulbs 35.00 Hartland var. Summit—A very fine type. 4 bulbs 50.03 Hans Hunter, (Bc. Digbyana-Mossiae var. Queen Alexanra × Suzanne Hye)— 4 bulbs 15.00 Hans Hunter var. Mrs. James Walker. 4 bulbs 25.00 Imperatrixe de Russe, (B. Digbyana × C. Mendelii)—Nice light coloring. 1 lead. 4 bulbs 15.00 Leemannii: (See Mrs. J. Leemann). Lindleyana, (B. Tuberculata × C. Intermedia), (Brazil)—Autumn. A natural hybrid. Small flowers on short spikes. Blush white. Lip white marked with rose. 5 bulbs 5.00 Madam Charles Maron, (B. Digbyana × C. Gigas), (Or Maronae)—A beautiful Brasso, running to lilac shadings, with large, fringed lip. 4-5 bulbs 15.00 Madam Charles Maron—Fine variety. Several plants. 1 lead. 4-5 bulbs 20.00 Madam Charles Maron var. Summit—Very fine type. 25.00 Massangeana, (Bc. Mrs. J. Leeman × C. Trianae)— 4-5 bulbs 12.50 Mars, (Bc. Mrs. J. Leemann × C. Maggie Raphael alba)—A nice light colored Brasso. 4 bulbs 35.00 Mars var. Magnifica—A fine cream colored flower. 4 bulbs 35.00 Mirabilis, (Bc. Mrs. J. Leemann × C. Mendelii)— 4 bulbs 35.00 Mrs. J. Leemann, (B. Digbyana × C. Dowiana)—A fine large flower, running to yellow. 4 bulbs 20.00

Nestor—Several fine varieties. 4 bulbs 25.00 Penelope, (Bc. Mme. Chas. Maron X C. Fabia)—A very nice flower in shape and color. 4 bulbs 20.00 Penelope var. Frenchley—A very fine type resembling British Queen Perfecta. 4 bulbs 35.00 Rosita, (Bc. Ilene X C. Dowiana)— 4 bulbs 25.00 Ruby, (Bc. Mrs. J. Leemann imes C. Labiata var. Peetersii) —A fine deep colored flower. 4 bulbs 25.00 Speciosa, (Bc. Digbyano-Mendelii X C. Schroderae)— 4-5 bulbs 12.50 Stephen Birch, (Bc. Digbyana-Trianae \times C. Comet)—A fine type of this good hybrid. 4 bulbs 20.00 Stephen Birch—Extra fine varieties. 4 bulbs Thorntonii, (B. Digbyana imes C. Gaskelliana)—Fine large, light flower. Nearly white. Thorntonii—Fine variety. Thorntonii—Extra fine type. Veitchi, (B. Digbyana X C. Mossiae)— 4 bulbs Vivian Simon, (Bc. Rosita imes C. Gen. Pulteney)—A fine 4 bulbs 25.00 Brasso hybrid. Westminister, (Bc. Dr. G. MacDonald imes C. Tityus)—A 4 bulbs 20.00 very good Brasso. William Kleinheinz, (Bc. Ilene imes C. Ballantineana)—A very nice type in color and shape. 4 bulbs 22.50 William Kleinheinz imes C. Gigas—A very fine, dark, 4 bulbs Brasso hybrid. (Note:—We also have smaller plants and older crosses at reduced prices.)

BRASSOLAELIA:

(Hybrids from Brassovola \times Laelia). Culture and general treatment same as Cattleyas.



Brassclaeliccattleya Eudora.



Brassocattleya Heatonensis.

BRASSOLAELIO—(Cont'd.)

Jessopi, (B. Digbyana X L. Xanthina)—Medium sized, yellowish shadings. 4 bulbs 7.50

Veitchi, (B. Digbyana X L. Purpurata)—Light lavender flowers. 4-bulbs 12.50

BRASSOLAELIOCATTLEYA

(Hybrids from Brassovola, Laelia and Cattleya). This handsome, showy group of hybrids includes a wonderful range of colors, and like the Brassocattleyas are characterized by a fringed lip. Their culture is similar to Cattleyas. Every orchid collection should include some Brassocattleyas and Brassolaeliocattleyas.

Afterglow, (Bc. Thorntonii X Lc. Rover)—A striking hybrid, ranging in color from peach shadings through to 4 bulbs 15.00 apricot. Good plants. 4 bulbs 25.00 Afterglow—A few selected fine types. **Afterglow**—Extra fine variety. 4 bulbs 35.00 Albatross, (Bl. Digbyano-Purpurata 💢 C. Mossiae)—A very nice Blc. 4 bulbs 20.00 Andromeda, (Bc. Mme. Chas. Maron X Lc. Golden

Andromeda, (Bc. Mme. Chas. Maron X Lc. Golden
Oriole)—Rather small flowers but of nice coloring.
4 bulbs 20.00

Bonniface, (Blc. Truffautiana X C. Hardyana)—Good flower running to bronze shadings. 4 bulbs 20.00

Decia, (Bc. Digbyano-Schroderae X L. Purpurate)—Good plants. 4-5 bulbs 15.00

Estelle, (Bc. Digbyano-Mendeli var. Fortuna X Lc. Marginata)—A splendid variety of medium colorings.

4-5 bulbs 30.00

Everest, (Bc. Mrs. J. Leemann × Lc. Canhamiana)—A large flower, good shape and color. 4-5 bulbs 20.00 Everest var. Venus—A huge flower of excellent shape and coloring. Only one available. 1 lead.

4 bulbs 50.00

Eudora, F.C.C.-N.Y.H.S.-A.M.A.O.S., (Blc. Queen of the Belgians \times C. Gigas)—A well proportioned very large flower of good shape and color. Only one plant. l lead. (See cut). 4 bulbs 50.00

Gordon Highlander, (Bc. Mme. Chas. Maron imes Lc. Aphrodite)—One of the best of the Brassos for show purposes. Large, well textured flowers of medium coloring, with a fine, dark fringed lip. Good plants. 4 bulbs Gordon Highlander—Fine variety. A huge flower. Only two plants. 4 bulbs 25.00 Gordon Highlander—F.C.C.-N.Y.H.S. variety. The best type, only one plant. 4 bulbs 40.00 Henry Stock, (Blc. Caligula X C. Dr. M. Lacroze)—A very fine shaped dark hybrid Only one. 4 bulbs Henry Stock F.C.C.-A.O.S.—Exceptionally fine shaped and colored flower. 4 bulbs Idey, (Bc. Mrs. J. Leemann imes Lc. Mita)—A nice colored Brasso. 4 bulbs Melrose, (Blc. Alfred Mollet imes Lc. Mrs. T. Ward)—Heavily textured, good color. 1 lead. 4 bulbs 20.00 Mrs. P. S. DuPont, (Bc. Mrs. J. Leemann X Lc. Alex)— Unusually colored running to bronze shadings. Good plants. 4 bulbs 20.00 Mrs. P. S. DuPont—A very fine variety. l lead. 4 bulbs Muriel var. Mrs. Hamner, (Bc. Mme. Chas. Maron imesLc. Feronia)—A remarkable hybrid running to bronze shadings. Only 1 plant. 4 bulbs Seaforth Highlander, (Bc. Mrs. J. Leemann 🔀 Lc. Aphrodite)—A nice bold flower. l lead. 4 bulbs 15.00 The Baroness, (Bc. Mrs. J. Leemann imes Lc. Ophir)—A large, good flower with yellow shadings. 4 bulbs Truffautiana, (Bc. Mrs. J. Leemann imes Lc. Luminosa)— ${
m All}$ fine large flowers. Distinct yellow shadings. 1 lead. 4 bulbs Truffautiana—Several very fine varieties. 4 bulbs Watteau, (B. Digbyana X Lc. Luminosa)—A fine, large compact flower. Good coloring, large distinct yellow eves in throat. Watteau—Several fine varieties. 4 bulbs 25.00 Watteau—F.C.C. type. Exceptionally fine. 4 bulbs 35.00 Wotan, (Bc. Mrs. J. Leemann X Lc. Callistoglossa)—A fine formed flower of good coloring. l lead. 4 bulbs Zena, (Blc. The Baroness imes Lc. Luminosa)—A very fine yellow, of good texture. A few selected varieties. 35.00 4 bulbs Only Zena var. Summit—Very fine type of yellow. 4 bulbs one plant. (Write for special offerings in smaller plants at reduced prices.)

BULBOPHYLLUM:

This genus includes some of the very smallest orchids, producing flowers of a remarkably weird nature. Although a number are of botanical interest only they are all so unusual that only a few are not worthy of a place in a representative orchid collection. A Cattleya compost is suitable. Water freely when growing, and keep in a moist clean atmosphere.

Barbigerum, (West Coast Africa)—Summer and various.
An interesting little plant with the flower spike springing from the base and bearing 8 to 12 flowers of yellowish tints with chocolate brown. The lip terminates in a brush of dark, silk-like hairs and oscillates in the slightest current of air. Nice little plants.

7.50 to 10.00

Careyanum, (India and Burma), (The Corncob Orchid)— Summer and fall. Small flowers, reddish brown, set in dense, cylindrical racemes. 6-8 bulbs 5.00

Caricinum, (India and Burma)—Summer and fall. Resembling Careyanum except the flower is not so densely set.

10-12 bulbs
5.00

Lagers, Thurrell

BULBOPHYLLUM—(Cont'd.)

Cupreum, (Burma)—Summer. Similar to Caricinum except in its copper colored flower.
 Dearei, (New Guinea)—Various.
 Resembling Lobbii.

Flowers 2 to 3 in., yellow and flushed with orange.

Also purples. Lip cream-white marked with purple.

4-5 bulbs 7.50

Densiflorum, (North India)—Autumn. Slender spikes in drooping, dense flowered inflorescence. Small yellow-green to yellow flowers.
 7-8 bulbs
 5.00

Ericssoni, (New Guinea)—Summer. (Rare). Inflorescence large with large flowers arranged in an umbel, the dorsal sepals meeting and forming a central point. Flowers light green with yellow and spotted with brown. Large lip, red-purple. Only one plant available.

20.00

Gibbosum, (Java)—Autumn. Erect spikes with small whitish flowers. 6-8 bulbs 5.00

Grandiflorum, (New Guinea)—Autumn. Large single flowers, dorsal sepal about 4 inches long, hooded. Olive green with greenish-white markings. Lower sepals twisted so that under surface are uppermost. A remarkable species. 5-6 bulbs 5.00

Grandiflorum— 7.8 bulbs 7.5

Lobbii, (Burma)—Summer and various. Flowers buff yellow marked with purple. An unusually attractive variety.

5-6 bulbs
5.00

Medusae, (Malaya)—Summer. Flowers in a dense mass. Straw color with reddish spots and having a quantity of long, whitish, silky hairs extending from the inflorescence. Quite rare.

5-6 bulbs 10.00

Virescens, (Java)—Summer. (Rare). Resembling Ericssoni but different in that the sepals have a green suffusion and no spots.

3 bulbs 20.00

BURLINGTONIA: (Syn. Rodriguezia)

Fragrans, (Brazil)—Spring. A plant of this beautiful little species should be included in every collection. The plant is compact and bears hanging racemes of good sized pure white flowers, excepting the middle of the lip, which is stained with yellow; excellent keepers, exceedingly fragrant, requiring plenty of heat and moisture and should be potted small in a compost of two-thirds osmunda and one-third sphagnum moss. Plants with

4-5 bulbs 5.00

Fragrans—Larger plants.

7.50 to 10.00

CALANTHE

A handsome family of decidious orchids belonging to the terrestrial section. They are grown best potted small in a mixture of chopped fibrous loam, a little sand and good brown osmuda fibre, and should be well supplied with drainage. The bulbs should be set in the compost only deeply enough to hold them firmly in position. A moderate shading of the glass is necessary until the bulbs are matured. After potting, water should be given sparingly until root action starts and a warm moist atmosphere is essential. When vigorous growth begins, give an abundance of water to stimulate growth through the summer. Watering with weak liquid cow manure once a week is beneficial when the plants are growing. During the late summer the leaves wither and begin to drop and the flower spike appears. The bulbs should then be fully grown and water should be given sparingly, witholding it more and more until the flowers are cut, when water should be withheld entirely and the bulbs given a complete rest by remaining dry until new root action appears at which time they should be removed from the pot, separated, and started off Dormant Growing

Baron Schroeder, (Regnieri X Vestita,		
Gigantia)—Winter. Pink and white.	3.00	5.00
Florence, (Cedenii var. Bella X Veitchii)		
-Winter, Large pink, One of the best,	3.50	6.00

Harrisi, (Veitchii X Vestita Turneii)— Winter, White, One of the best.	3.50	6.00
McWilliamsi—Winter. Pink and white.	2.50	4.00
Mrs. C. Vanderbilt, (Veitchii X Vestita Rubro-Oculata)—Winter. Pink and white. Strong.	3.00	5.00
Veitchi Sandhurstina, (Rosea X Vestita Rubro-Oculata)—Winter. Dark pink.	2.00	3.50
William Murray, (Vestita Rubro-Oculatix Williamsi)—Winter. Pink and white.	2.00	3.50

Note:—The dormant price on the above Calanthes consists of one bulb and the growing price is an established two-bulb growing plant.

CAMAROTIS: (Syn. Sarcochilus)

This unusual genus succeeds best grown in one-third sphagnum moss and two-thirds osmunda fibre, and should have treatment similar to Saccolabiums.

Hartmanii, (Queensland)—Spring. Flowers white spotted with red. 1 to 2 stems.5.00

Purpureus, (North India)—Spring. A rare and beautiful orchid with scandent stems 1 to 2 feet high. Flowers in racemes 6 to 9 inches long. Light rose purple.


5.00 to 10.00

CATASETUM

The flowers are among the most wonderful in the orchid family. Apart from their remarkable structure, they have both male and female flowers which differ in color and structure and are usually carried on separate spikes. They are easy to grow and like an abundance of heat and moisture when growing, and afterward a well marked period of rest and do well with tropical Denbrobiums. When the leaves,



Calanthe.



Cattleya Gigas Alba.

CATASETUM—(Cont'd.)

which are decidious, begin to drop, the plant should be removed to an airy position in an intermediate temperature with only sufficient water to prevent shriveling.

Christyanum, (Brazil)—Summer. Red-browns, spotted. Lip greenish, fringed with purplish brown hairs.

2 bulbs 7.50

Macrocarpum, (Tropical America)—Summer. Large flowers, three to four inches. Greens to yellows, spotted with brown purple.

2 bulbs
7.50

Russellianum, (Guatemala)—Summer. Pale green with a fringed margin on the lips. 2 bulbs 7.50

Scurra, (Demerara)—Spring. Flowers about an inch. Creamy-white. Lip fringed. 2 bulbs 10.00

CATTLEYA: Species

The Cattleya Species and its many hybrids are classed among the showiest, most popular and useful of all Orchids. For the conservatory, exhibition purposes or as cut flowers they have no equal. We refer you to varietal notations, as well as general culture for further information.

Aurantiaca, (Guatemala)—Summer, Known as Epidendrum Aurantiacum. Flowers 3 inches, Clear orange red. Rare. 4 bulbs 15.00

Aurea, (Colombia)—Fall. Large flowers. Yellow sepals and petals, lip irch crimson—purple streaked with gold. This species requires a dry and warm position, slightly more shaded than that of other Cattleyas.

4 bulbs 15.00

4 bulbs 10.00

Bicolor, (Brazil)—Late summer. Flowers about 4 inches. Bronzy-green shadings. Lip rose purple. Scarce.

Bowringeana, (Central America)—Autumn. Flowers 2 to 3 inches on many flowered spikes. Rose purple. Lip darker. 4-5 bulbs 7.50

Bowringeana—Stronger plants. 4-5 bulbs
Bowringeana—A few selected fine varieties.

12.50-20.00

10.00

Chrysotoxa (Colombia)—Autumn Probably t

Chrysotoxa, (Colombia)—Autumn. Probably the same as Aurea but from a different locality. Flowering size plants. 10.00-20.00

Citrina, (Mexico)—Spring and summer. Very distinct and beautiful. Flowers bright yellow, pendant and single. Very fragrant. Because of its tendency to grow downward, this plant does better on a raft or a board suspended at an angle. They require a great deal of sunlight and a decided rest when the growth has matured.

3-4 bulbs 5.00

Dowiana, (Costa Rica)—Late summer. One of the handsomest of the genus. Large flowers, 6 to 8 inches. Sepals and petals yellow, crimson flushed beneath. Lip crimson purple, veined with gold. Culture similar to that of C. Aurea. Flowering sized plants.

10.00-20.00

Gaskelliana, (Venezuela)—Early summer. Large flowers. Sepals and petals ranging from whitish to rose-purple. Lip darker. Throat veined with yellow.

4-5 bulbs 5.00

Gaskelliana—Stronger plants.

7.50 to 10.00

Gaskelliana var. Alba (Rare)—Pure white sepals, petals and lip. Yellow throat. 4 bulbs 35.00

Gaskelliana—White sepals and petals. Purple lip. Fine variety. Only one. 35.00

Gigas, (C. Warscewiczii), (Colombia)—Late spring. Largest of the Labiata section. Spikes, 2-7 flowers, 8-10" across. Sepals and petals rose. Crimson purple lip with yellow markings in the throat. Requires α decided long rest and when growing, give plenty of sun, heat and water.

4-5 bulbs

7.50

Gigas—Stronger plants.

4-5 bulbs 10.00



Cattleya Percivaliana.

CATTLEYA—(Cont'd.)

Gigas Alba, (Firmen Lambeau)—Without a doubt the outstanding flower of the Cattleya section. Pure white sepals and petals. Large pure white lip with two yellow eyes in the throat. Gigas Alba is an exceptionally good grower. A very limited number of plants in stock. (See cut).

Price on application.

Gigas Frau Melani Beyrodt—A beautiful flower with pure white sepals and petals and a deep crimson lip, with yellow eyes in the throat. 4 bulbs 35.00

Gigas Rochellensis—Very rare. Pure white sepals and petals with a large white lip, suffused with a very faint tinge of lavendar. Only 1 plant.

Price on application.

Gigas Imperialis—Flowers larger than the type, and more richly colored.

4 bulbs 15.00

Gigas Sanderiana—The finest of the colored types. 4 bulbs 15.00

Hardyana, (Colombia) — Summer. A natural hybrid (Dowiana var Aurea X Gigas). Very large flowers, deep rose sepals and petals, frilled lip of magenta and veined with gold and dark purple. One of the showiest of the Cattleya species. This has also been raised artificially and is considered a very excellent hybrid.

4 bulbs 12.50

Hardyana—Stronger plants. 4 bulbs 15.00

Hardyana var. Alba—A very fine thing, with large white sepals and petals and deep magenta lip veined with gold and purple.

4 bulbs 15.00

Hardyana var. Alba—Stronger plants.

4 bulbs 20.00

Hardyana—Springbrook variety. An outstanding fine type. 4 bulbs 25.00

Harrisoniae, (Syn. Loddigessii variety, (Brazil)
—Late spring. Colors vary from lilac to
magenta. Lip with touch of yellow.

4-5 bulbs 5.00-10.00

Intermedia, (Brazil)—April and May. Harrisoniae like habit, sepals and petals white, flushed with rose. Lip rose purple.

4 bulbs 10.0

Intermedia var. Alba—Flowers pure white and of heavy texture. A few flowering sized plants. 4 bulbs 15.00

Intermedia var. Alba—Several stronger plants. 20.00-25.00

Labiata, (Brazil)—Fall. Large flowers. 2-7 flowers on a spike. Showy and very variable as to color in a range of rose to deep crimson-purple. Throat marked with yellow.

4 bulbs 5.00

Labiata—Larger and stronger plants. 7.50-15.00
Labiata var. Alba—Flowers pure white. Yellow throat and lip. Rare. Only one. 4 bulbs 35.00

Labiata var. Rosea—A distinct light variety.

l lead. 4 bulbs 15.00

Lobata, (Syn. Laelia Boothiana), (Brazil)—Late spring.

Spikes 2-5 large flowers. Light rose-purple with deeper veins. Lip crisped crimson-purple. A very good grower.

4 bulbs 5.00

Lobata—Larger and stronger plants. 7.50-10.00

Luedemanniana, (Syn. Speciosissima)—Large flowers. Sepals and petals flesh. Lip rich magenta with white and yellow in the center.

4-5 bulbs 7.50

Loddigessii—(See Harrisoniae).


Maxima, (Very scarce), (Ecuador)—Fall. Spikes 5-10 flowers not as large as Labiatas. Sepals and petals rose. Lip darker, and veined lighter. 4 bulbs 15.00

Mendelii, (Colombia)—Spring. Labiata section. Large handsome flowers. Sepals and petals light. Lip deeper. 4-5 bulbs 7.50


Mendelli—Larger and stronger plants. 10.00-15.00

Mendelii var. Colombia—Very fine variety.

4 bulbs 15.00



Cattleya Schroederae.



Cattleya.

CATTLEYA—(Cont'd.)

Mossiae, (Venezuela)—Spring. (The Easter Orchid). Large, beautiful, very variable flowers, ranging from lilac to deep crimson. Lip crimson with yellow markings, sometimes on a white ground. 4 bulbs 5.00

Mossiae—Larger and stronger plants. 7.50-15.00

Mossiae var. Alba—Flowers pure white. Lip with a deep yellow throat. 1 lead. 4 bulbs 35.00

Mossiae var. Delicata—Light lilac colorings. Very distinct. 4 bulbs 12.50

Mossiae var. Grandiflora—One of the largest of the Mossiaes. 4-5 bulbs 20.00

Mossiae var. Mrs. Butterworth—Reputed the finest of the type.

4 bulbs 50.00

Mossiae var. Reineckiana—White sepals and petals. Colored lip as in type. 4 bulbs 25.00

Mossiae Reineckiana, (Young's Variety)—Without question the finest of the Mossiaes and a plant greatly sought after by the hybridists. Only one plant.

4 bulbs 150.00

Percivaliana, (Venezuela)—Winter. (The Christmas Orchid). Flowers slightly smaller than Labiata. Sepals and petals rose. Frilled lip. Rich magenta crimson and tawny yellow colorings. Throat marked with crimson and gold.

4 bulbs 5.00

Percivaliana—Larger and stronger plants. 7.50-12.50

Percivaliana—A few very fine marked varieties.

15.00-20.00

Percivaliana Roeblingiana—White sepals and petals.
Rose purple lip. (Rare). Only 1 plant.
40.00

Schroederae, **(Colombia)**—Spring. The typical flowers are usually rosy lilac except for considerable orange yellow on the throat of the lip. They are very attractive and usually follow C. Trianae in flowering.

4 bulbs 5.00 Schroederae—Larger and stronger plants. 7.50-12.50

Schroederae—A few fine selected types. 10.00-15.00
Schroederae var. Alba—Pure white sepals and petals.
Orange yellow in throat. 4 bulbs 35.00

Skinneri, (Guatemala)—Spring. Resembling Bowringiana.
Flowers 1-3" clustered on spikes. Rose purple with deeper colors on the lip. Many are made more attractive by a distinct sheen in the color of the flower.

4-5 bulbs 7.50

Skinneri—A few larger and stronger plants. 10.00-15.00
Skinneri var. Alba—Flowers pure, glistening white, some having purple markings in the lip and yellow eyes in the throat.

4 bulbs 25.00

Speciosissima, (See Luedemanniana).

Trianae, (Colombia)—Winter. Probably the most satisfactory of the Cattleya species, as certain types flower from early winter through to spring. Flowers larger than Labiata and very variable as to color. Cattleya colored sepals and petals through to whites and very deep purple-crimsons.

4-5 bulbs 5.00

Trianae—Larger and stronger plants.

7.50-15.00

Triange var. Alba—Pure white with yellow in throat.
4 bulbs 35.00

Trianae var. Autumnalis—A distinct early flowering type.

4 bulbs 10.00

Trianae Amesiana—White with a large heliotrope colored lip. 25.00-40.00

Trianae var. Atropurpurea—Exceptionally fine variety.
Flowers almost entirely crimson. 4 bulbs 20.00
Trianae var. Backhousiana—Deep blush on the ends of the petals. 4 bulbs 20.00

Trianae var. Virginalis—White sepals and petals, with a mauve colored lip. 4-5 bulbs 20.00

Walkeriana, (Brazil)—Winter. Dwarf habit. Fleshy, large flowers. Soft rose. Lip deeper. 4 bulbs 7.50

Warneri, (Brazil)—Fall. Labiata section with flowers slightly larger. Deep rose, with a deep crimson lip.

l lead. 4 bulbs 7.50

Warscewiczii, (See Gigas).


(Note:—We also have special offerings in smaller plants and nice back bulb propagations at reduced prices.)



Cattleya Leda.


Lagers Hurrell

CATTLEYA HYBRIDS: See Gene	eral Culture
Adela, (Percivaliana 🔀 Trianae).	4 bulbs 15.00
Adula, (Bicolor $ imes$ Hardyana).	4 bulbs 15.00
Alfred Dimmock, (Bowringeana 🔀 La	
showy.	4 bulbs 20.00
Alcorn, (Labiata 🔀 Sylvia).	4 bulbs 12.50
Alwynii Alba, (Enid Alba X Amab sepals and petals.	ilis Alba)—White 4 bulbs 25.00
Amabilis, (Labiata X Sylvia).	5 bulbs 17.50
Amabilis Alba—White sepals and pet	
Times in the winter bepair and per	4 bulbs 25.00
A. M. Nicholas, (Dinah × Hardyana)	-Well balanced.
Dark.	4-5 bulbs 20.00
Annette Alba, (Chocoensis Alba $ imes$ Gig	ras F.M.B.) —White
sepals and petals.	4-5 bulbs 25.00
Ardentissima, (Fabia 🔀 Petersii).	4-5 bulbs 15.00
Ärmainvillierense, (Mendeli $ imes$ Gigas).	4-5 bulbs 15.00
Ballantineana, (Trianae X Gigas)—. Cattleya.	A very showy 4-5 bulbs 12.50
Ballantineana—Stronger plants.	15.00-20.00
Barbara Dane, (Labiata X Phoebe	
pure white.	4-5 bulbs 35.00
Barbara Dane—Several selected fine v	arieties.
	40.00-75.00
Bardic, (Carmen $ imes$ Labiata).	4-5 bulbs 12.50
Boadicea, (Gaskelliana $ imes$ Hardyana).	4-5 bulbs 12.50
Cappeii, (Trianae $ imes$ Schroederae).	4-5 bulbs 15.00
Cassadagua, (Percivaliana 🔀 Tityus).	4-5 bulbs 12.50
Chapmani, (Bowringeana 🔀 Warneri)—	
	-Nice and showy.
	4-5 bulbs 10.00
Cherokee, (Maggie Raphael × Ballan	4-5 bulbs 10.00 tineana).
Cherokee, (Maggie Raphael $ imes$ Ballan	4-5 bulbs 10.00 tineana). 4-5 bulbs 15.00
Cherokee, (Maggie Raphael $ imes$ Ballan Clotho, (Trianae $ imes$ Enid)—(Winter).	4-5 bulbs 10.00 tineana). 4-5 bulbs 15.00 4-5 bulbs 15.00
Cherokee, (Maggie Raphael × Ballan Clotho, (Trianae × Enid)—(Winter). Clotho—Selected varieties.	4-5 bulbs 10.00 tineana). 4-5 bulbs 15.00 4-5 bulbs 20.00
Cherokee, (Maggie Raphael × Ballan Clotho, (Trianae × Enid)—(Winter). Clotho—Selected varieties. Clotho Alba—White sepals and petals.	4-5 bulbs 10.00 tineana). 4-5 bulbs 15.00 4-5 bulbs 20.00 4-5 bulbs 25.00
Cherokee, (Maggie Raphael × Ballan Clotho, (Trianae × Enid)—(Winter). Clotho—Selected varieties. Clotho Alba—White sepals and petals. Cooksoni, (Hardyana × Trianae)—Fall.	4-5 bulbs 10.00 tineana). 4-5 bulbs 15.00 4-5 bulbs 25.00 4-5 bulbs 25.00 4-5 bulbs 17.50
Cherokee, (Maggie Raphael × Ballan Clotho, (Trianae × Enid)—(Winter). Clotho—Selected varieties. Clotho Alba—White sepals and petals. Cooksoni, (Hardyana × Trianae)—Fall. Comet, (Dowiana × Warneri)—Fall.	4-5 bulbs 10.00 tineana). 4-5 bulbs 15.00 4-5 bulbs 20.00 4-5 bulbs 25.00 4-5 bulbs 17.50 4-5 bulbs 17.50
Cherokee, (Maggie Raphael × Ballan Clotho, (Trianae × Enid)—(Winter). Clotho—Selected varieties. Clotho Alba—White sepals and petals. Cooksoni, (Hardyana × Trianae)—Fall.	4-5 bulbs 10.00 tineana). 4-5 bulbs 15.00 4-5 bulbs 20.00 4-5 bulbs 25.00 4-5 bulbs 17.50 4-5 bulbs 17.50



Cattleya Hardyana.

Cybele, (Gaskelliana × Lueddemanniana)—Spring. 4-5 bulbs 17.50
Cybele Alba—Fine entirely white flower. Spring. 4-5 bulbs 35.00
Cybele Alba—Several selected fine forms. 40.00-50.00
Dionysius, (Fabia Alba × Gigas F.M.B.)—Fall. 4-5 bulbs 20.00
Dionysius Alba—Fine, white sepals and petals. Colored lip variety. 4.5 bulbs 25.00
Donald McKenzie, (Hardyana $ imes$ Miss Williams)—Spring.
4-5 bulbs 20.00 Donald McKenzie—Fine variety. Sepals and petals nearly white. 25.00
nearly white. 25.00 Dorothy Tucker, (Fabia × Princess Royal)—Late fall.
$ ext{4.5 bulbs} ext{17.50}$ Dupreana, (Warneri $ imes$ Gigas)—Fall. Fine large flowers.
4-5 bulbs 20.00 Dupreana Alba—White sepals and petals.
4-5 bulbs 25.00 Dusseldorfi Undine—Fine pure white of Intermedia par-
entage. Spring. 4-5 bulbs 25.00
Edithiae Alba, (Suzanne Hye X Trianae Alba)—Fine pure white. Spring. 4-5 bulbs 35.00
Edithiae Alba—Several selected fine varieties.
Eleanore, (Hardyana × Gigas F.M.B.)—Late spring. Fine bold flower. 4-5 bulbs 17.50
Eleanore Alba—White sepals and petals. Fine forms. 25.00
Eleanore Alba—Several selected fine varieties. 35.00
Enid, (Mossiae X Gigas)—Winter and various. One of the best for show purposes. 4-5 bulbs 15.00
Enid—Selected types in fine varieties. 17.50-35.00
Enid Alba—Fine white sepal and petal type. 4-5 bulbs 35.00
Enid Cowan's Variety—Very fine white sepal and petal
Empress Frederick, (Dowiana × Mossiae)—Late spring.
$ ext{4-5 bulbs} ext{15.00}$ Evelyn Sander, (Trianae Alba $ imes$ Undine)—Spring.
4-5 bulbs 10.00 Euclid, (A. Dimmock × Maggie Raphael)—Fall and
winter. 4-5 bulbs 10.00
Fabia, (Dowiana × Labiata)—Late fall. Fine type. 4-5 bulbs 10.00
Fabia—Selected fine, light varieties. 4-5 bulbs 15.00-20.00
Fabia—Selected fine, dark varieties. 4-5 bulbs 15.00-25.00
Fabia var. Summit—Magnificent large, dark type. One
only. 4 bulbs 50.00 Fabia $ imes$ Bowringeana—Late fall. 4-5 bulbs 12.50
Fabianid, (Fabia X Enid)—Winter. 4-5 bulbs 20.00
Falco, (Dowiana $ imes$ Dupreana)—Fall. 4-5 bulbs 12.50
Florence W. Dalton, (Cooksoni X Fabia)—Fall and
winter. A fine dark hybrid. 4-5 bulbs 15.00 Florence W. Dalton—A few dark, selected types.
20.00-30.00 General Russky, (Amabilis × Dowiana)—Late spring.
4-5 bulbs 15.00 George Ciejka, (Roger Sander × Trianae Edgar Knight)—
Winter-spring. 4-5 bulbs 15.00
George Ciejka—Several fine varieties. 4-5 bulbs 20.00-25.00
George Ciejka—Outstanding fine variety. One only. 4 bulbs 35.00
Gigas, (Syn. Warscewiczii)—See Cattleya Species. Gildeni, (Hardyana X Maggie Raphael)—Fall-winter.



Cattleya Hardyana Alba.

CATTLEYA HYBRIDS—(Cont'd.)

H. A. Astlett, (Fabia X Pretoria)—Fall-winter.

4-5 bulbs 12.50

H. A. Astlett—Selected variety. One only. 4 bulbs 20.00

Hardyana (Cattleya Species for complete listing).

Harold, (Gaskelliana X Gigas)—Spring.

4-5 bulbs 12.50

Harold—Larger and stronger plants.

15.00-20.00

Harold—Several selected fine varieties.

4-5 bulbs 25.00-30.00

Harold Alba—Fine white sepal and petal form. Only one. 4 bulbs 35.00

Harold var. Gigantea—The finest of the

35.00 4 bulbs colored types.

Harrisoniae—(See Cattleya Species).

Hesperus, (Enid \times Hardyana)—A fine bold dark flower. Fall and various.

4.5 bulbs 20.00

Hesperus—Several fine selected varieties.

4-5 bulbs 25.00

H. S. Leon, (Schroederae X Gigas)—A fine

free flowering type. Spring.

4-5 bulbs 15.00

H. S. Leon—Selected types.

4-5 bulbs 20.00-25.00

Intermedia and Alba—(See Cattleya Species).

Intertexta, (Mossiae \times Warneri) — A fine spring flower. 4-5 bulbs 15.00

Intertexta—Selected types. 17.50-25.00

Intertexta var. Juliette—Fine white sepal and

4 bulbs 35.00 petal type.

Jocaste, (Mossiae \times Schoroederae)—Spring. 4-5 bulbs 12.50

Judah, (Hardyana imes Lord Rothschild)—Late

4-5 bulbs 20.00 spring.

King George, (Dowiana X Triumphans)-

Yellow. Late spring. 4-5 bulbs 25.00-35.00

King George—Selected fine variety.

4 bulbs

Kitty Wren, (Fabia X Gaskelliana)—Fine free flowering. Spring. 4-5 bulbs 17.50 Kitty Wren—Few selected types.

4-5 bulbs 20.00-25.00

Labiata—(See Cattleya Species).

Lady Alexander Alba, (Amabilis \times Fabia)—White sepals and petals. Late spring. 4-5 bulbs 22.50

Lawrenceana—(See Cattleya Species).

Leda, (Dowiana \times Percivaliana)—Very dark types. 4-5 bulbs 15.00

Leda—Several selected fine varieties.

4-5 bulbs 17.50-25.00

Leda var. Summit Belle—Only one. Beautiful shape. 4 bulbs 35.00

Leda imes Delight—A nice flower running from yellows to bronzes. 4-5 bulbs 25.00

Leda imes Delight—Selected types.

4-5 bulbs 30.00-45.00

20.00

20.00

Lobata—(See Cattleya Species).

Loddigesii—(See Cattleya Species).

Lord Rothschild, (Dowiana X Gaskelliana)—Very strong grower and free flowering hybrid. large flowers. Late spring and summer. Verv 4-5 bulbs 20.00

Lord Rothschild—Very fine variety, huge flowers, well colored. 4 bulbs 30.00

Luedemanniana—(See Cattleya Species).

Luegeae, (Dowiana Rosita X Enid)—A very fine 4-5 bulbs dark hybrid.

Maggie Raphael, (Dowiana \times Trianae)—Late fall 4.5 bulbs and winter.

25.00 Maggie Raphael—Selected types. 4-5 bulbs



Calileva.

	D: (T:)
CATTLEYA HYBRIDS—(Cont'd.)	Princess, (Trianae X Luedemannia)—Very fine. 4-5 bulbs 20.00
Maggie Raphael Alba—Fine white sepals and petals. 4-5 bulbs 25.00	Princess—Several selected fine types. 4-5 bulbs 25.00
Maggie Raphael Alba—Selected types. 4-5 bulbs 30.00-35.00	Princess Royal Alba, (Fabia X Hardyana)—White sepals and petals. Fine. 4-5 bulbs 20.00
Maude M. Condon, (Cappei $ imes$ Labiata Alba)—Very fine	Princess Royal Alba—Several selected fine varieties. 4-5 bulbs 25.00-30.00
pure white. 4 bulbs 50.00 Maude M. Condon—Outstanding fine variety. Only one. 75.00	Priscilla Alba, (Enid X Luedemannia)—Fine white sepal and petal hybrid. Winter and various.
Mantinii, (Bowringeana 🔀 Dowiana)—Showy hybrid.	4-5 bulbs 20.00
Fall. 4-5 bulbs 12.50	Priscilla Alba—Several selected fine types. 4-5 bulbs 25.00-35.00
Mantinii—Selected types. 4-5 bulbs 15.00-20.00	Quibo, (Dowiana × Miss Williams). 4-5 bulbs 10.00
Margaret Purcell, (Mabel Alba X Mrs. Myra Peters Alba) —A very fine pure white type. 4-5 bulbs 30.00-50.00	Remy Chollet, (Monarch X Triange)—Winter. One of
Marjorie, (Ballantineana × Labiata)—Very fine large. 4-5 bulbs 20.00	the finest and most showy of Trianae crosses. 4-5 bulbs 25.00
Marjorie—Few selected types. 4-5 bulbs 25.00-30.00	Remy Chollet—A few selected types. 4-5 bulbs 30.00-40.00
Marliata, (Labiata × Marriottiae). 4-5 bulbs 15.00	Remy Chollet—The finest type. Only one. 4 bulbs 100.00
Maxima—(See Cattleya Species).	R. M. Cadwallader Jr., (Dupreana $ imes$ Sylvia)—A fine bold
Mendelii—(See Cattleya Species).	dark flower. Late spring and summer.
Merope, (Trianae × Fabia)—Winter-spring. Fine. 4-5 bulbs 15.00	4-5 bulbs 15.00 R. M. Cadwallader Jr.—A few selected types.
Merope—Stronger and larger plants. 20.00-25.00	4-5 bulbs 17.50-25.00
Miss Kemp, (Bowringeana × Fabia)—Fine, showy medium flower. 4-5 bulbs 15.00	Santa Monica, (Lord Rothschild X Mendelii)—Spring. 4-5 bulbs 15.00
Miss Kemp—Very fine type. 4 bulbs 25.00	Schilleriana—(See Cattleya Species).
Miss Williams, (Gaskelliana $ imes$ Harrisoniae)—Spring.	Schroederae—(See Cattleya Species). Skinneri—(See Cattleya Species).
4-5 bulbs 12.50	Sylvia, (Dowiana × Fabia)—Summer. 4-5 bulbs 15.00
Moira, (Fabia $ imes$ Mantinii) —Fine dark showy flower. 4-5 bulbs 15.00	Sylvia var. Alba—A good white petal and sepal form. 4-5 bulbs 20.00-25.00
Moira—Few selected types. 4-5 bulbs 17.50-25.00	Timmendaqua, (Ballentineana × Fabia)—Good large dark.
Monarch, (Empress Frederick × Trianae var Monarch). Very fine dark hybrid. 4-5 bulbs 20.00	4-5 bulbs 15.00 Timmendaqua—Larger and stronger plants.
Mossiae—(See Cattleya Species).	17.50-20.00
Mount Royal, (Enid × Maggie Raphael)—Good bold flower. 4-5 bulbs 15.00	Tityus, (Enid $ imes$ Octave Doin)—Free flowering. Spring. 4-5 bulbs 17.50
Mount Royal—Selected fine types. 4-5 bulbs 20.00-25.00	Trimos, (Trianae $ imes$ Mossiae) —Spring. Free flowering.
Mount Royal Alba—Fine white sepals and petals. 4-5 bulbs 20.00-35.00	4-5 bulbs 15.00 Trimos—Several selected varieties. 4-5 bulbs 20.00-25.00
Mrs. James Watson, (Maggie Raphael Alba $ imes$ Trianae The Queen). 4-5 bulbs 25.00	Triumphans, (Dowiana × Rex)—A very fine type of this good yellow with Dowiana lip. Only one plant. 60.00
Mrs. J. W. Whitley, (Bowringeana X Hardyana Alba).	Velutina—(See Cattleya Species).
4-5 bulbs 15.00	Veriflora, (Labiata × Trianae)—Winter. 4-5 bulbs 10.00
Myra Peters Alba, (Gaskelliana Alba X Warneri Alba) —One of the finest of the pure whites.	Warneri—(See Cattleya Species).
4 bulbs 50.00	White Empress, (Irene X Trianae Alba)—Pure white form.
Myra Peters Alba—Exceptionally fine variety. 4 bulbs 75.00	One of the best of the Albinos. Early spring. 4-5 bulbs 35.00
Nutley Alba, (Harold Alba × Hardyana Alba)—White sepals and petals. 4-5 bulbs 20.00	White Empress—A few selected fine varieties. 4-5 bulbs 40.00-75.00
Osta, (Octave Doin $ imes$ Syros)—A fine large flower. 4-5 bulbs 20.00	(Note:—Write for special offerings of smaller plants and nice propagated pieces.)
Percivaliana—(See Cattleya Species).	
Peetersi, (Hardyana 🔀 Labiata)—Fall. 4-5 bulbs 15.00	CHYSIS
Peetersi—Selected fine varieties. 4 bulbs 17.50-25.00	Best potted in pans or baskets with plenty of drainage.
Perena, (Peter × Rene du Brucq)—Fall-winter. 4-5 bulbs 15.00	Compost $\frac{2}{3}$ osmunda fibre and $\frac{1}{3}$ sphagnum moss. Requires plenty of water when growing and a warm
Perena—Selected fine varieties. 4-5 bulbs 20.00-25.00	house. When growth is finished remove to cooler location and keep rather dry until new growth is starting.
Phoebe Snow, (Cappei × Luedemanniana)—Pure white. 4 bulbs 40.00	They are not suitable for cut flower purposes.
Portia, (Bowringeana × Labiata)—Very showy.	Aurea, (Venezuela) —Spring. 3-6 flowers on a spike. Sepals and petals brownish yellow with crimson in lip.

10.00

3-4 bulbs 10.00

3-4 bulbs 10.00

 ${\bf Bractescens,\ (Peru)} {\longleftarrow} {\sf Spring.}\ \ \, {\sf 5-8}\ \, {\sf flowers,\ the\ largest\ of\ the}$

markings. Fragrant.

genus. Wax white with yellowish lip and crimson

4-5 bulbs

4-5 bulbs 15.00-25.00

4 bulbs 45.00

Page Twenty-six

Portia—Selected fine varieties.

Portia Coerulea—Fine blue type. Only one.



Coelogyne Cristata.

CIRRHOPETALUM

Mostly of Botanical interest with flowers remarkable for their structure and closely allied to Bulbophyllum. The culture and compost is similar.

Guttulatum, (India)—Various. Yellow-green flowers speckled with purple and purple lip. 4-5 bulbs 5.00 Medusae—(See Bulbophyllum).

Picturatum, (Malaya)—Various. 2" flowers greenish yellow spotted with crimson. 4-5 bulbs 5.00

Refractum, (Burma)—Winter. Yellowish with red. Lip spotted with red. 5-6 bulbs 7.50

COELOGYNE

A remarkably interesting genus which should be included in every collection. With the exception of Massangeana, Dayana, etc., they should be potted with a compost of ¾ osmunda and ¼ sphagnum moss. Good drainage is essential and an abundance of water while growing. When growth is finished, remove to a cooler house or position and give less water while resting. C. Pandurata, The Green Orchid, from Borneo, is one of the most striking.

Asperata, (Borneo)—Late spring. Long drooping racemes with flowers about 3" across. Cream yellow. Yellow lip veined with brown and orange. 4-5 bulbs 7.50
Asperata—Larger and stronger plants. 10.00-12.50

Barbata, (Assam)—Winter. Erect spikes about 12". Flowers 3" across. White lip with very dark brown hairs.


4-5 bulbs 5.00

Barbata -- Larger plants.


7.50-10.00

Burfordense, (Asperata X Pandurata)—A hybrid with green sepals and petals and brown lip. The colors not as deep or striking as those in C. Pandurata. A very good grower.

3-4 bulbs
7.50



Coelogyna Massangeana.



Coelogyne Lactea.

COELOGYNE-(Cont'd.)

Cristata, (India)—Winter-spring. Spikes 3-8 large, 3" white flowers. Yellow in lip. This variety does best in an all around cooler position. 4-5 inch pots 5.00

Cristata—Larger plants up to 10" pots. 7.50-15.00

Dayana, (Borneo)—Spring. Pendent spikes 2-3' long, many flowered. Sepals and petals straw color, lighter lip striped with deep brown. Flowers about 2" across.

5-6 bulbs 7.50

Dayana—Larger and stronger plants.

10.00-15.00

Fimbriata, (Assam)—Late spring. Flowers same color as Flaccida but not as large and only about 3 to each spike.

5" pot 5.00

Flaccida, (North India)—Spring. A beautiful little Coelogyne. 7-12 flowers about 1½" on the spikes. Whitish with yellow and faint red in lip. 4-5 bulbs 5.00

Lactea, (Burma)—Summer. (Syn. Huettneriana). Resembles
Flaccida. The flowers are more closely set and it is a
very lovely little plant.
4-5 bulbs 5.00

Lactea—Larger plants. 7.50-10.00

Lawrenceana, (Annam)—Spring. Very striking. 1-2 flowers on erect spikes. Flowers about 4" across. Buff yellow. Large lip with white, orange and yellow. Several fimbriated keels in lip. 4-5 bulbs 10.00

Massangeana, (Assam)—Various. 1-2' spikes with many 2½" flowers. Light straw yellow with cholocate lip. Yellow veins with white and yellow crests. A lovely thing in flower. 4-5 bulbs 5.00

 ${\color{blue} \textbf{Massangeana}} {\color{blue} \leftarrow} \textbf{Larger plants}.$

7.50-10.00

Mooreana, (Annam)—Various. Pure white with yellow in lip. Rare and very beautiful. Likes cool treatment.

4 bulbs 10.00

Pandurata, (Borneo)—Summer. The handsomest of the Coelogynes. Commonly termed the "Black Orchid" because of its very dark brown lip. Large flowers with clear green sepals and petals. Very striking. A Pandurata should be included in every collection. Likes considerable temperature all year and does not want a long rest.

2-3 bulbs 7.50

Pandurata—A few larger plants.

10.00-15.00

Pandurata—Several strong specimens.

4-5 bulbs 20.00-30.00

Rhodeana, (Burma)—Summer and fall. (Syn. Rossiana).

Erect spikes 7 and more flowered. Sepals and petals white. Lip white with yellow and brown-red. Flowers about 2" across.

4-5 bulbs 5.00

Sparsa, (Borneo)—Spring. Very pretty dwarf growing producing an abundance of sprays. **5-6 bulbs 7.50**

Speciosa, (Java)—Various. Large flowers with straw yellow colorings with browns and whites.

5-6 bulbs 5.00

Tomentosa, (Borneo)—Summer. Like Massangeana but smaller. Light orange-red flowers with a little white in lip. Pendent racemes. 5-6 bulbs 7.50

Tomentosa—Larger plants.

10.00

CORYANTHES

Resembling Stanhopeas and requiring similar culture but should have a warmer temperature. Do well with Dendrobiums and other heat and light loving plants.

Bungerothii, (Venezuela)—Spring and summer. Large flowers. Whitish green dotted with red-purples. Large yellow hood marked with red-brown. 3-4 bulbs 10.00

Macrantha, (Caracas)—Spring and summer. Yellow spotted with purple. 3-4 bulbs 10.00

CYMBIDIUM

One of the finest, most satisfactory and useful of all Orchids, both for cutting, exhibition and decorative purposes. The long, (sometimes five feet) upright, arching spikes with their many large flowers having probably the largest color range of any genera, make this family one to be much desired in all orchid collections. Their ease of growing makes it possible for anyone to grow them successfully. An added feature is the unusual lasting qualities of their flowers. On the plant a spike of flowers will last for well over two months, and we have kept them as a cut spray in good condition for six weeks.

As a potting compost we recommend the use of only a good osmunda fibre with plenty of drainage. They are cool growers and like a temperature of between fifty and sixty degrees, and when growing demand plenty of water. In the fall when the growths are about completed, water should gradually be withheld until the flower spikes appear at the base of the bulbs, at which time watering may be again increased until after the flowers have been cut. Pot early in the spring except for the late spring flowering types where we recommend the plants be potted immediately after flowering. We have had a great deal of success growing our Cymbidiums out of doors from early spring until late fall in a slat house. In doing this, it is necessary that the plants be placed upon a welldrained bed of stone, cinders, etc., and of course, being outside they will require more water and syringing as they naturally dry out faster. Some authorities recommend a light feeding of weak cow manure water while the plants are growing, and although we have tried this method we could see no marked difference in the size of spikes when flowered.

We usually have a quantity of small nice propagated plants and seedling in Cymbidiums to grow on, at correspondingly lower prices than those listed for the flowering size stock, also fine strong specimens, prices of which we will be glad to furnish on request.

Alexanderi, (Eburneo-Lowianum X Insigne Sanderi).— Spring. One of the most popular of the pinks.

3-4 bulbs 15.00

Alexanderi—Stronger plants. 17.50-25.00

Alexanderi X Moira X Traceyanum—A very nice hybrid.

3-4 bulbs 17.50

Alexanderi \times Roseum \times Ceres—Fine colors and good grower. 3-4 bulbs 17.50

CYMBIDIUM—(Cont'd.)	
Aloifolium, (Burma)—Spring. Pendulou	s racemes 12-18".
Light yellow flowers with band of d	ull purple.
	3-4 bulbs 7.50
Aloifolium—Stronger plants.	10.00
Araby, (Grandiflorum $ imes$ Pres. Wilson)—Spring. A fine
hybrid of brown shadings veined wit	
•	3-4 bulbs 20.00
Bay Ridge, (Pauwelsii × Vesta)—Late :	spring, Good pink.
fine large flowers.	3-4 bulbs 25.00
Beatrice, (Parentage unknown)—A ver	v pleasina spike.
	3-4 bulbs 15.00
Beryl, (Lowianum × Pauwelsii)—Very	
with bright coloring.	3-4 bulbs 15.00
Brugense, (I. Sanderi X Cooperi)—Good	
brugense, (ii bunderi / cooperi, door	3-4 bulbs 12.50
Bullfinch, (Alexanderi $ imes$ Garnet)— Wint	
building, (Alexander A Gamer)— will	3-4 bulbs 12.50
Butterfly, (I. Sanderi $ imes$ Lowio-Grandiflo	
form some being entirely canary yell	
form some being enthery cultury yen	3-4 bulbs 15.00
Butterfly—Stronger plants.	17.50-30.00
Butterfly—A few selected types.	25.00-35.00
-	
Capella, (Pauwelsii X Wiganianum)— fine, being good pink over a yello	
spikes.	3-4 bulbs 20.00
Capella var. Summit—A very fine cold	
Capella var. Summil—A very line cold	50.00
Company VI Company One of	
Ceres, (l'Ansonii X I. Sanderi)—One o deep pinks. We have several varie	
deep plinks. We have several value	3-4 bulbs 20.00
Ceres—Stronger plants.	25.00-35.00
Ceres—Several fine selected types.	25.00-50.00
Cones seem Variations A recover time terms	
Ceres var. Verulam—A very fine type.	
	4 bulbs 40.00
Corona, (Lowianum X Schlegelii)—Fine	4 bulbs 40.00 e blending colors.
Corona, (Lowianum × Schlegelii)—Fine	4 bulbs 40.00 e blending colors. 3-4 bulbs 15.00
Corona. (Lowianum × Schlegelii)—Fine Corona—Exceptionally fine type.	4 bulbs 40.00 e blending colors. 3.4 bulbs 15.00 25.00
Corona, (Lowianum × Schlegelii)—Fine	4 bulbs 40.00 blending colors. 3-4 bulbs 15.00 3-4 bulbs 25.00 leasing flowers.
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very p	4 bulbs 40.00 e blending colors. 3-4 bulbs 15.00 3-4 bulbs 25.00 leasing flowers. 3-4 bulbs 20.00
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very p Devonianum, (Assam)—Spring. Long	4 bulbs 40.00 e blending colors. 3-4 bulbs 15.00 3-4 bulbs 25.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very p Devonianum, (Assam)—Spring. Long many flowered. Olive green with light	4 bulbs 40.00 e blending colors. 3-4 bulbs 15.00 3-4 bulbs 25.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes ght crimson spots,
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very p Devonianum, (Assam)—Spring. Long many flowered. Olive green with lightlip dark purple-crimson.	4 bulbs 40.00 blending colors. 3-4 bulbs 15.00 3-4 bulbs 25.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes ght crimson spots, 3-4 bulbs 7.50
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very p Devonianum, (Assam)—Spring. Long many flowered. Olive green with light	4 bulbs 40.00 blending colors. 3-4 bulbs 15.00 3-4 bulbs 25.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes the crimson spots, 3-4 bulbs 7.50 ii)—Winter-spring.
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very p Devonianum, (Assam)—Spring. Long many flowered. Olive green with lightlip dark purple-crimson. Diana, (Eburneo-Lowianum × Pauwels)	4 bulbs 40.00 e blending colors. 3-4 bulbs 15.00 3-4 bulbs 25.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes sht crimson spots, 3-4 bulbs 7.50 ii)—Winter-spring. 3-4 bulbs 15.00
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very p Devonianum, (Assam)—Spring. Long many flowered. Olive green with lightlip dark purple-crimson. Diana, (Eburneo-Lowianum × Pauwels) Diana var. Mary Pickford—Considered	4 bulbs 40.00 e blending colors. 3-4 bulbs 15.00 3-4 bulbs 25.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes ght crimson spots, 3-4 bulbs 7.50 ii)—Winter-spring. 3-4 bulbs 15.00 one of the finest
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very p Devonianum, (Assam)—Spring. Long many flowered. Olive green with lightlip dark purple-crimson. Diana, (Eburneo-Lowianum × Pauwels)	4 bulbs 40.00 e blending colors. 3-4 bulbs 15.00 3-4 bulbs 25.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes ght crimson spots, 3-4 bulbs 7.50 ii)—Winter-spring. 3-4 bulbs 15.00 one of the finest e.
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very p Devonianum, (Assam)—Spring. Long many flowered. Olive green with lightlip dark purple-crimson. Diana, (Eburneo-Lowianum × Pauwels Diana var. Mary Pickford—Considered Cymbidiums in cultivation. Only on	4 bulbs 40.00 e blending colors. 3-4 bulbs 15.00 3-4 bulbs 25.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes ght crimson spots, 3-4 bulbs 7.50 ii)—Winter-spring. 3-4 bulbs 15.00 one of the finest e. 4 bulbs 75.00
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very p Devonianum, (Assam)—Spring. Long many flowered. Olive green with light liph dark purple-crimson. Diana, (Eburneo-Lowianum × Pauwels Diana var. Mary Pickford—Considered Cymbidiums in cultivation. Only on Doreen, (Doris × Pauwelsii)—Fall, win	4 bulbs 40.00 e blending colors. 3-4 bulbs 15.00 3-4 bulbs 25.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes special crimson spots, 3-4 bulbs 75.00 one of the finest e. 4 bulbs 75.00 inter-spring. Very
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very p Devonianum, (Assam)—Spring. Long many flowered. Olive green with lightlip dark purple-crimson. Diana, (Eburneo-Lowianum × Pauwels Diana var. Mary Pickford—Considered Cymbidiums in cultivation. Only on Doreen, (Doris × Pauwelsii)—Fall, win nice, running to yellow and browns.	4 bulbs 40.00 e blending colors. 3-4 bulbs 15.00 3-4 bulbs 25.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes spots, 3-4 bulbs 7.50 ii)—Winter-spring. 3-4 bulbs 15.00 one of the finest e. 4 bulbs 75.00 nter-spring. Very 3-4 bulbs 15.00
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very p Devonianum, (Assam)—Spring. Long many flowered. Olive green with light liphedark purple-crimson. Diana, (Eburneo-Lowianum × Pauwels Diana var. Mary Pickford—Considered Cymbidiums in cultivation. Only on Doreen, (Doris × Pauwelsii)—Fall, win nice, running to yellow and browns. Doreen—Stronger plants.	4 bulbs 40.00 e blending colors. 3-4 bulbs 15.00 3-4 bulbs 25.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes ght crimson spots, 3-4 bulbs 7.50 ii)—Winter-spring. 3-4 bulbs 15.00 one of the finest e. 4 bulbs 75.00 nter-spring. Very 3-4 bulbs 15.00 17.50-25.00
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very p Devonianum, (Assam)—Spring. Long many flowered. Olive green with lightlip dark purple-crimson. Diana, (Eburneo-Lowianum × Pauwels Diana var. Mary Pickford—Considered Cymbidiums in cultivation. Only on Doreen, (Doris × Pauwelsii)—Fall, win nice, running to yellow and browns.	4 bulbs 40.00 e blending colors. 3-4 bulbs 15.00 3-4 bulbs 25.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes ght crimson spots, 3-4 bulbs 7.50 ii)—Winter-spring. 3-4 bulbs 15.00 one of the finest e. 4 bulbs 75.00 inter-spring. Very 3-4 bulbs 15.00 inter-spring.
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very p Devonianum, (Assam)—Spring. Long many flowered. Olive green with light liphdark purple-crimson. Diana, (Eburneo-Lowianum × Pauwels Diana var. Mary Pickford—Considered Cymbidiums in cultivation. Only on Doreen, (Doris × Pauwelsii)—Fall, with nice, running to yellow and browns. Doreen—Stronger plants. Doris, (I. Sanderi × Traceyanum)—With	4 bulbs 40.00 e blending colors. 3-4 bulbs 15.00 3-4 bulbs 25.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes ght crimson spots, 3-4 bulbs 7.50 ii)—Winter-spring. 3-4 bulbs 15.00 one of the finest e. 4 bulbs 75.00 inter-spring. Very 3-4 bulbs 15.00 inter-spring. 3-4 bulbs 15.00 inter-spring. 3-4 bulbs 15.00 inter-spring. 3-4 bulbs 15.00
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very p Devonianum, (Assam)—Spring. Long many flowered. Olive green with light liphdark purple-crimson. Diana, (Eburneo-Lowianum × Pauwels Diana var. Mary Pickford—Considered Cymbidiums in cultivation. Only on Doreen, (Doris × Pauwelsii)—Fall, with nice, running to yellow and browns. Doreen—Stronger plants. Doris, (I. Sanderi × Traceyanum)—With Doris—Stronger plants.	4 bulbs 40.00 blending colors. 3-4 bulbs 15.00 3-4 bulbs 25.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes ght crimson spots, 3-4 bulbs 7.50 ii)—Winter-spring. 3-4 bulbs 15.00 one of the finest e. 4 bulbs 75.00 hter-spring. Very 3-4 bulbs 15.00 hter-spring.
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very p Devonianum, (Assam)—Spring. Long many flowered. Olive green with light liphdark purple-crimson. Diana, (Eburneo-Lowianum × Pauwels Diana var. Mary Pickford—Considered Cymbidiums in cultivation. Only on Doreen, (Doris × Pauwelsii)—Fall, with nice, running to yellow and browns. Doreen—Stronger plants. Doris, (I. Sanderi × Traceyanum)—With	4 bulbs 40.00 blending colors. 3-4 bulbs 15.00 3-4 bulbs 25.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes spots, 3-4 bulbs 7.50 ii)—Winter-spring. 3-4 bulbs 15.00 one of the finest e. 4 bulbs 75.00 inter-spring. Very 3-4 bulbs 15.00 inter-spring. 3-50-25.00 inter-spring.
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very p Devonianum, (Assam)—Spring. Long many flowered. Olive green with light liphedark purple-crimson. Diana, (Eburneo-Lowianum × Pauwels Diana var. Mary Pickford—Considered Cymbidiums in cultivation. Only on nice, running to yellow and browns. Doreen—Stronger plants. Doris—Stronger plants. Doris—Stronger plants. Dotteral, (Gottianum × I'Ansonii)—Winter	4 bulbs 40.00 e blending colors. 3-4 bulbs 15.00 3-4 bulbs 25.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes ght crimson spots, 3-4 bulbs 7.50 ii)—Winter-spring. 3-4 bulbs 15.00 one of the finest e. 4 bulbs 75.00 nter-spring. Very 3-4 bulbs 15.00 17.50-25.00 nter-spring. 3-4 bulbs 15.00 er. 3-4 bulbs 15.00 er. 3-4 bulbs 15.00 er.
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very p Devonianum, (Assam)—Spring. Long many flowered. Olive green with light liphdark purple-crimson. Diana, (Eburneo-Lowianum × Pauwels Diana var. Mary Pickford—Considered Cymbidiums in cultivation. Only on Doreen, (Doris × Pauwelsii)—Fall, with nice, running to yellow and browns. Doreen—Stronger plants. Doris, (I. Sanderi × Traceyanum)—With Doris—Stronger plants.	4 bulbs 40.00 e blending colors. 3-4 bulbs 15.00 3-4 bulbs 25.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes ght crimson spots, 3-4 bulbs 7.50 ii)—Winter-spring. 3-4 bulbs 15.00 one of the finest e. 4 bulbs 75.00 inter-spring. Very 3-4 bulbs 15.00 17.50-25.00 inter-spring. 3-4 bulbs 15.00 er. 3-4 bulbs 15.00 er. 3-4 bulbs 15.00 er. Winter.
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very p Devonianum, (Assam)—Spring. Long many flowered. Olive green with lighlip dark purple-crimson. Diana, (Eburneo-Lowianum × Pauwels Diana var. Mary Pickford—Considered Cymbidiums in cultivation. Only on Doreen, (Doris × Pauwelsii)—Fall, win nice, running to yellow and browns. Doreen—Stronger plants. Doris, (I. Sanderi × Traceyanum)—Win Doris—Stronger plants. Dotteral, (Gottianum × I'Ansonii)—Wine Dryad, (I. Sanderi × Parishi Sanderi)—	4 bulbs 40.00 e blending colors. 3-4 bulbs 15.00 3-4 bulbs 25.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes ght crimson spots, 3-4 bulbs 7.50 ii)—Winter-spring. 3-4 bulbs 15.00 one of the finest e. 4 bulbs 75.00 inter-spring. Very 3-4 bulbs 15.00 17.50-25.00 inter-spring. 3-4 bulbs 15.00 17.50-25.00 ier. 3-4 bulbs 12.50 -Winter. 3-4 bulbs 15.00
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very p Devonianum, (Assam)—Spring. Long many flowered. Olive green with light liphdark purple-crimson. Diana, (Eburneo-Lowianum × Pauwels Diana var. Mary Pickford—Considered Cymbidiums in cultivation. Only on Doreen, (Doris × Pauwelsii)—Fall, with nice, running to yellow and browns. Doreen—Stronger plants. Doris, (I. Sanderi × Traceyanum)—With Doris—Stronger plants. Dotteral, (Gottianum × I'Ansonii)—Winted Dryad, (I. Sanderi × Parishi Sanderi)— Dryad—Stronger plants.	4 bulbs 40.00 e blending colors. 3-4 bulbs 15.00 3-4 bulbs 25.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes ght crimson spots, 3-4 bulbs 7.50 ii)—Winter-spring. 3-4 bulbs 15.00 one of the finest e. 4 bulbs 75.00 inter-spring. Very 3-4 bulbs 15.00 17.50-25.00 inter-spring. 3-4 bulbs 15.00 er. 3-4 bulbs 15.00 er. 3-4 bulbs 12.50 -Winter. 3-4 bulbs 15.00 3-4 bulbs 15.00 3-4 bulbs 15.00
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very p Devonianum, (Assam)—Spring. Long many flowered. Olive green with lighlip dark purple-crimson. Diana, (Eburneo-Lowianum × Pauwels Diana var. Mary Pickford—Considered Cymbidiums in cultivation. Only on Doreen, (Doris × Pauwelsii)—Fall, win nice, running to yellow and browns. Doreen—Stronger plants. Doris, (I. Sanderi × Traceyanum)—Win Doris—Stronger plants. Dotteral, (Gottianum × I'Ansonii)—Wine Dryad, (I. Sanderi × Parishi Sanderi)—	4 bulbs 40.00 e blending colors. 3-4 bulbs 15.00 3-4 bulbs 25.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes spht crimson spots, 3-4 bulbs 7.50 ii)—Winter-spring. 3-4 bulbs 15.00 one of the finest e. 4 bulbs 75.00 hter-spring. 3-4 bulbs 15.00 hter-spring. 3-4 bulbs 15.00 hter-spring. 3-4 bulbs 15.00 er. 3-4 bulbs 15.00 er. 3-4 bulbs 12.50 -Winter. 3-4 bulbs 15.00 aype.
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very police, (Moira × Traceyanum)—Very police, (Moira × Traceyanum)—Very police, (Moira × Traceyanum)—Very police, (Dive green with light liph dark purple-crimson. Diana, (Eburneo-Lowianum × Pauwels) Diana var. Mary Pickford—Considered Cymbidiums in cultivation. Only on Doreen, (Doris × Pauwelsii)—Fall, with nice, running to yellow and browns. Doreen—Stronger plants. Doris—Stronger plants. Dotteral, (Gottianum × I'Ansonii)—Winter Dryad, (I. Sanderi × Parishi Sanderi)—Dryad—Stronger plants. Dryad—Stronger plants. Dryad, Westonbirt Variety—Very fine to the same property of the same plants. Dryad, Westonbirt Variety—Very fine to the same plants.	4 bulbs 40.00 e blending colors. 3-4 bulbs 15.00 3-4 bulbs 25.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes sht crimson spots, 3-4 bulbs 7.50 ii)—Winter-spring. 3-4 bulbs 15.00 one of the finest e. 4 bulbs 75.00 hter-spring. 3-4 bulbs 15.00 17.50-25.00 hter-spring. 3-4 bulbs 15.00 17.50-25.00 er. 3-4 bulbs 15.00 -Winter. 3-4 bulbs 12.50 -Winter. 3-4 bulbs 20.00 ype. 3-4 bulbs 20.00
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very p Devonianum, (Assam)—Spring. Long many flowered. Olive green with lighlip dark purple-crimson. Diana, (Eburneo-Lowianum × Pauwels Diana var. Mary Pickford—Considered Cymbidiums in cultivation. Only on Doreen, (Doris × Pauwelsii)—Fall, win nice, running to yellow and browns. Doreen—Stronger plants. Doris, (I. Sanderi × Traceyanum)—Win Doryad, (Gottianum × I'Ansonii)—Wint Dryad, (I. Sanderi × Parishi Sanderi)— Dryad—Stronger plants. Dryad, Westonbirt Variety—Very fine to Dryad, Westonbirt Variety—Stronger p	4 bulbs 40.00 e blending colors. 3-4 bulbs 15.00 3-4 bulbs 25.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes ght crimson spots, 3-4 bulbs 7.50 ii)—Winter-spring. 3-4 bulbs 15.00 one of the finest e. 4 bulbs 75.00 nter-spring. 3-4 bulbs 15.00 17.50-25.00 nter-spring. 3-4 bulbs 15.00 er. 3-4 bulbs 15.00 er. 3-4 bulbs 15.00 er. 3-4 bulbs 12.50 winter. 3-4 bulbs 20.00 ype. 3-4 bulbs 20.00 lants. 25.00
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very police, (Moira × Traceyanum)—Very police, (Moira × Traceyanum)—Very police, (Moira × Traceyanum)—Very police, (Dive green with light liph dark purple-crimson. Diana, (Eburneo-Lowianum × Pauwels) Diana var. Mary Pickford—Considered Cymbidiums in cultivation. Only on Doreen, (Doris × Pauwelsii)—Fall, with nice, running to yellow and browns. Doreen—Stronger plants. Doris—Stronger plants. Dotteral, (Gottianum × I'Ansonii)—Winter Dryad, (I. Sanderi × Parishi Sanderi)—Dryad—Stronger plants. Dryad—Stronger plants. Dryad, Westonbirt Variety—Very fine to the same property of the same plants. Dryad, Westonbirt Variety—Very fine to the same plants.	4 bulbs 40.00 e blending colors. 3-4 bulbs 15.00 3-4 bulbs 20.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes ght crimson spots, 3-4 bulbs 7.50 ii)—Winter-spring. 3-4 bulbs 15.00 one of the finest e. 4 bulbs 75.00 inter-spring. 3-4 bulbs 15.00 17.50-25.00 inter-spring. 3-4 bulbs 15.00 17.50-25.00 inter-spring. 3-4 bulbs 12.50 er. 3-4 bulbs 12.50 er. 3-4 bulbs 20.00 ype. 3-4 bulbs 20.00 lants. 25.00 large flower.
Corona, (Lowianum × Schlegelii)—Fine Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very posterior (Moira × Traceyanum)—Very posterior (Moira × Traceyanum)—Very posterior (Moira × Traceyanum)—Very posterior (Moira × Pringer Plants). Diana, (Eburneo-Lowianum × Pauwels (Moira var. Mary Pickford—Considered Cymbidiums in cultivation. Only on the Doreen, (Doris × Pauwelsii)—Fall, with nice, running to yellow and browns. Doreen—Stronger plants. Doris—Stronger plants. Doris—Stronger plants. Dotteral, (Gottianum × I'Ansonii)—Winter (Moira) Dryad—Stronger plants. Dryad, (I. Sanderi × Parishi Sanderi)—Dryad—Stronger plants. Dryad, Westonbirt Variety—Very fine to Dryad, Westonbirt Variety—Stronger plants.	4 bulbs 40.00 e blending colors. 3-4 bulbs 15.00 3-4 bulbs 20.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes spht crimson spots, 3-4 bulbs 7.50 ii)—Winter-spring. 3-4 bulbs 15.00 one of the finest e. 4 bulbs 75.00 hter-spring. 3-4 bulbs 15.00 hter-spring. 3-4 bulbs 15.00 hter-spring. 3-4 bulbs 15.00 e. 3-4 bulbs 15.00 e. 3-4 bulbs 10.00 ype. 3-4 bulbs 20.00 large flower. 3-4 bulbs 20.00 large flower. 3-4 bulbs 20.00
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very p Devonianum, (Assam)—Spring. Long many flowered. Olive green with light liph dark purple-crimson. Diana, (Eburneo-Lowianum × Pauwels) Diana var. Mary Pickford—Considered Cymbidiums in cultivation. Only on nice, running to yellow and browns. Doreen—Stronger plants. Doris—Stronger plants. Doris—Stronger plants. Dotteral, (Gottianum × I'Ansonii)—Wind Dryad, (I. Sanderi × Parishi Sanderi)— Dryad—Stronger plants. Dryad, Westonbirt Variety—Very fine to Dryad, Westonbirt Variety—Stronger p Eagle, (Alexanderi × Gottianum)—Fine Eagle—Very fine selected type, pure	4 bulbs 40.00 e blending colors. 3-4 bulbs 15.00 3-4 bulbs 20.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes sht crimson spots, 3-4 bulbs 7.50 ii)—Winter-spring. 3-4 bulbs 15.00 one of the finest e. 4 bulbs 75.00 hter-spring. 3-4 bulbs 15.00 17.50-25.00 hter-spring. 3-4 bulbs 15.00 17.50-25.00 er. 3-4 bulbs 15.00 er. 3-4 bulbs 10.00 ype. 3-4 bulbs 20.00 large flower. 3-4 bulbs 20.00 white except for
Corona, (Lowianum × Schlegelii)—Find Corona—Exceptionally fine type. Delice, (Moira × Traceyanum)—Very police, and police, considered of the composition of the co	4 bulbs 40.00 blending colors. 3-4 bulbs 15.00 3-4 bulbs 25.00 leasing flowers. 3-4 bulbs 20.00 pendent racemes sht crimson spots, 3-4 bulbs 7.50 ii)—Winter-spring. 3-4 bulbs 15.00 one of the finest e. 4 bulbs 75.00 hter-spring. 3-4 bulbs 15.00 hter. 3-4 bulbs 15.00 hter. 3-4 bulbs 20.00

3-4 bulbs

15.00

winter.


Egret—A few selected varieties. 20.00-25.00 $\textbf{Ensifolium, (Assam)} \color{red} - \textbf{Summer. Erect spikes, yellow green}$ flowers with purple veins, lip with purple brown. 3-4 bulbs Erica Sander, (Grandiflorum \times Pauwelsii)—Fine. 3-4 bulbs 15.00 $\mathsf{Excelsior} imes \mathsf{Ceres} \mathsf{--} \mathsf{A}$ very nice colored hybrid. 3-4 bulbs 15.00 Felicity, (Delise imes Swallow)—Yellows and browns, Spring. 3-4 bulbs Fernley Sander, (Ceres \times Lowi-Grandiflorum)—Spring. 3-4 bulbs 20.00 Findleysonianum, (Malaya)—Summer. Long pendent racemes. Many flowered, brown-red, lip deep red, with yellow and white markings. 3-4 bulbs 10.00 Frances Barbour—A very nice hybrid running to whites. 3-4 bulbs 20.00 Frances Barbour—Selected fine variety. 25.00 Garnet, (Pauwelsii X Seemew)—Very nice medium flower. 3-4 bulbs 15.00 Gottianum, (Eburneum X Insigne). 3-4 bulbs 12.50 Grandiflorum, (Sikkim)—Winter and spring. Large flowers on good spikes. Sepals and petals green, lip yellowish spotted with red and crimson-purple. 3-4 bulbs Guillemot, (Elfin X Pauwelsii). 3-4 bulbs 15.00 Holfordianum, (Eburneum \times Grandiflorum)—Good spikes. 3-4 bulbs 12.50 I'Ansonii, (Burma)—Winter-spring. Handsome larae flowers. 3-4 bulbs 35.00 Insigne, (Annam)—Winter-spring. Whitish suffused with rose-lilac spotted with crimson-red. 3-4 bulbs 15.00 Insigne—Stronger plants. 17.50-35.00



Cymbidium.

Lagers Hurrell

CYMBIDIUM(Cont'd.)	
Ivory Wings, (Gottianum X Woodhansia	(num)—Winter.
3	4 bulbs 15.00
Lowianum, (Burma)—Early spring. Larg	
lowish green. Lip cream bordered with 3	-4 bulbs 15.00
Lowianum—Only one very fine variety.	30.00
Lowi-Schroderae—Good spikes and color:	
_	-4 bulbs 15.00
Miranda, (Alexanderi X Lowio-Grandiflo	rum)—Spring. -4 bulbs 17.50
Moira, (Pauwelsii X Traceyanum)—One	
popular and one of the best growers i	n this family.
•	-4 bulbs 15.00
Moira—Stronger plants.	17.50-25.00
Nancy Harte, (Delice $ imes$ I. Sanderi)—Ver ning from deep strawberry to straw sho	dings. All flow-
ers large and well formed with good sp	oikes. -4 bulbs 20.00
Nancy Harte—Stronger plants.	4 Duids 20.00
	22.50-50.00
•	22.50-50.00
Nancy Harte var. Helen Dryden—An outs of this excellent cross. Only one plant. S	standing variety
Nancy Harte var. Helen Dryden—An outs	standing variety pring. 50.00
Nancy Harte var. Helen Dryden—An outs of this excellent cross. Only one plant. S Pamela, (Alexanderi × Delise)—A very fin type.	standing variety pring. 50.00 se golden brown 20.00
Nancy Harte var. Helen Dryden—An outs of this excellent cross. Only one plant. S. Pamela, (Alexanderi × Delise)—A very fin type. Pamela var. Sunset—Glowing golden ped	standing variety pring. 50.00 te golden brown 20.00 tch with yellow
Nancy Harte var. Helen Dryden—An outs of this excellent cross. Only one plant. S. Pamela, (Alexanderi × Delise)—A very fin type. Pamela var. Sunset—Glowing golden per shading.	standing variety pring. 50.00 se golden brown 20.00 ach with yellow 50.00
Nancy Harte var. Helen Dryden—An outs of this excellent cross. Only one plant. S. Pamela, (Alexanderi × Delise)—A very fin type. Pamela var. Sunset—Glowing golden ped	standing variety pring. 50.00 te golden brown -4 bulbs 20.00 tch with yellow 50.00 Spring. Without
Nancy Harte var. Helen Dryden—An outs of this excellent cross. Only one plant. S. Pamela, (Alexanderi × Delise)—A very fin type. Pamela var. Sunset—Glowing golden per shading. Pauwelsii, (I. Sanderi × Lowianum)—S doubt the most popular of all Cymbidium growers with marvelous spikes of flowe	standing variety pring. 50.00 to golden brown 4 bulbs 20.00 to with yellow 50.00 Spring. Without ins. Good strong from
Nancy Harte var. Helen Dryden—An outs of this excellent cross. Only one plant. S. Pamela, (Alexanderi × Delise)—A very fin type. Pamela var. Sunset—Glowing golden per shading. Pauwelsii, (I. Sanderi × Lowianum)—S doubt the most popular of all Cymbidium growers with marvelous spikes of flowe good yellows to browns, with crimson	standing variety pring. 50.00 the golden brown 4 bulbs 20.00 the with yellow 50.00 Spring. Without his. Good strong from in lip. Every
Nancy Harte var. Helen Dryden—An outs of this excellent cross. Only one plant. S. Pamela, (Alexanderi × Delise)—A very fin type. Pamela var. Sunset—Glowing golden per shading. Pauwelsii, (I. Sanderi × Lowianum)—S doubt the most popular of all Cymbidium growers with marvelous spikes of flower good yellows to browns, with crimson Cymbidium collection should include a	standing variety pring. 50.00 the golden brown 4 bulbs 20.00 the with yellow 50.00 Spring. Without his. Good strong from in lip. Every
Nancy Harte var. Helen Dryden—An outs of this excellent cross. Only one plant. S. Pamela, (Alexanderi × Delise)—A very fin type. Pamela var. Sunset—Glowing golden per shading. Pauwelsii, (I. Sanderi × Lowianum)—S doubt the most popular of all Cymbidium growers with marvelous spikes of flower good yellows to browns, with crimson Cymbidium collection should include a	standing variety pring. 50.00 te golden brown -4 bulbs 20.00 tch with yellow 50.00 Spring. Without ins. Good strong irs ranging from in lip. Every Pauwelsii.
Nancy Harte var. Helen Dryden—An outs of this excellent cross. Only one plant. S. Pamela, (Alexanderi × Delise)—A very fir type. Pamela var. Sunset—Glowing golden per shading. Pauwelsii, (I. Sanderi × Lowianum)—S doubt the most popular of all Cymbidium growers with marvelous spikes of flower good yellows to browns, with crimson Cymbidium collection should include a 3	standing variety pring. 50.00 te golden brown 4 bulbs 20.00 tch with yellow 50.00 Spring. Without ins. Good strong irs ranging from in lip. Every Pauwelsii. 4 bulbs 12.50
Nancy Harte var. Helen Dryden—An outs of this excellent cross. Only one plant. S. Pamela, (Alexanderi × Delise)—A very fir type. Pamela var. Sunset—Glowing golden per shading. Pauwelsii, (I. Sanderi × Lowianum)—S doubt the most popular of all Cymbidium growers with marvelous spikes of flower good yellows to browns, with crimson Cymbidium collection should include a sequence of the collection of the coll	standing variety pring. 50.00 the golden brown 4 bulbs 20.00 the with yellow 50.00 Spring. Without ins. Good strong from in lip. Every Pauwelsii. 4 bulbs 12.50



Cypripedium Mrs. Carl Holmes.

		_
Penelope, (Eburneo-Lowianum X Lowi		
very pleasing hybrid.		.00
Petrel, (Garent X Pauwelsii)—Spring.		.00
Pipit, (Gottianum × Miranda)—Spring of		00
DI // C 1:0 \/ D 1:1\		. 0 0
Plover, (L. Grandiflorum × Pauwelsii)—	*	.00
Pollux, (E. Lowianum $ imes$ Wiganianum)-	*	.00
Schlegelii, (I. Sanderi × Wiganianum)-	—A verv pleas	ina
hybrid running to peach shadings. Sp	* *	
	3-4 bulbs 15	.00
Schlegelii—Stronger plants.	17.50-30	.00
Swallow, (Alexanderi $ imes$ Pauwelsii)— \mathbb{W} i	nter and spring	
	3-4 bulbs 15	.00
Sybil, (Eburneum × Pauwelsii)—Spring	-	5. 0 0
Sybil var. Aureum—Pure white, slight	rose flush.	
	3-4 bulbs 25	.00
Sybil var. Col. Lindburgh—Awarded a	Silver Medal. P	ure
white. Only one plant.	3 bulbs 50	.00
Sybil var. Roseum—Rose shadings.	3-4 bulbs 20	00.1
Titania, (Roseum $ imes$ I. Sanderi)—Fine la	_	
m (n) v		0.00
Traceyanum, (Burma) —Autumn. Strong spikes of yellow suffused with brown		
lines of crimson. Lip yellow and cre		
and striped with crimson.		.00
Traceyanum—Stronger plants.	12.50-25	5. 0 0
Wiganianum, (Giganteum × Mastersi)	-Winter.	
		2.50
Winter Cheer—Christmas. Resembles lighter colorings.	Traceyanum o	
Winter Cheer—Stronger plants.	15.00-25	5.00
Yellow Hammer, (Gottianum X Lowian		
type.		0.00
(Note:—See listings on seedlings and	special offerin	gs.)

CYPRIPEDIUM: "Lady Slipper Orchid"

A very large satisfactory family of showy, unique and multi-colored varieties. They are, without a doubt, the easiest of all orchids to grow and with very little care and attention will thrive wonderfully well. The flowers, with the exception, possibly, of Cymbidium, will outlast any other orchid that we know of, as a cut flower or on the plant. Their range of color is very large, varying from whites on through yellows and greens, to the most brilliant scarlet and deep purples.

Their cultural requirements are very simple and we divide the class Cypripedium into three groups: The Insigne and its hybrid group; the mottled leaved or warmer group; and the Selenepidiums. The two former groups are natives of the East while the Selenepidium is a native of South America. The treatment of Selenepidiums is very similar to that of the exotic Cyp. The Insigne group and its hybrids like a compost of $\frac{2}{3}$ good osmunda and $\frac{1}{3}$ strong, live sphagnum moss, with plenty of good crocks for drainage. They are not the heat lovers that the mottled leaf type are and require a considerable shade. When growing they demand plenty of water with frequent syringing of the foliage. A Cypripedium should never be allowed to go quite dry. In the fall and early winter when the flower buds begin to appear in the center of the growth, it is advisable to stop syringing and cut down on the water, and gradually diminish the amount until after the flowers are cut. More light is also required from fall through the winter. They do like light, but one must be careful as too much may burn or yellow the foliage. This same holds true with plants kept in a water logged state, therefore the importance of good

drainage is apparent. This class of Cyps, likes to be re-potted (only when necessary) in the spring, before their new growths are too far advanced. The mottled leaved variety like a warmer, more shaded position and we recommend a straight compost of a good, clean brown osmunda and pot sizes not as large as in the Insigne class. The Selenepidiums will do very well potted in straight osmunda fibre and requires more light through the fall and winter in order to make good flowering growths.

Acme, (Nitens × Bessie K. Pitcher).	3 growths	5.00
Acme.	4 growths	7.50
Actaeus, (Insigne $ imes$ Leeanum).	3 growths	5.00
Actaeus Langleyensis, (Insigne Sand		
	3 growths	5.00
Actaeus Langleyensis.	4 growths	7.50
A. De Lairesse, (Curtisii × Rothschild	dianum). 2 growths	5.00
Airlee, (Albert Fisher var Nellie Pitt	-	
imice, (insert risher var Neme rin	2-3 growths	15.00
Albertianum, (I. Wallacei × Spiceria	num).	
	2-3 growths	3.50
Albertianum.	4 growths	5.00
Albertianum Superbum.	2-3 growths	5.00
Albert Truffaut, (Harrisianum 🗡 Spic	erianum).	
	2.3 growths	5.00
Alcibiades Illustrius.	2 growths	5.00
Alcibiades Illustrius.	3 growths	7.50
Alcides Superbum, (Leeanum $ imes$ Mor		
#1:1 C 1	2 growths	5.00
Alcides Superbum.	3 growths	7.50
Alcides, (Hirsutissimum \times Insigne).	2-3 growths	7.50
Alcides, var C. G. Roebling.	2 growths	10.00
Alcides, var C. G. Roebling	3 growths	15.00
Alfred Dimmock, (Godseffianum X D		E 00
716-4 D:	2 growths	5.00
Alfred Dimmock.	3 growths	7.50
Alice, (Stonei X Spicerianum).	2 growths	3.50 4.00
Amandum, (Insigne $ imes$ Venustum). Archie Neill (Insigne $ imes$ Leeanum)	2 growths	
Colorings as in Harefield Hall.	2 growths	large. 10.00
Archie Neill—Larger plants.	_ ,	15.00
Artemis, (Dayanum X Swanianum).	2 growths	4.50
Artemis.	3 growths	5.00
Arthurianum, (Fairreanum $ imes$ Insigne).	2-3 growths	5.00
Ashley, (Eurybiades X J. M. Black)-		је Сур.
	2 growths	15.00
Ashburtoniae, (Barbatum $ imes$ Insigne)). 2 growths	3.50
Atlantis Red Admiral, (Cardinal Me		
-	2 growths	35.00
Aurem, (Nitens × Spicerianum).	2-3 growths	5.00
Aureum Hyeanum, (Nitens Sallieri Hianum).	2 growths	Spicer- 10.00
Aureum Oedippe, (Nitens Sallieri Hianum Mag.).	yeanum X 2 growths	Spicer- 7.50
Aureum Surprise, (Nitens Sallieri Hianum).	yeanum X 2-3 growths	Spicer- 7.50
Aureum Surprise—Larger plants. Fin	ne yellow.	00-15.00
Aureum Virginalis, (Nitens Sallieri H		
ianum).	2-3 growths	7.50
Baldur, (G. F. Moore $ imes$ Niobe).	2 growths	15.00
Baldwinii, (Charlesworthii $ imes$ Lord W	olmer).	
	2 growths	12.50
Ballet Girl—Very showy.	2 growths	15.0 0




Cypripedium Nena.

Barbatum, (India) -- Early spring. Dorsal sepal, green at base. White flushed with purple. Petals black wharted on upper edges with purple suffusion. Pouch, brown 2-3 growths 10.00 purple. Baron Harefield, (I. Harefield Hall imes The Baron). 15.00 2 growths Beatrice, (Boxalli \times Lowii). 2 growths Beatrice. 3 growths Bedfordiae, (Actaeus var Revoluta X Shogun)—A fine 20.00 2 growths bold flower. 2 growths 15.00 Bedouin, (Lord Wolmer X Swallow). 3 growths 10.00 Beekmani \times Mons. de Curte. Dwarf habit. Flowers Bellatulum, (Siam)—Various. creamy white spotted with purple. Lip egg shaped 2 growths 10.00 and also spotted. Beryl West Point var., (Beekmani \times Mrs. Wm. Mostym). 2 growths 7.50 3 growths 10.00 Beryl West Point. Birkdelense, (I. Harefield Hall imes Thalia Mrs. Wellsely). 20.00 2 growths Bisham, (Hera \times Odin)—Fine large flowers. 2 growths 20.00 Black Prince, (Hera X Rothschildianum). 2 growths 15.00 2.3 growths 5.00 Boxalli, (Burma)—Winter. 2 growths 10.00 Boxalli var. Attratum—Very fine. 7.50 2 growths Boxalli × Thomsoni. Buckingham, (Maisie X Warrior)—Very fine. 2 growths 15.00 Burston, (Chloris \times Mem. F. M. Ogilvie)—Very fine. 25.00 2 growths 10.00 Chamberlainianum, (New Guinea). 2 growths

Lagers Hurrell

CYPRIPEDIUM—(Cont'd.)	
Chieftain, (Chardmoore X J. M. Black)—Very fine.	
2 growths 30.0	00
Chrysostom, (Christopher X Pryanus)—Very fine.	
2 growths 35.0	00
Chrysostom Aime Moore X Olympus. 2 growths 25.0	00
Chrysostom var Phyllis—Exceptionally fine. Only 1. Nic	ce
plant. 50.0	
Clarion, (Cappa Magna X Eurybiades)—Very fine.	
2 growths 30.0)U
Corsair, Holfords var., (Niobe X Nitens).	
2-3 growths 20.0	JU
Coriolanus, (Cardinal Mercier X Mme. A. Fevrier). 2 growths 20.0	nn
Crossianum, (Insigne × Venustum). 3-4 growths 7.5	
Crossianum X Nitens. 4-5 growths 5.0	
Curtmani Magnificum, Lows variety, (Mons. de Curte) Beekmanni). 3 growths 10.0	
Cyclops Superbum, (Actaeus X Fulshawense)—Verfine. 2 growths 25.0	_
Daisy Barclay, (Godfroyae × Rothschildianum).	,,
2-3 growths 5.0	00
Dictune—Very fine. 2 growths 25.	
Doris Stanton, (Goliath × Pryanus). 2 growths 35.0	
Duchess, (Aureum × Insigne). 3-4 growths 7.5	
Edzell, (Christopher X Golden Wren). 2 growths 25.0	
Euryandrum, (Barbatum × Stonei). 3-4 growths 5.6	
Euryades × Goliath. 2 growths 15.0	
Fantasia Grand Duke Nickolas, (Christopher X Gran	
Duke Nicholas)—Very fine. 2 growths 30.0	
Frau Ida Brandt, (Io × Youngianum). 2 growths 15.0	
Fulshawense. 2 growths 5.0	
Fulshawense. 3 growths 7.5	
Gay Gordon—Very fine. 2-3 growths 7.5	
Gay Gordon. 4-5 growths 10.0	
Germinianum, (Hirsutissimum × Villosum).	,,
2-3 growths 5.0	00
Gertrude West, (Lady Philmoni × Robert Patterson).	
2 growths 15.0	00
Gigas, (Harrisianum Hibrum $ imes$ Lawrenceanum).	
2-3 growths 10.0	
Gigas var Corndean Hall. 2-3 growths 15.6	
Goliath, (I. Harefield Hall X Troilus Aime Moore)—Firlarge flower. 2 growths 15.	
Large nower.	,,,



Cypripedium Archie Neill.




Cypripedium I. Harefield Hall.

Greyhound, (Bingleyense $ imes$ Lillie M	ľayall).	
	2 growths	15.00
Hannibal, (Leeanum 🔀 Nitens).	2 growths	15.00
Harrisianum, (Barbatum 🔀 Villosum	n). 2 growths	10.00
Harrisianum G. S. Ball.	2 growths	15.00
Harrisianum Superbum.	2 growths	15.00
Harveyanum, (Leeanum $ imes$ Stonei).	3-4 growths	5.00
Haylebury, (Carola $ imes$ Lawrie)—Ver	y fine.	
	2 growths	40.00
Haynaldianum, (Philippines)—Spring	g. 2 growths	7.50
Hera, (Spicerianum $ imes$ Villosum).	2-3 growths	5.00
Hirsutissimum, (Assam)—Spring.	3-4 growths	7.50
Hitchinsiae, (Charlesworthi $ imes$ Insign		
With-himsiss X Wars-Kinld Wall	2-3 growths	5.00
Hitchinsiae X Harefield Hall.	2-3 growths	5.00
Horatio, (Aureum Virginalis $ imes$ Leed	_	
	2 growths	15.00
Horus (Insigno Harofield Hall V M		
Horus, (Insigne Harefield Hall $ imes$ M	em. Jernigham	iαe).
	em. Jernigham 2 growths	
Horus, (Insigne Harefield Hall $ imes$ M $^{ ext{II:}}$ um, (Golden Wren $ imes$ Odin)—Yello	em. Jernigham 2 growths	iαe).
11:um, (Golden Wren × Odin)—Yello	em. Jernigham 2 growths ow. 2 growths	iαe). 15.00 20.00
	em. Jernigham 2 growths w. 2 growths and its varieti	15.00 20.00 es are
Insigne, (Assam)—Winter. Insigne of the most popular and useful of the very variable and easily grown.	em. Jernigham 2 growths w. 2 growths and its varieti e entire family 4-5 growths	20.00 es are being 3.50
Insigne, (Assam)—Winter. Insigne of the most popular and useful of the very variable and easily grown. Insigne.	em. Jernigham 2 growths w. 2 growths and its varietice entire family 4-5 growths 6-8 growths	20.00 20.00 es are being 3.50 5.00
Insigne, (Assam)—Winter. Insigne of the most popular and useful of the very variable and easily grown. Insigne. Insigne—Larger plants.	em. Jernigham 2 growths w. 2 growths and its varietie entire family 4-5 growths 6-8 growths 7.5	20.00 20.00 es are being 3.50 5.00
 Insigne, (Assam)—Winter. Insigne of the most popular and useful of the very variable and easily grown. Insigne—Larger plants. I. Aureole—Yellow variety. 	em. Jernigham 2 growths w. 2 growths and its varietie entire family 4-5 growths 6-8 growths 7.5 3-4 growths	20.00 20.00 es are being 3.50 5.00
Insigne, (Assam)—Winter. Insigne of the most popular and useful of the very variable and easily grown. Insigne. Insigne—Larger plants.	em. Jernigham 2 growths w. 2 growths and its varietie entire family 4-5 growths 6-8 growths 7.5	20.00 20.00 es are being 3.50 5.00
 Insigne, (Assam)—Winter. Insigne of the most popular and useful of the very variable and easily grown. Insigne—Larger plants. I. Aureole—Yellow variety. 	em. Jernigham 2 growths 2 growths and its varietic entire family 4-5 growths 6-8 growths 7.5 3-4 growths 3 growths	20.00 20.00 es are being 3.50 5.00 0-10.00
 Insigne, (Assam)—Winter. Insigne of the most popular and useful of the very variable and easily grown. Insigne. Insigne—Larger plants. I. Aureole—Yellow variety. I. Balliae—Yellow variety. 	em. Jernigham 2 growths 2 growths and its varietic entire family 4-5 growths 6-8 growths 7.5 3-4 growths 3 growths	20.00 20.00 es are being 3.50 5.00 0-10.00 5.00
 Insigne, (Assam)—Winter. Insigne of the most popular and useful of the very variable and easily grown. Insigne. Insigne—Larger plants. I. Aureole—Yellow variety. I. Balliae—Yellow variety. I. Balliae Superbum—Yellow variet 	em. Jernigham 2 growths 2 growths and its varietic entire family 4.5 growths 6.8 growths 7.5 3.4 growths 3 growths y, 3 growths	20.00 20.00 es are being 3.50 5.00 0-10.00 5.00 7.50
 Insigne, (Assam)—Winter. Insigne of the most popular and useful of the very variable and easily grown. Insigne. Insigne—Larger plants. I. Aureole—Yellow variety. I. Balliae—Yellow variety. I. Balliae Superbum—Yellow variet I. Berryanum. 	em. Jernigham 2 growths 2 growths 2 growths and its varietic entire family 4-5 growths 6-8 growths 7.5 3-4 growths 3 growths y. 3 growths 2-3 growths 2-3 growths	20.00 20.00 es are being 3.50 5.00 0-10.00 5.00 7.50 5.00

CYPRIPEDIUM—(Cont'd.)		
I. Brugense.	3 growths	5.00
I. Chantini.	2-3 growths	5.00
I. Chantini Lindeni—Yellow variety.	2-3 growths	7.50
I. Coulsonianum—Fine.	2-3 growths	5.00
I. Coulsonianum—Larger plants.	7.	50-10.00
I. Dominianum—One of the finest	2-3 growths	7.50
I. Dominianum—Larger plants.	10.	00-12.50
I. Dominanum $ imes$ Spicerianum.	2-3 growths	10.00
I. Dorothy—Yellow variety.	3 growths	5.00
I. Harefield Hall—Probably the fir		Insigne
group,	2 growths	7.50
I. Harefield Hall—Larger and strong	<u>-</u>	00-20.00
I. Harefield Hall $ imes$ Spicerianum.	2-3 growths	10.00
I. Harefield Hall X Spicerianum.	4-5 growths	
I. Hurrellianum—Very distinct type.	3-4 growths	
I. Hurrellianum—Larger plants.	-	50-10.00
I. Iulius Roehrs.		10.00
	2 growths	7.50
I. Lagerae—Very distinct.	2-3 growths	7.50 00-15.00
I. Lagerae—Larger plants.		
I. Laura Kimball—Yellow variety.	2-3 growths	7.50
I. Laura Kimball—Larger plants.		10.00
I. Lindenae.	3-4 growths	5.00
I. Luteoalbum.	3 growths	3.50
I. Luteoalbum.	4 growths	5.00
 Lucianae – Yellow variety. 	2-3 growths	7.50




Cypripedium Rothschildiana.



Cypripedium.

I. Monarch $ imes$ Nitens.	2-3 growths	5.00
I. Millie Dow.	2-3 growths	5.00
I. Mrs. B. G. Wilson.	2-3 growths	7.50
I. Sanderae—Yellow variety. Very	fine for late	fall to
Christmas flowers.	3 growths	5.00
I. Sanderae—Larger plants.	6.0	0-15.00
I. Sanderae $ imes$ Laura Kimball— Y ella	•	
	2-3 growths	7.50
I. Westgatense—Yellow variety.	2-3 growths	3.50
I. Westgatense—Stronger plants.		0- 7.50
James O'Brien, (I. Harefield Hall $ imes$)		
7 1:-4 (3.6 1 tr × G 11)	2 growths	15.00
Juliet, (Mulatto X Swallow).	2 growths	
Juno, (Callosum × Fairrieanum).	2 growths	
King Arthur var Burgoyne, (Bingle Curte).	eyense $ imes$ Mo 2 growths	ns. de 15.00
King Arthur var Alexandrina.	2 growths	15.00
Kitty, (Swinburni X T. B. Haywood	-	10.00
Kevor, (Mem. F. M. Ogilvie × Prin		
colorings.	2 growths	35.00
Lathamianum, (Spicerianum X Villa	osum).	
	3-4 growths	5.00
Lawrenceanum.	2-3 growths	7.50
Lebaudyanum, (Haynaldianum $ imes$	Philippinense).	
	2 growths	15.00
Leeanum, (Spicerianum $ imes$ I. Maulei		3.50
Leeanum.	3-4 growths	5.00
Leeanum—Larger and stronger plan	nts. 6.0	0-12.50
Leeanum Aureum.	3-4 growths	5.00
Leeanum $ imes$ Beeckmani.	2-3 growths	7.50
Leeanum Clinkaberryanum—This gr	rand cyp, stan	ds un-
rivaled today for its charming be	eauty and dist 2-3 growths	7.50
	2-0 GIOWIIIS	,




Cypripedium I. Hurrellianum

CYPRIPEDIUM—(Cont'd.)		
Leeanum Clinkaberryanum.	3-4 growths	10.00
Leeanum Dominianum.	2-3 growths	7.50
Leeanum Giganteum 🔀 Dominianum	n. 2 growths	10.00
Leeanum Grandiflorum.	2-3 growths	7.50
Leeanum $ imes$ Harefield Hall.	2-3 growths	7.50
Leeanum $ imes$ Harefield Hall $ imes$ Spice		
	2-3 growths	7.50
Leeanum G. Fowler $ imes$ Perseus.	2 growths	10.00
Leeanum Lutescens.	2-3 growths	5.00
Leeanum Lutescens.	4-5 growths	7.50
Leeanum Masereelianum.	2-3 growths	5.00
Leeanum Nigrum.	3-4 growths	5.00
Leeanum Pulchellum.	3-4 growths	5.00
Leeanum Roseum.	3-4 growths	7.50
L'Orme var. Rose, (Chloris $ imes$ G colors.	wen Hannen)- 2 growths	-Fine 15.00
Lord Derby, (Rothschildianum $ imes$ Sup	erbiens).	
	l growth	5.00
Lord Wolmer, (Hera $ imes$ Leeanum)—F		
	2 growths	15.00
Lucifer var. Westonbirt, (Hera $ imes$ Ni		00.00
T1 T	2 growths	20.00
Luridum Purpureum, (Lawrenceanum	2-3 growths	5.00
Lysander, (Chloris X Maisie)—Fine.	_	15.00
	2 growths	15.00
Madame Albert Fevrier, (Germaine	-	
industry (definance	2-3 growths	20.00
Mme. Gabrielle Noens, (Callosum $ imes$	Spicerianum).	10.00
Major Hanbury Carlisle, (Troilus X	Smaragdinum)– 2 growths	-One 20.00
Major Hanbury Carlisle X Ogilvie th	-	
, or seement ouring of oduste in	_	25.00
Makeda, (Charlotte Dillon X Lady I	- Dillon) —Very fi	ne.
		35.00

Marne, (Alcibiades $ imes$ Beryl).	2-3 growths	15.00
Maudiae, (Callosum $ imes$ Lawrenceanu	ım).	
, ,	2 growths	7.50
Maudiae—Stronger plants.	10.0	0-15.00
Maudiae Magnifica.	1-2 growths	10.00
Meigle, (Perseus X Robert Patterson	ı)—Fine.	
	2 growths	15.00
Melrose, (Alcibiades X Atlantis)—Fi	ne variety.	
	2 growths	15.00
Memphis var. Dictator, (Cardinal Mer—Very fine type.	cier $ imes$ Chrys 2 growths	
Memoria F. M. Ogilvie the Pren	nier, (Curtma	nii 🗙
Pryanus)—Very fine.	2 growths	
Memoria J. Walker, (Lady Dillon >Very fine.	Cardinal M 2 growths	
Memoria H. J. Elwes, (Christophe variety.	er X Satyr) 2 growths	
Mill Hill, (Artus × Lillie Mayall)—Ve		
	2 growths	30.00
Minos Lowi, (Arthurianum X Spiceria	anum).	
, ,	3-4 growths	7.50
Minos Youngi, (Arthurianum X Spice	erianum).	
	2 growths	7.50
Minotaur, (Hera $ imes$ Nitens Leeanum)	—Very fine.	
	2 growths	20.00
Mons. de Curte $ imes$ Clinkaberryanum.	2-3 growths	7.50
Mrs. Carl Holmes, (Gwen Hannen yellow.	Moonlight) 2 growths	—Fine
Mrs. Charles Canham.	2-3 growths	5.00



Cypripedium.



Cypripedium I. Lagerae.

CYPRIPEDIUM—(Cont'd.)		
Mrs. G. D. Owen, (Superciliare X	Villosum)	
Ms. G. D. Owen, (Superchare	2-3 growths	5.00
Nellie, (Charlesworthi $ imes$ Tonsum).	2-3 growths	7.50
Nena, (Christopher $ imes$ Senator)— ${ m Ve}$	ry fine.	
	2 growths	15.00
Nena, the Queen—Very fine type.	2 growths	75.00
Niobe, (Fairieanum $ imes$ Spicerianum ${}^{\circ}$	_	
	2-3 growths	7.50
Nitens, (I. Maulei $ imes$ Villosum).	3 growths	5.00
Nitens Gravesianum.	3-4 growths	5.00
Odin, (Antinous X Nitens Leeanum Yellow.	var. Beckto 2 growths	niae)— 15.00
Odin X Doris Stanton.	2 growths	10.00
Olivia, (Niveum $ imes$ Tonsum).	2-3 growths	7.50
Olympia, (Nitens Sallieri Hyeanum	× Spicerio	num)—
Fine.	2 growths	15.00
Olympus, the Chairman, (Alcibiades berryanum)—Very fine.	imes Leeanum 2 growths	Clinka- 35.00
Parishii, (Moulmein)—Summer.	2 growths	10.00
Pavoninum Inversum, (Boxalli 🔀 Ve	enustum).	
	3-4 growths	5.00
Perseus, F.C.C. R.H.S., (Alciabides $ imes$		n).
	2 growths	15.00
Pitcherianum, (Harrisianum $ imes$ Spice		F 00
D-' /D1:1: ' \/ TF:11 \	2-3 growths	5.00
Priapus, (Philippinense X Villosum).	=	5.00
Prince Albert var. Chardwar, (Pryam —Very fine.	us × lommy 2 growths	30.00
Queen Alexandra.	2-3 growths	12.50
Rosetti, (I. Sanderae × Maudiae).	2 growths	15.00
Rosetti, Goliath.	2 growths	20.00
Rothschildianum, (New Guinea)—Spri	•	20.00
nonischildrani, (New Gamea)—Spri	2 growths	15.00
Sallieri, (Insigne X Villosum).	3-4 growths	5.00
Sallieri Aureum.	3-4 growths	7.50
Sallieri Aureum $ imes$ I. Sanderae.	3-4 growths	5.00
Sallieri Nigromaculatum.	2-3 growths	5.00
	·· · -	

Sallieri Pictum.	3-4 growths	5.00
Sallieri Platypetalum.	2-3 growths	5.00
Satyr $ imes$ Cardinal Mercier.	2 growths	15.00
Senator, (Gladiator × Lord Wolmer borough).	var. Duke of 2 growths	Marl- 15.00
Siebertianum, (Dayanum 🔀 Insigne).	2-3 growths	5.00
St. Albans, (Antigone $ imes$ Harrisianum)	. 3-4 growths	5.00
St. Albans—Larger plants.	7.5	0-10.00
Stonei, (Borneo)—Autumn.	2-3 growths	15.00
The Gurka.	2 growths	15.00
Tonsum, (Sumatra)—Autumn.	2-3 growths	5.00
Tonso Arthurianum.	2-3 growths	5.00
Tonso Charlesworthi.	2-3 growths	5.00
Tonso-Mastersi.	2-3 growths	5.00
Tonso-Villosum.	2-3 growths	5.00
T. W. Abbott, (Harri-Leeanum 🔀 Clin	-	
	2 growths	25.00
Van Dyck, (Hirsutissimum Hybrid $ imes$		ırte). 12.50
T	2 growths	
Transvaal, (Chamberliananum 🔀 Ro	2-3 growths	10.00
Ville de Paris, (I. Harefield Hall X		10.00
77. · 1. · · D1 1 · · / 8	2-3 growths	10.00
Viridissima Blenhemensis, (Aureum sum Auriferum).	2-3 growths	Villo- 10.00
W. H. Page, (Boxalli × Niveum)—Ve	ery fine. 2 growths	30.00
W. W. Lunt, (Boxalli 🔀 Insigne).	2-3 growths	5.00
(Note:—We also have special offering at correspondingly lower prices was a correspondingly lower prices which is a corresponding to the		
upon request.)		



Cypripedium Macaw.

CYPRIPEDIUM—Continued

Selenipedium Section:

These are so distinct in regard to habit of the plants, color and shape of the flowers, that they really form a separate group and we have listed them below, apart from the others. Many of them have long, ribbon-like petals, and all produce a number of flowers on tall scapes, one after the other. It is thus possible to have these plants in flower for a long time, for as soon as one flower drops, another takes its place.

Many are white, or nearly so; others are rose pink to purple in color, while some are green, suffused with yellow and purple. They are of the easiest culture and form handsome and stately subjects in the greenhouse or conservatory when in flower.

Albopurpureum, (Schlimi \times Dominianum).

Brysa—Large growths. One of the	2-3 growths finest.	5.00
-	2-3 growths	7.50
Browni, (Leucorrhodum X Longifolium	n, <mark>var. Ma</mark> gniflo	rum).
	2-3 growths	5.00
Browni—Larger and stronger plants.	2-3 growths	10.00
Cunia, (Longifolium $ imes$ Stonei).	3-4 growths	5.00
Conchiferum, (Caricinum X Longifol	ium var. Hartv	vegi).
	3-4 growths	5.00
Calurum, (Longifolium $ imes$ Sedeni).	3-4 growths	5.00
Calurum Rougieri.	2-3 growths	5.00
Cardinale.	2-3 growths	5.00



Group of Cypripediums.



Group of Selenipediums.

Cleola, (Reticulatum $ imes$ Schlimi Albii		
	3-4 growths	5.00
Dominianum, (Caricinum \times Caudatu		
	4-5 growths	5.00
Estoni, (Longifolium $ imes$ Lindleyanum).	2-3 growths	7.50
Grande, (Caudatum $ imes$ Longifolium).	2-3 growths	5.00
Leucorrhodum, (Roezli X Schlimi All	oiflorum).	
	2-3 growths	5.00
Lindleyanum.	2-3 growths	10.00
Lindleyanum $ imes$ C. Leucorrhodum.	2-3 growths	15.00
Magniflorum.	2-3 growths	5.00
Macrochilum Giganteum, (Caudatum	imes Grande).	
	2-3 growths	10.00
Mrs. W. A. Roebling, (Caudatum X	Leucorrhodum).
	2-3 growths	5.00
Nitidissimum.	3-4 growths	7.50
Penelaus, (Calurum $ imes$ Caudatum).	2-3 growths	5.00
Perseus, (Sedeni Porphyreum X Lin	ndleyanum).	
	2-3 growths	10.00
Roezli.	2-3 growths	5.00

SELENIPEDIUM—(Cont'd.)	
Schroederae, (Caudatum X Sedeni). 3-4 growths	5.00
Schroederae Splendens. 3-4 growths	5.00
Sedeni Candidulum, (Longifolium $ imes$ Schlimi).	
2-3 growths	5.00
Tenellum, (Longifolium Magnificum $ imes$ Schlimi).	
2-3 growths	5.00
Titanum, (Lindleyanum $ imes$ Longifolium)—Large.	
2-3 growths	15.00
Uranus, (Lindelyanum $ imes$ Grande). 2-3 growths	15.00
Uranus—Very large. 3-4 growths	25.00
Urgandae, Graves var., (Lindleyanum $ imes$ Roezli).	
3-4 growths	15.00
Urgandae, Graves var.—Very large. 4-5 growths	20.00
(Note:—We also have strong specimen sizes in so the above. Also smaller plants at lower Quotations will be furnished upon request.)	

CYRTOPODIUM

Punctatum, (The Cow's Horn Orchid), (South America)—Spring. Ample pot room is essential. Provide with good drainage and a compost of $\frac{2}{3}$ peat and $\frac{1}{3}$ sphagnum. A warm temperature while growing, and when growth is completed, a long rest until new growths start in the spring. Long branching spikes, often over a hundred flowers. Greenish yellow, marked with red-brown. Very unusual and striking. Bulbs sometimes 2' in height.

3 bulbs 15.00 Punctatum—A few strong specimens.

DENDROBIUM

This is a large and varied genus distributed throughout the East from Ceylon through India, Burma, Assam, Maylasia, parts of China, Japan to the Philippines and Australia. Most of the species are easily grown and are free flowering, but with so varied a family the culture is necessarily elastic. Generally speaking, the requirements are decided periods of growth and rest. In order to have a good crop of flowers the plants should make strong pseudo bulbs, and these bulbs should be well ripened off. Nearly all Dendrobiums should be placed in a good supply of heat, with plenty of moisture and liberal quantities of water during growth. After the growth is finished, they should be allowed to rest by moving them into a cooler house where they must have very little water. When they begin their new growths they should be moved back into the heat again. To sum up briefly, the Indian and Burmese species require heat and moisture, while growing; reasonable exposure to air and light, and a cooler and drier temperature in which to rest. The Australian and New Guinea species demand more water and high temperature during the winter months. D. Nobile and its varieties can be decidedly cooler but D. Phalenopsis should be grown warmer, and the resting period should be shorter. All the species may be potted in a compost of three parts fine cut osmunda, to one part sphagnum moss. They should be potted as small as possible.

Acuminatum, (Philippines)—Spring. Rare. Sometimes called D. Lyoni. A most unusual and beautiful sight when in flower. Flowers deep, coral pink, borne on arching spikes from 18" to 3'. In shape the flowers resemble Cymbidiums somewhat, but are slightly smaller.

4 bulbs 15.00

Acuminatum—A few larger and stronger plants.

17.50-25.00

Aggregatum Majus, (India)—Spring. Dwarf habit. Slender drooping spikes bearing beautiful yellow flowers with orange lip. Requires a long rest. 3-4 bulbs 7.50 Ainsworthi, (Aureum × Nobile). 4-5 bulbs 7.50 Albosanguineum, (Moulmein)—Large cream white with crimson in lip. 3-4 bulbs 10.00

Apollo Grandiflorum, (Ainsworthi X N. Pulcherrimum) – Spring. Fine large dark flowers. 4-5 bulbs Armstrongi imes Wardianum—Fine large flowers. 4-5 bulbs Ashworthi, (New Guinea)—Winter. Cream-white with purple in lip. 4-5 bulbs 7.50 Atro-violaceum, (New Guinea)—Winter. One of the most beautiful and unusual of all. Dwarf growers. Flowers 2". Cream white spotted with rich purple. Lip with violet purple and green. Only a few plants. 3-4 bulbs 10.00 Bigibbum, (North Australia)—Autumn. Resembling D. Phalaenopsis with many flowered spikes. Magentapurple, white crest. 4-5 bulbs Brunette, (Chessintonense imes N. Nobilius)—Spring. Very fine. 3-4 bulbs 15.00 Butterfly—Spring. Very fine. Calceolus, (India)—Summer. Large flowers yellow suffused with Rose. Purple in lip. (Syn. Moschatum). 4-5 bulbs 5.00 Calceolus—Larger plants. 7.50-10.00 Cambridgeanum, (Moulmein)—Spring. (Syn. Ochreatum). Flowers orange-yellow with deep maroon in lip. 3.4 bulbs Cassiope, (Moniliforme X N. Albiflora)—Spring. 4.5 bulbs 5.00 Chrysodiscus, (Ainsworthi \times Findleyanum)—Spring. 4-5 bulbs Chrysotoxum, (Moulmein)—Spring. Very beautiful. 7-15 flowers in a cluster. Deep golden yellow with deeper orange in lip. 4-5 bulbs 5.00



Dendrobium Nobile.

Lagers, Hurrell

DENDROBIUM—(Cont'd.)

4-5 bulbs 10.00

Cymbidiodes, (Java)—Winter. Small flowers, pale yellow. Whitish lip marked with red and purple.

4-5 bulbs 7.50

Dalhouseanum, (Burma)—Summer. Large flowers 5-12 in clusters. Tawny yellow with rose. Lip with deeper blotches.

3-4 bulbs
7.50

Dearei, (Philippines)—Summer and fall. Very beautiful. Pure white with green disc in lip. Long lasting.

4-5 bulbs 10.00

Dearei—A few larger plants. 15.00

Densiflorum, (India)—Spring. Flowers close set in pendulous trusses. Beautiful orange-yellow with darker lip.

3-4 bulbs 10.00

Dulce, Oakwood var.—Spring.4-5 bulbs7.50Farmeri, (India)—Spring.ResemblingDensifloruminhabit, but rather less.(Rare).4-5 bulbs7.50-10.00

Fimbriatum, (Burma)—Spring and various. Large flowers. Deep rich orange. Yellow lip, heavily fringed.

4-5 bulbs 5.00


Fimbriatum Oculatum, (Burma)—Spring. Same as type but with a dark maroon blotch at base of lip.

4-5 bulbs 7.50

Fimbriatum—Larger plants.

10.00-15.00

Formosum Giganteum, (Assam)—Late fall. Flowers in clusters. Large pure white, often 4-5" across. Fragrant with deep yellow in the lip. 4-5 bulbs 15.00-20.00



Dendrobium N. Nobilius.



Dendrobium Thyrsiflorum.

Gaton Sunray, (Dalhousianum var. Luteum X Illustre)—F.C.C., R.H.S. Probably one of the finest Dendrobiums in existence. Fine yellow sepals and petals with deeper lip and resembling Moschatum in shape.

Price on application.

Gaton Monarch, (Lady Colman X Nobile var Harefield Hall)—Spring. A very fine large dark Dendrob. Nobile section.

4-5 bulbs 20.00

Griffithianum, (Burma)—Spring. Like Densiflorum in habit, flowers less closely set. Bright yellow with orange lip.
4-5 bulbs 12.50

Hilli, (Australia)—Various. Long spikes with creamy white flowers. Purple markings on lip.

4-5 bulbs 10.00

Kingianum, (Australia)—Spring. Flowers violet purple shaded with white.

4-5 bulbs
7.50


Lyonsii—(See Acuminatum).

Louis Bleriot, (Phalaenopsis Schroederiana X Superbiens)
—One of the finest of the spray type. Flowers resembling Schroederiana but slightly smaller and running to an intense crimson. Good types.

4-5 bulbs 20.00-25.00

Louis Bleriot—Only a few selected types. 25.00-35.00 Macrocarpum. 4-5 bulbs 7.50

Merlin, (Nobile X Queen of Gatton)—Spring. Fine large dark flowers. Yellow eyes and lip. 4-5 bulbs 15.00 Merlin—Fine variety. 4 bulbs 20.00




Dendrobium Formosum Giganteum.

DENDROBIUM—(Cont'd.)

Moschatum, (Burma)—Summer and spring. Racemes with 5-15 large 4-5" flowers. Flowers yellowish tinged with rose. Lip yellow with two black-purple blotches. 4-5 bulbs Moschatum var Cupreum, (India)—Rare. Summer. Flowers apricot yellow. 4-5 bulbs 15.00 Moscatum X Nobile—Very unusual flesh colored heavily textured flowers with deeper coloring in the lip. Excellent grower. 4-5 bulbs 10.00 Nobile, (India and China)—Winter and spring. Prohably the most popular and useful of all Dendrobiums. Flowers in twos and threes from the nodes and very variable and showy. Ranging from pure whites through deep rose purples. The type, usually rose-purple on white background. Lip deeper with a very deep crimson 4-5 bulbs 5.00 blotch in the throat. 6.7 bulbs 7.50 Nobile. ${\bf Nobile} {\leftarrow} {\tt Several} \ \ {\tt fine} \ \ {\tt selected} \ \ {\tt types}.$ 10.00-15.00 Nobile A!bum—White sepals and petals. Lip with black purple disk. 4.5 bulbs 10.00 Nobile Ameriae—Large flowers, white with a maroon disk in lip. 4-5 bulbs 10.00 12.50-15.00 Nobile Amesiae—Stronger plants. Nobile Ashworthi—Pure white. Rare. 4-5 bulbs Nobile Berkley—A very distinct type. 4-5 bulbs Nobile Ballianum-Glistening white with faint flush pink and rose-pink on the disk of the lip. 4.5 bulbs5.00 Nobile Ballianum—Larger plants. 7.50-10.00 Nobile Childsi—Early spring. 4-5 bulbs 7.50 Nobile Cooksoni—Early spring. Very fine. 4-5 bulbs Nobile Cooksoni—Larger plants. 7.50-10.00 A very distinct Nobile Lars Anderson—Early spring. type. 4-5 bulbs 7.50

Nobile Mrs. Tuttle—Fine distinct form. 4-5 bulbs 10.00 Nobile Nobilius—Coloring very rich. 4-5 bulbs 7.50 Nobile Raiah—One of the finest of the Nobiles, Spring. 3-4 bulbs 10.00 Nobile var. Summit—Spring. 4.5 bulbs10.00 Nobile Virginalis—Pure white flowers with yellow shading in the lip. 4-5 bulbs 7.50 Nobile Virginalis—Larger plants. 10.00 Ochreatum, (Moulmein)—Spring. Bright orange yellow. Lip with deep maroon blotch. 4-5 bulbs 7.50 Owenianum, (Linawianum Majus X Wardianum). 4-5 bulbs 10.00 Parishi, (Moulmein)—Spring. Flowers dark rose with 3-4 bulbs deeper lip. Phalaenopsis Schroederiana, (New Guinea)—Autumn. Habit and flowers larger than in the type. Very variable, ranging from pure white through deep purple. One of the finest and most useful of all orchids. Phalaenopsis Schroederiana—Stronger plants. 10.00-15.00 Phalaenopsis Schroederiana—A few fine selected types. 10.00-20.00 Pierardi, (India)—Winter and spring. Flowers very delicately colored. Lip yellowish and veined. 4.5 bulbs Plumpionense, (Cybele var. Nobilior × Nobile Nobilius) —A very fine dark Dendrob. 3-4 bulbs 10.00 Primulinum, (Burma)—Winter and spring. Pale rose lilac. Lip with yellow streaked with rust. 3-4 bulbs 5.00 Rolfae, (Nobile \times Primulinum)—A very pretty Dendrob. 4-5 bulbs 7.50 Rubens Grandiflorum, (Ainsworthi Grande X Nobile Nobilius). 3-4 bulbs 7.50 Secundum, (Malaya)—Autumn and winter. Very unusual. Flowers rose purple. Lip orange yellow. Small. 3-4 bulbs 10.00



Dendrobium Phalaenopsis Schroederiana.

DENDROBIUM-(Cont'd) Splendidissimum, (Aureum imes Findlayanum). 3.4 bulbs 7.50 Suavissimum, (Moluccas)—Summer. 7-15 flowers, rich golden yellow with deep redish purple blotches. Superbiens, (North Australia)—Autumn. Resembling D. Phalaenopsis but with more substance to the flowers. Rich crimson purple. 4 bulbs 10.00 Superbum, (Philippines)—Spring. Large flowers. Lilac 3-4 bulbs purple. Lip very deep. Superbum Album-Flowers white with pale colored lip. 4-5 bulbs 10.00 4 bulbs 15.00 Superbum Degrei—Pure white. Rare. Thelma—Spring. 4 bulbs 7.50 Thyrsiflorum, (Burma)—Spring. One of the showiest of all. The flowers, nearly 2" across are closely set in pendulous trusses. Sepals and petals white, sometimes pink flushed. Lip golden orange. 4-5 bulbs Thyrsiflorum—Stronger plants. 10.00-20.00 Thwaitsae, (Ainsworthi imes Wiganiae)—Flowers about 1½". Straw yellow with wax-like appearance over all. Lip darker. 4.5 bulbs 10.00 Thwaitsae Veitch's Variety—One of the most colorful of all. Sepals and petals ranging from clear yellow through orange yellow to red yellow. 3-4 bulbs 15.00 Thwaitsiae Veitch's Variety—A few larger plants of selected types. 20.00-25.00 **Venus, (Falconeri** imes **Nobile)**—Lavendar and purple. 4-5 bulbs Wardianum, (Assam)—Winter. Large flowers. Sepals and petals waxy white, tipped with amythest purple. Lip with ocre yellow disk and two purplish blotches. 4-5 bulbs Wardianum—Stronger plants. 10.00-15.00 Wardianum—A few very fine selected types. 15.00-25.00 Wiganae, (Nobile X Signatum)—Yellow and brown. 3-4 bulbs 10.00 Xanthocentrum. 4 bulbs 7.50 (Note:—In addition to the above Dendrobium listing we sometimes have small plants to grow on.) Price in dozen lots EPI-CATTLEYA

These are hybrids between Epidendrum and Cattleya. Very unusual and quite ornamental. General culture the same as Cattleyas.

Nebo-Very unusual coloring. 1-2 stems 10.00 Mrs. Smith—Flesh color. Very fine. 3-4 bulbs 10.00 **EPIDENDRUM**


Nearly all of the Epidendrums do best in the Cattleya house and should be given Dendrobium treatment. E. Vitellinum is an exception and its treatment is given under its description. Cattleya compost suitable for the harder bulb kind. One-third sphagnum moss and slightly softer potting is more suitable for the softer bulbed, small species. They are very attractive. The colors in most cases run to rose, bright red and yellow. The flowers are small but very numerous in the heads. They are exceptionally free and easy growers.

Arachnoglossum, (Colombia)—Various. Producing many flowers of about an inch across, deep red, lip fimbriated with a bright orange crest. 3-4 stems 10.00

Atropurpureum, (Tropical America)—Early summer. Large flowers, 2-3" on 5-15 flowered racemes. Green and chocolate brown. Lip white with crimson.

3-4 bulbs 5.00

Boundi, (Burtoni X Radicans)—A hybrid of beautiful 3-4 stems 10.00 colorina.



Epidendrum Brassavolae.

Brassavola, (Guatemala)—Spring. Large flowers. Yellow with lip purple white and yellow. 4-5 bulbs 5.00 Burtoni, (Ibaguense imes O'Brienianum)—A very pleasing 2 stems 5.00 hybrid. white Ciliare, (Tropical America)—Winter. Greenish with a pure white deeply fringed lip. 4-5 bulbs 5.00 Cochleatum, (Tropical America)—Various. Flowers yellowish green. Deep purple lip with lighter shaped like a cockleshell. 4-5 bulbs Conspicuum, (Brazil)—Spring and various. Very beautiful 3-4 bulbs and rare. 15.00 2-3 stems 7.50 Dellense, (Radicans \times Xanthinum). 7.50 2-3 stems Kewense, (Evectum Xanthinum). petals Nccturnum, (West Indies)—Spring. Sepals and greenish white. Lip white. Fragrant. 3-4 stems 7.50 O'Brienianum, (Evectum imes Radicans). 1-2 stems 5.00 Prismatocarpum, (Central America) — Summer. Very showy. Should be included in every collection. Erect spikes, 10-20 flowers about 2" across. Cream yellow blotched with purple, rose lip with yellow. Verv good keeper. 5.00 Prismatocarpum—Larger plants. 7.50-15.00 Radicans, (Mexico)—Various. Flowers bright orange scarlet. Long stems 3-6'. Flowers in clusters. 2-3 stems 10.00 Branching spikes, Stamfordianum, (Honduras)—Spring. many flowered, yellow spotted with bright red. Lip 3-4 bulbs 7.50 fimbriated. Virens, (Mexico)—Summer. Flowers yellowish green with brown. Lip whitish with purple markings. Vitellinum Majus, (Mexico)—Summer. Finer than the type. Orange scarlet flowers with a bright yellow lip. Flowers sometimes lasting fully two months. Treat cooler than other Epidendruns and give plenty of sunlight. 3-4 bulbs 7.50

Vitellinum—Larger and stronger plants.

10.00-15.00

EPIPHRONITIS

Hybrids between Epidendrum and Sophronitis. The flowers are a beautiful brilliant scarlet. Requires intermediate house treatment.

Veitchi, (E. Radicans \times S. Grandiflora). 4-5 stems 10.00 Veitchi—Larger plants. 12.50-15.00

ERIA

Small flowers, but very attractive, resembling Dendrobiums in shape and taking much the same treatment. They grow well in an intermediate house. The potting compost should consist of $\frac{2}{3}$ fibrous peat and $\frac{1}{3}$ sphagnum moss.

Convallarioides, (Burma)—Summer. Inflorescense 3-6". Small flowers, grayish white and densely set.

5 bulbs 5.00 Ferruguineα—Summer. 3-4 bulbs 5.00

Floribunda, (Burma)—Autumn. Flowers small, densely set. Whitish. Lip tinted with red. 4-5 bulbs 10.00

GOMEZA

This Brazilian genus is of botanic interest only. They may be grown at the warm end of the Odontoglossum house during the summer, but like a higher temperature during winter. They should be watered very carefully during their resting season. Flowers are light yellowish green and very fragrant.

3-4 bulbs 5.00

GONGORA

The Punch and Judy Orchid.


Easily grown, free flowering and worthy of attention. They grow best in baskets with peat and moss, as the spikes are liabel to injury if grown in pots. The cool end of the Cattleya house suits them very well, and they enjoy a liberal supply of water during the growing period.

Charlesworthi, (Peru)—Summer. Arching scapes, sometimes 2', with medium sized yellowish white flowers spotted with purple brown. 2 bulbs 5.00

Maculata, (Guatemala)—Spring. Large flowers, yellow spotted with chocolate red. 2-3 bulbs 7.50



Laelia Purpurata.



Laelia.

LAELIA

A lovely, showy and ornamental genus of orchids resembling Cattleyas and crossed readily with same to form the beautiful Laeliocattlyeas. They are best grown in well drained pots with peat. Anceps, Autumnalis, Superbiens, etc., are natives of Mexico and Guatemala. Boothiana, Crispa, Elegans and Pereni can be grown the same as Cattleyas. During the growing season they all like a high temperature if the air is circulating and the moisture sufficient. They do not require much shade at any time. Some of these plants should be included in every collection—particularly Anceps and their varieties.

Acuminata, (Mexico)Winter.Flowers, medium white.size, size, size,

Albida, (Mexico)—Winter.White sepals and petals.Faint flush in lip.4-5 bulbs7.50

Anceps, (Mexico)—Winter. Long erect scapes, 2-6 large flowers. Deep rose. Crimson purple lip with yellow in the throat. The Anceps are the showiest of the Laelia family and some plants of this or of its varieties should be included in every collection. 4-5 bulbs 5.00

Anceps—Larger plants. 7.50-10.00

Anceps Alba—Pure white excepting a shade of yellow in the throat. Very striking when in flower.

4-5 bulbs 7.50

Anceps Alba—Larger plants. 10.00-15.00

Anceps Alba, Bull's Variety—Flowers entirely white.

4-5 bulbs 10.00

Anceps Amesiae—Rich colorings with a yellow throat. Fine type, 4-5 bulbs 10.00

Anceps Ballentiniana—Large rich colored flowers. Lip intense deep crimson. Golden throat with crimson stripes. Very fine. 3-4 bulbs 10.00

Anceps var. Barkeriana—Winter. Similar to Ballentiniana with slightly different form. 3-4 bulbs 10.00

Anceps Chamberlainiana—Winter. A grand form, the largest of all. Very deep coloring. 3-4 bulbs 15.00

Anceps Grandiflora—Winter. Rose purple and flowers in full.

4-5 bulbs 10.00

Anceps Hilli—Winter. Rose white. 4-5 bulbs 7.50

Anceps Hilli Rosefieldensis—Fall. Very fine. Dark. 4-5 bulbs 10.00

Anceps Percivaliana—Winter, 4-5 bulbs 7.50

Lager & Hurrell

LAELIA--(Cont'd.)

Anceps Rosea—Winter. 4-5 bulbs Anceps Sanderiana—A beautiful form. Pure white sepals and petals. Rose purple on the front of the lip. Winter. 4.5 bulbs Anceps Sanderiana—Larger plants. 10.00-15.00 Anceps Stella-Winter. Sepals and petals white. Lip white with rose markings. Throat yellow with purple

lines. 4.5 bulbs 10.00

Anceps Stella—Larger plants. Anceps Veitchiana—Rare. A beautiful flower with a

3-4 bulbs 15.00 bluish purple cast.

Anceps Williamsi-Winter. Large flowers pure white. Orange yellow in throat. Lined with crimson.

4.5 bulbs

Autoceps—A fine Laelia hybrid of unknown parents. 10.00 4-5bulbs

Autumnalis, (Brazil)—Summer. Very beautiful. Long erect spikes. 3-7 large flowers. Rose purple.

Autumnalis—Larger plants.

Boothiana, (Brazii)—Late spring. 2-5 large flowers on spike. Light rose purple with deeper veins. Lip much crisped. Crimson purple with paler veins.

3-4 bulbs

Boothiana—Larger plants.

7.50-10.00

Cinnabarina, (Brazil)—Spring. Very beautiful flowers. Bright cinnabar red. 2-3" across on long erect spikes. 4 bulbs

Crispa, (Brazil)—Summer. Spikes with 4-8 large flowers. White, sometimes slightly flushed, lip much crisped. Bright purple with deeper veinings. 4-5 bulbs Crispa—Larger plants. 7.50-10.00

Crispilabia, (Brazil)—Spring. Flowers lilac-mauve. Lip 4 bulbs crisped, deep amethyst and white.

7.50-10.00 Crispilabia—Larger plants.


Dayana, (Brazil)—Fall. Dwarf habit. Scapes 1-2 flowers, rose purple. Lip deep crimson with yellow in 4 bulbs center.

Elegans, (Brazil)—Various. Large flowers mostly white 4 bulbs with colored lip.

7.50-10.00 Elegans—Larger plants. Gouldiana, (Mexico)—Winter. Flowers superior to Autumnalis, brighter in color. Lip with yellow keels.

Flowers for Christmas. One of the best.

4 bulbs



Laelia Anceps Stella.



Group of Laelia Anceps and varieties.

Gouldiana—Larger plants.

10.00-15.00

Perrinii, (Brazil)—Autumn. Scapes 2-5 large flowers about 5". Rose colored with crimson purple lip and white throat. 4.5 bulbs

Purpurata, (Brazil)—Spring. A really grand species. Spikes 3-8 large, 6-8" flowers. Sepals and petals light, yellow throat striped with crimson. Front lobe of lip rich crimson purple. 4 bulbs

Purpurata—Larger and stronger plants. 10.00-20.00

Purpurata var. Russelliana—Sepals and petals white, flushed pale rose. Lip rose, yellow in throat Verv fine. Only one. 4 bulbs 40.00

Superbiens, (Guatemala)—Spring. Spikes 3-7' with 12-15 large flowers. Deep rose, crimson lip with a yellow 4 bulbs 10.00

Superbiens—Larger and stronger plants. 12.50-15.00 Tenebrossa, (Bahia)—Various. Large flowers, reddish golden brown. Lip deep purple. 4-5 bulbs

(Note:—By all means include some of these lovely Laelias in your collection. We usually have smaller plants at correspondingly lower prices.)

LAELIOCATTLEYA

(Hybrids between Laelias and Cattleyas)

They are as a rule, of a stronger constitution than the Cattleyas and should be treated practically the same. The flowering season is not as fixed as that of the parents as they vary a great deal and are liable to flower at almost any time. The variations in colcrs and shapes and sizes of the flowers is so great that every collection is incomplete without this gorgeous flower. See Cattleya culture.

Alex, (C. Dowiana Aurea imes Tunis)—Fall. Bronze sepals and petals. Crimson lip. 4 bulbs 20.00

Aphrodite, (C. Mendeli X Purpurata)—Spring. Runs to white sepals and petals. Colored lip. 4-5 bulbs 15.00 Aphrodite—Stronger plants and selected types.

17.50-25.00

LAELIOCATTLEYA—(Cont'd.)
Arcturus, (L. Anceps var Schroederae X Lc. Smilax) Winter and spring. A beautiful little reddish-yellow
flower. 4-5 bulbs 15.00
Armstrongiae, (C. Iris X George Woodhams)—Winter.
Strong grower. 4-5 bulbs 15.00 Asbury, (Ortega × C. Trianae)—Spring. Dark.
4-5 bulbs 15.00
Avon, (George Woodhams $ imes$ C. Mendeli)—Spring.
4.5 bulbs 15.00
Bardic, (Lc. Carmen $ imes$ C. Labiata)—Fall-winter. 4-5 bulbs 20.00
Barbarossa, (C. Trianae X Callistoglossa)—Winter-
spring. Strong grower. 4-5 bulbs 15.00
Barbarossa—Stronger plants. 17.50-25.00
Beatrice, (Callistoglossa X C. Schroederae)—Spring. 4-5 bulbs 20.00
Bella, (C. Labiata X L. Purpurata)—Winter.
4-5 bulbs 17.50
Berthe Fournier, (C. Dowiana X L. Elegans Turneri)—
Very variable from deepest magentas to yellows, including a nice range in bronzes. 4-5 bulbs 7.50
Berthe Fournier—Stronger plants and selected types.
10.00-15.00
Bletchleyensis, (C. Gigas X L. Tenebrosa)—Fall. Strong. 4-5 bulbs 15.00
Bletchleyensis—Stronger plants. 17.50-20.00
Braceyana, (Lustre \times C. Labiata)—Fall-winter. Very fine.
4 bulbs 20.00
Braceyana—Several fine selected types. 25.00-35.00
Britannia, (C. Gigas X Canhamiana)—Winter-spring.
Callistoglossa, (C. Gigas X L. Purpurata)—Spring-sum-
mer. Strong. 4-5 bulbs 15.00
Callistoglossa—Stronger plants and selected types. 17.50-25.00
Cameronian, (Dominiana $ imes$ C. Princess Royal)—Fall. Very
good. 4-5 bulbs 20.00
Canhamiana, (C. Mossiae X L. Purpurata)—Spring.
Canhamiana—Stronger fine selected types. 17.50-25.00
Canhamiana Young's Variety—Magnificent type. Very
strong. 4-5 bulbs 35.00
Canhamiana, Young's var.—Stronger plants and selected types. 37.50-50.00
Cantab, (St. Gothard $ imes$ C. Ballantineana)—One of the
finest Lcs. 4 bulbs 25.00
Cantab—A few fine selected types. 30.00-50.00
Cantab var. Sunset—Exceptionally fine type. 4 bulbs 60.00
Cavalese, (Lustre $ imes$ C. Fabia)—Fall-winter. Very fine.
4-5 bulbs 20.00-30.00
Cavalese var. Summit—One of the finest. 4 bulbs 50.00
Cheerful, (Delight $ imes$ C. Leda)—Winter. Running to
yellows. 4-5 bulbs 20.00 Cheerful var. Summit—Very fine yellow-bronze type.
4 bulbs 35.00
Cleo, (Soulange $ imes$ C. Labiata)—Spring. Fine large flower. 4 bulbs 20.00
Conquistador, (Morvyth X C. Labiata)—Spring. Very fine full dark flower. 4-5 bulbs 15.00
Cortina, (C. Empress Frederick X Callistoglossa).—Late
spring. 4-5 bulbs 15.00
Cowani, (C. Mossiae X Cinnabrosa)—Spring. 4-5 bulbs 12.50
Crispo-Hardyana. 4-5 bulbs 7.50
Crispo Hardyana Stronger plants 10.00

Crispo-Hardyana—Stronger plants.


10.00

Damon, (Callistoglossa \times L. Crispa). 4-5 bulbs Davidsoniae, (C. Labiata \times Lc. Bella)—Fall-winter. 4-5 bulbs Delight, (Luminosa imes Golden Oriole). 4-5 bulbs 15.00 Dominiana, (C. Dowiana \times L. Purpurata)—Dark variety. 4-5 bulbs 15.00-20.00 Dominiana—Light variety. 15.00-20.00 Domos, (C. Mossiae \times Dominiana)—Spring. 4-5 bulbs Electa, (Lustre \times C. Octave Doin)—Early spring. 4-5 bulbs 15.00-20.00 Eximia, (C. Warneri X L. Purpurata)—Fall-winter. Good dark flower. Very deep lip. 4-5 bulbs 15.00 Eximia—Stronger and few selected types. 17.50-25.00 Fascinator, (C. Schroederae imes L. Purpurata)—Early spring. Light sepals and petals running to white. Deep crimson lip with gold veining. 4-5 bulbs 15.00Fascinator—Stronger and selected types. 17.50-25.00 F. E. Royston, (Lustre \times Ortega). 4-5 bulbs Florine Beardsley, (Domos \times C. Gaskelliana)—Summer. 15.00 4-5 bulbs Frederick Boyle, (C. Trianae \times L. Anceps)—Winter. 4-5 bulbs Grand Monarch, (C. Trianae \times Nella)—Exceptionally 4-5 bulbs 25.00 fine. G. S. Ball, (C. Schroederae \times L. Cinnebarina)—Early spring. From lemon yellow to burnt orange. 12.50 4-5 bulbs G. S. Ball—Stronger plants and selected types. 15.00-25.00 G. S. Ball var. Citrina—Solid deep golden yellow. One 4 bulbs 40.00 only.



Laeliocattleya G. S. Ball.

LAELIOCATTLEYA—(Cont'd.)	Nella—Larger and stronger plants. 20.00-25.00
Hassali Alba, (Britiania $ imes$ C. Gigas)—Spring. Very fine	Nella Var. Summit. 35.00
type. White sepals and petals. Deep crimson lip. Golden veins. 4-5 bulbs 30.00	Nysa, (C. Gigas × L. Crispa). 4-5 bulbs 7.50
Hyeana, (Lawrenceana \times L. Purpurata) —Very fine dark variety. Intense solid crimson lip. Spring.	Pasadena, (Lustre × C. Trianae)—Winter. 4-5 bulbs 17.50
4 bulbs 15.00 Hyeana var. Summit—Very fine dark type. 25.00	Philemon, (Lustre X C. Sir Walter Scott)—Fall-winter. Very fine. 4-5 bulbs 20.00
Hyperion, (General Maude var. Victory X C. Leda)— One of the finest of the Lcs. in shape. Winter. Only one. 4 bulbs 50.00	Philemon—Very fine selected type. Light sepals and petals. 4 bulbs 30.00
Jacquinetta, (C. Empress Frederick $ imes$ Lustre)—Fall-winter. One of the finest. Large well shaped flowers, the	Profusion, (C. Hardyana $ imes$ Serbia)—Very fine. 4-5 bulbs 25.00
majority marked at the ends of the petals with deeper coloring. Fine large very dark lip. 4-5 bulbs 25.00	Profusion—Only one. Fine selected type. 4 bulbs 35.00
Jacquinetta—Several fine selected types. 30.00-35.00	Purple Emperor, (C. Gigas × Callistoglossa)—Various.
Jacquinetta var. Regalis—A very fine named variety. Only one. 4 bulbs 50.00	Strong grower, fine deep colors. 4 bulbs 35.00 Queen Mary, (Lustre × C. Peetersi)—One of the best.
Jacquinetta var. Summit—Magnificent well-formed flowers. Only one. 4 bulbs 75.00	4-5 bulbs 25.00
Josette, (St. Gothard $ imes$ C. Octave Doin)—Winter. A very	Queen Mary—Several fine selected types. 30.00-50.00
fine hybrid with St. Gothard influence. 4-5 bulbs 20.00 Kathleen Gray, (Canhamiana \times L. Tenebrosa)—Spring.	Rabeiana, (C. Dupreana X L. Purpurata)—Spring. A good dark lipped hybrid. 4-5 bulbs 15.00
4-5 bulbs 15.00 Lee A. Auchincloss, (Vesuvius × C. Mossiαe)—Spring. Very fine bronze flowers. 4-5 bulbs 15.00	St. Gothard, (C. Hardyana X Gottiana)—Spring and various. 4-5 bulbs 50.00
Very fine bronze flowers. 4-5 bulbs 15.00 Lee A. Auchincloss—Several fine selected types. 20.00-25.00	St. Gothard var. Lord Renfrew—Especially fine. Only one.4 bulbs 75.00
Linda, (C. Dowiana Aurea X Arachine) —Fall. A beautiful flower with yellow-peach colorings. Only one.	Santa Claus, (St. Gothard $ imes$ Soulange)—Winter. 4-5 bulbs 25.00
4 bulbs 35.00 Locarno, (Soulange × C. Tityus)—Various. A fine bold	Sargon, (C. Hardyana × Lustre)—Very fine. Late spring. 4-5 bulbs 25.00
flower. 4-5 bulbs 20.00	Sargon var. Summit—Very fine type. Only one.
Locarno—Selected fine types. 25.00-30.00	4 bulbs 35.00
Lucifer, (Sargon $ imes$ C. Labiata)—Fall-winter. 4-5 bulbs 20.00	Schroederae, (C. Maggie Raphael alba X Bella alba Superba)—Winter-spring. One of the most satisfactory
Luminomend, (C. Mendeli × Luminosa) —Spring. Flowers with Mendeli characteristics. 4 bulbs 15.00	of the white sepal and petal type. Fine large dark lip. 4-5 bulbs 17.50
Luminosa, (C. Dowiana X L. Tenebrosa)—Fall.	Schroederae—Larger plants. 20.00-25.00
4-5 bulbs 15.00	Schroederae—Selected types. 25.00-40.00
Luminosa var. Aurea —Very fine. Few selected types. 20.00-40.00	Schroederae var. The King—Only one. 4 bulbs 35.00
Lustre, (C. Luedemanniana X Callistoglossa)—Spring. 4-5 bulbs 17.50	Schroederae var. Summit—One of the best. 4 bulbs 50.00
Lustre Westonbirt Variety—Very fine. Only one.	Serbia, (C. Enid $ imes$ St. Gothard)—Winter. 4-5 bulbs 20.00
4 bulbs 35.00	Soulange, (C. Dowiana × Lustre)—Fall-winter. Very fine. 4-5 bulbs 25.00
Malibu, (Lustre X C. Warneri)—Fall. 4-5 bulbs 15.00	Tartan, (C. Sir Walter Scott $ imes$ L. Purpurata)— Winter
Maplemoor, (Isfield $ imes$ C. Labiata)—Winter. 4-5 bulbs 15.00	spring. Strong grower. Large flowers. Dark lips. 4-5 bulbs 15.00
Martinetti, (C. Mossiae $ imes$ L. Tenebrosa)—Spring. 4-5 bulbs 10.00	Tartan—Larger and stronger plants. 17.50-25.00
Massasoit, (Nella $ imes$ C. Hardyana)—Spring. 4-5 bulbs 15.00	Velma Woolworth, (Vesuvius \times C. Gigas) —A very satisfactory bronze type large flower. A plant of this variety should be included in every collection.
Memoria Pantia Ralli, (Britannia $ imes$ C. Lord Rothschild)—	4-5 bulbs 10.00
White sepals and petals. 4-5 bulbs 30.00 Monterey, (Lustrissima × C. Trianae)—Winter.	Velma Woolworth —Larger and stronger plants. 12.50-20.00
4-5 bulbs 15.00 Morvyth, (Lustre $ imes$ St. Gothard)—Winter.	Velma Woolworth—A few selected fine types. 20.00-35.00
4-5 bulbs 20.00 Mrs. Harold Lloyd, (Aphrodite $ imes$ C. Van Houtte)—	Victoria, (Dominiana $ imes$ L. Crispa)—Spring.
Spring. 4-5 bulbs 20.00	4-5 bulbs 10.00
Mygdon, (C. Trianae × Luminosa)—Spring. 4-5 bulbs 10.00	Winona, (Lustre × Rover)—Various. 4-5 bulbs 15.00
Nella, (C. Labiata × Dominiana)—Winter-spring. 4-5 bulbs 17.50	(Note:—In addition to the above Laeliocattleya listing we sometimes have nice, small propagated pieces to grow on.) In dozen lots only, \$60.00



Lycaste Skinneri Alba.

LOCKHARTIA

Lunifera, (Central America)—Summer. A small variety of botanic interest only. Keep in small pots or pans, with $\frac{2}{3}$ peat and $\frac{1}{3}$ moss with plenty of crocks for drainage, as they are susceptible to over-watering. Flowers bright yellow with red in the lip.

2-3 stems 7.50

3.4 bulbs

25.00

LYCASTE

Every amateur's collection should include some of this genus as all the species are of easy culture and are noted for their free flowering qualities. They do not require much heat. The stout pseudo-bulb indicates that a decided rest is necessary with just enough water to prevent the bulbs from shrivelling. During the period of active growth, they like plenty of water. A good open compost should be used, preferably $\frac{2}{3}$ peat and $\frac{1}{3}$ moss mixed with crocks for drainage.

Aromatica, (Mexico)—Winter.Fragrant, golden yellow flowers.yellow 7.50Candida, (Colombia)—Spring.Flowers pale green with rose marking.4 bulbs7.50

Cruenta, (Guatemala)—Spring. Similar to Aromatica but flowers larger and not produced in such quantities.

3-4 bulbs 7.50 Deppei, (Mexico)—Winter. Large flowers. White with pale green flushed with red. Lip bright yellow and red spotted. **3-4 bulbs 7.50**

Lasioglossa, (Guatemala)—Winter-spring. Greenish, with reddish brown sepals. Petals and lip yellow.
4 bulbs 12.50

Lawrenceana, (Central America)—Spring. Really a variety of Candida.

Skinneri, (Guatemala)—Winter. The most popular of the species. Large handsome variable flowers. White sepals suffused with rose. Petals with deep rose. Whitish lip spotted with rose and crimson. 3-4 bulbs

Skinneri var. Alba—Flowers pure white. Crest of lip

MASDEVALLIA

light yellow. Fine variety.

Deeming this genus not of sufficient interest to many, being as it is usually of botanical interest only, we have left them out of this catalog, but will be glad to furnish quotations and directions on some of the varieties.

MAXILLARIA

These plants thrive well when potted in a compost of $\frac{2}{3}$ peat and $\frac{1}{3}$ sphagnum. While growing they like plenty of water, but when resting water should be given sparingly. In the winter, the temperature should not fall below 50 degrees. If kept too warm and moist, the leaves become spotted and the appearance of the plant is impaired.

Luteo-alba, (Colombia)—Various. Flowers fragrant. White shading into tawny yellow. Lip cream white streaked with dark purple.
4 bulbs
5.00

Picta, (Brazil)—Winter. Fragrant. Tawny yellow marked with purple-red. 4 bulbs 5.00

Rubescens, (Trinidad)—Various. Habit as in Picta, but flowers smaller. 4-5 bulbs 5.00

Sanguinea, (Central America)—Winter. Small flowers.
Reddish brown with yellow and spotted with redcrimson. Nice plants.

5.00

Tenuifolia, (Mexico)—Spring. Very fragrant flowers, dark red marked with deep yellow and spotted with redcrimson. Nice plants.

5.00


Variabilis, (Mexico)—Spring. Resembling Tenuifolia. Flowers deep purple red. 4" pots 5.00

MEGACLINIUM

Falcatum, (Sierra Leone)—Spring. These plants grow well in an intermediate house. Other cultural requirements are similar to those for Bulbophyllum. They are mostly of botanical interest. Very small flowers, borne on both sides of a flattened, brownish green, raches. Flowers dark brownish red. 4 bulbs 5.00

Falcatum—Larger plants.

7.50-10.00



Lycaste Skinneri.



Miltonia.

MILTONIA

(Species and Hybrids)

Large flowered handsome Epiphytes, the species of which are native of South America. They are allied to Oncidiums and Brassias and like the former, the flower spikes are produced from the base of the bulbs. Pot small, in a compost $\frac{2}{3}$ peat and $\frac{1}{3}$ sphagnum moss with plenty of drainage, and not as firm as in Cattleyas. All types require liberal watering when growing and enough when dormant to keep the bulbs from shriviling. They do well in a cool section.

A. C. Burrage, a Vexillaria hybrid—Spring. Flowers white with a dark mass in the lip. Very fine.

3-4 bulbs 15.00

Beau Brummel, (Queen Elizabeth X Venus)—Spring. A very striking flower, deep pink with deeper lines radiating in the lip.

Bleuana, (Vexillaria X Roezlii)—Very variable, running to pure whites with a yellow mass.

4 bulbs 10.00

Bleuana—Larger and stronger plants. 12.50-15.00

Bleuana—A few fine selected types. 15.00-25.00

Blunti Lubbersiana, (Brazil)—Late summer. Very handsome. Flowers creamy yellow with reddish brown. White lip with crimson purple at the base.

3-4 bulbs 7.50

Charlesworthi, (Hyeana \times Vexillaria Memoria G. D. Owen)—Spring. A very nice colorful flower.

4-5 bulbs 12.50

Clowesii, (Brazil)—Large flowers. Golden brown, barred with yellow. Lip white with violet purple. Autumn.

3-4 bulbs 5.00

Flavescens, (Brazil)—Summer. Flowers yellow, with yellowish white lip marked with purple. 3-4 bulbs 7.50

Gatonensis var. Lemoniana—Spring. A very fine large, white flower with a yellow mass. 3-4 bulbs 20.00

Hyeana, (Blueana X Vexillaria)—Spring. A very nice colorful hybrid. 3-4 bulbs 10.00

Jane Dane—Spring. A very fine large colorful flower.
Variable.

3-4 bulbs 10.00-25.00


Kennie, (Venus X Vexillaria Memoria G. D. Owen)—Spring. A fine deep pink with darker veining.

3-4 bulbs 10.00

Lyceana, (Lord Lambourne \times Princess Margaret)—Spring. A fine large flower. 3-4 bulbs 15.00



Miltonia Bleuana.



Miltonia Seedling.

MILTONIA-Cont'd.)

Marietta Armacost, (Charlesworthi X Reine Elizabethe)— One of the most variable of the Miltonia hybrids. Flowers ranging from pure white with a slight crimson mass to the deepest blood-crimson and crimson purple. A very showy hybrid and a wonderfully easy grower. Light type. Flowers in spring and fall.

3-4 bulbs 7.50-20.00

3-4 bulbs 7.50-20.00 Marietta Armacost—Dark type.

Marietta Armacost—A few selected fine light types.

3-4 bulbs 20.00-25.00

Marietta Armacost—A few selected fine dark types.

3-4 bulbs 20.00-25.00

Memoria H. T. Pitt, (Princess Mary imes Wm. Pitt)—Spring. Very deep colors, scarlet crimson. 3-4 bulbs 15.00-25.00

Orissa, (Beau Brummel X Bleuana)—Spring. A nice colored hybrid. 3-4 bulbs 12.50

Petunia, (Bleuana imes Princess Mary)—Spring. Nice large flower. Good color. 3-4 bulbs 12.50

Phalaenopsis, (Colombia)—Late spring. A very showy species. Flowers white streaked with purple with a 4-5 bulbs central light purple mass.

Princess Mary, (Bleuana X Hyeana)—Spring. A very 3-4 bulbs 15.00 fine type.

Pulchra, (Lyceana imes Wm. Pitt)—Spring. A fine dark type 3-4 bulbs 15.00 with yellow mass.

Queen Alexandra var. Felicity—Spring. Fine large light Miltonia. 3-4 bulbs 15.00

Roezli, (Colombia)—Fall. Probably the showiest of all the genera. Handsome large, pure white flowers, with a purple blotch at the base of each petal.

3-4 bulbs

Roezli var. Alba—Flowers entirely white with a yellow shading in the lip. Very fragrant. 3-4 bulbs

St. Andre, (Bleuana imes Roezli)—A very nice light form. 3-4 bulbs 10.00 Spring-fall.

Telka, (Vexillaria 🗙 William Pix)—Spring. A fine large very light flower with a black purple mass.

3-4 bulbs

Venus, (Phalaenopsis X Vexillaria)—A nicely marked 3-4 bulbs 10.00

Vexillaria, (Colombia)—Spring. A very popular variety. Very variable, usually light purple rose with a darker lip and yellow crest. 3-4 bulbs 7.50

Vexillaria—Larger and stronger plants. 10.00-15.00

(Note:—In addition to the above Miltonia listing we have a fine stock of flowering size seedlings in some five crosses. They are very promising and we offer a limited number depending on size and strength at from \$5.00 to \$7.50 each.)

NEOBENTHAMIA

Gracilis, (Zanzibar)—Given Sobralia culture with a slightly warmer temperature and a similar compost this species does very well. White flowers, lip spotted with rose purple, with a central yellow stripe.

3-4 stems

Gracilis—Larger and stronger plants.

10.00-15.00

ODONTOGLOSSUM


The varieties we list are those we consider adaptable to our growing conditions in this country. It is a pity that the beautiful Odont. hybrid requires such special equipment and attention and we therefore hesitate to recommend it to our clients. We will be glad to quote prices on those varieties not herein listed that we carry in stock.

Potting compost recommended, about $\frac{2}{3}$ shredded peat and $\frac{1}{3}$ live sphagnum moss. Good drainage is advisable and they should be potted in the spring or early fall, depending on the growing habits of the plant. They are classed in the cool house group and like considerable shading and water while growing.

Citrosmum, (Mexico)—Spring. Pendulous scapes, 2-3' long, bearing 10-20 beautiful large, fragrant flowers. White sometimes flesh colored. Lip slightly darker, with a yellow red spotted crest. Grows best hung up and likes a decided rest. 4-5 bulbs 5.00



Odontoglossum Grande.



Odontoglossum Citrosmum.

ODONTOGLOSSUM—(Cont'd.)

Citrosmum—Larger plants.

7.50-10.00

Grande, (Guatemala)—Autumn-winter. An unusually beautiful species. Large flowers, sometimes 6" across. On scapes up to 5 flowers. Flowers bright yellow, heavily barred with golden brown, with a red-brown blotch on the lip. They should also be kept dryer after growth is complete. A great favorite which no collection should lack.

4 bulbs 7.50-10.00

Grande—A few larger and stronger plants. 12.50-20.00
 Pulchellum, (Central America)—Spring. (The Lily of the Valley Orchid). A pretty little species with very fragrant pure white flowers on erect spikes and of very easy culture.
 4-5 bulbs 5.00

Pulchellum—Larger plants. 7.50-10.00

Rossii, (Mexico)—Winter. Dwarf grower with pretty flowers about 2". White spotted with dark brown. Lip usually flushed with a yellow crest. Likes a decided rest after growth is complete.

4-5 bulbs 5.00

Schlieperianum, (Costa Rica)—Fall. Resembles Grande in flowers, but smaller and not as bright in color.

4 bulbs7.50Schlieperianum—Larger plants.10.00

Schlieperianum var. Citrinum—A beautiful distinct type.
Yellow flowers marked with deeper yellow bars. Rare.
One plant only.
35.00

ONCIDIUM

Their charm lies in their generally large sprays of blooms, bright attractive colors, and the beauty or peculiarity of the form of their flowers. A good compost for almost all is $\frac{2}{3}$ peat and $\frac{1}{3}$ live sphagnum moss. They all like a good supply of drainage and considerable water while growing. After growth is completed, water should be given sparingly but do not allow the bulbs to become shrivelled. In the few cases of the cooler types, we have given their preferance with their description. By all means include some Oncidiums in your collection.

Altissimum, (West Indies)—Summer. Long many flowered, short branched scapes. Small flowers yellow barred with chestnut-brown. A very decorative spray.

4-5 bulbs 5.00

Altissimum—Larger and stronger plants. 7.50-10.00

Ampliatum, (Central America)—Spring. Beautiful large arching branching scapes. Flowers up to $1\frac{1}{2}$ ". Yellow. Lip brighter. Slight red-brown in sepals.

3-4 bulbs 5.00-10.00

Ampliatum var. Majus—Larger and stronger with larger brighter colored flowers.

3-4 bulbs 7.50-15.00

Anthocrene, (Colombia)—Winter. Rare. Long arching branched scapes, with 2" flowers, yellow with cream yellow lip, marked with red. 3-4 bulbs 15.00

Carthaginense, (Central America)—Summer-fall. Scapes sometimes 5' long. Branched, flowers about an inch, creamy white blotched and spotted with purple rose.

3-4 bulbs 5.00- 7.50

Cavendishianum, (Tropical America)—Winter. Like Carthaginense, but larger flowers with a bright yellow lip.


3-4 bulbs 5.00- 7.50

Cebolleta, (Brazil)—Spring. Distinct with erect branched scapes. Variable flowers, mostly yellow spotted with red-brown. Lip bright yellow. 4-5 bulbs 5.00

Crispum, (Brazil)—Various. Long branched scapes with large variable handsome flowers, much crisped. Sepals greenish brown with rich chestnut brown petals. Large lip chestnut brown spotted with yellow and marked with red. One of the finest.

4-5 bulbs 15.00

Flexuosum, (Brazil)—Summer. A beautiful little Oncidium.
Long many flowered, branched scapes. Yellow with
red browns and greenish colorings. 3-4 bubs 5.00



Oncidium Splendidum.

ONCIDIUM—(Cont'd.)

Forbesii, (Brazil)—Autumn. Large handsome flowers on branching scapes. Crisped and a rich chestnut brown with golden yellow margins. 3-5 bulbs 15.00

Fuscatum, (Syn. Miltonia Warscewiczii), (Colombia)— Spring. Flowers brownish red with rosy purple lip shading to white at the margin. Red-brown disk on white face. 2-3 bulbs

Harrisonianum, (Brazil)—Autumn. Rare. A small growing, beautiful species. Branched scapes sometimes 20" in height with crowded many small bright yellow flowers blotched and spotted with red. 3-4 bulbs

Incurvum, (Mexico)—Autumn. Long branched arching scapes with fragrant flowers about l" across. Rose pink spotted with white. White lip with yellow crest. 3-4 bulbs

Jonesianum, (Paraguay)—Fall. Resembles Cebolleta. These plants do best in a wood basket hanging with the foliage downward. 4-5 bulbs

Kramerianum, (Eucador)—Various. (The Glorified Butterfly Orchid). Long scapes 2-3'. Large flowers resembling a butterfly. Rich reddish-brown with yellows and reds. 3-4 bulbs 10.00

 ${\bf Kramerianum} - {\bf Larger \ plants}.$

12.50-15.00

Lanceanum, (Trinidad)—Fall. Very beautiful erect spikes with large fragrant flowers. Yellow shaded with green spotted with deep brown. Lip rose-purple.

3-4 leaves 10.00

Leucochilum, (Mexico)—Various. Long scapes sometimes 7'. Branched. Many flowered, yellowish-green blotched and barred with brown. White spreading lip.

3-4 bulbs

Luridum, (West Indies)—Summer. Scapes sometimes 7'. Many flowers up to 2". Yellowish-green shaded with reddish-brown blotches. 3-4 leaves 7.50

Luridum—Larger plants.

10.00-15.00

Marshallianum, (Brazil)—Late spring. Long branching scapes with large variable flowers. Yellow with reddish brown, lip bright yellow spotted with bright 3-4 bulbs orange red.



Oncidium Varicosum Rogersi.



Oncidium Papilio Majus.

Microchilum, (Guatemala)—Summer. Long branched scapes. Yellow flowers marked with brown.

3-4 bulbs 7.50

Microchilum—Larger plants.

Ornithorynchum, (Guatemala)—Winter. Small flowers in sprays. Rose purple. Good for cutting. Should be included in every collection. 4.5 bulbs

Ornithorynchum—Larger plants.

6.00-10.00

Papilio, (The Butterfly Orchid), (West Indies)—Various. Shape as in Kramerianum but colors not as brilliant. 3-4 bulbs

Papilio Majus—Beautiful variety. Flowers larger than type, richer and brighter colored. 3-4 bulbs 7.50-10.00

Pubes, (Brazil)—Summer. A beautiful little Oncidium. Branched spikes with many small red brown flowers.

4-5 bulbs

7.50-10.00 Pubes—Larger plants and selected types. $\textbf{Sphacelatum, (Mexico)} \\ \textbf{—} \\ \textbf{Spring. One of the most satis-}$ factory. Long branching many flowered scapes with 3-4 bulbs

6.00-10.00 Sphacelatum—Larger plants.

Splendidum, (Guatemala)—Mid-winter. One of the best and showiest. Long erect spikes with large yellow flowers barred with brown on the petals.

3-4 bulbs 7.50

Splendidum—Larger plants.

vellow and brown flowers.

6.00-15.00

Varicosum Rogersi, (Brazil)—Winter. For ornamental work or display purposes this is by far the showiest, with long branching sprays of beautiful large yellow flowers. Sometimes red brown in the crest. We have often had spikes with well over a hundred flowers.

5.00 3-4 bulbs

Varicosum—Stronger plants.

6.00-15.00

Varicosum—Several fine selected types.

20.00-30.00

Page Forty-nine

Lagers, Hurrell

ONCIDIUM—(Cont'd.)

Wentworthianum, (Guatemala)—Summer Long branched spikes, yellow with red brown flowers. 3-4 bulbs 5.00 Wentworthianum—Larger plants. 6.00-10.00

(Note:—In addition to the above Oncidium listing, we sometimes have nice, small propagated pieces to grow on at correspondingly lower prices.)

ORNITHIDIUM

Densum, (Mexico)—Various. Small grayish white flowers tinged with purple, very closely clustered. These plants should be treated like Maxillarias. 3-4 bulbs 5.00

PERISTERIA

Cerina, (Central
America)—Summer Flowers
on a spike in a
dense cluster.
Light lemon
yellow.

2-3 growths 10.00


Elata, (Colombia)-Spring. (The Dove Orchid), (The Holy Ghost Orchid), (The native name of this fascinating species is Espiritu Santos). Long, upright, heavy flower spikes, with cup-shaped fleshy flowers of dull waxy white, in the center of which the column resembles a dove with outspread wings. In many sections of Central and South America, this specie is considered sacred by the natives. It is of easy culture and likes a compost of peat, leaf mold and moss. When growing, give plenty of water, but after growth is completed, taper off with the watering until it is entirely withheld and give the plants more light.

Flowers in fall.
2-3 bulbs 10.00
Elata — Larger and

heavier plants. 12.50-20.00

PESCATORIA

Cerinium, (Panama) — Fall.
These plants are easy to grow as they never seem to require a rest.
They like heat and moisture and plenty of water. They



Peristeria Elaia.
"The Holy Ghost Orchid."

should have a compost of $\frac{2}{3}$ peat and $\frac{1}{3}$ moss with crocks for good drainage. Large fleshy flowers of a lemon yellow with bright yellow lip with red brown.

2-3 growths

7.50

PHAIUS

Grandifolius, (Tropical Asia)—Spring. A beautiful, showy and remarkable terrestrial species. A compost of \$\frac{2}{3}\$ osmunda, \$\frac{1}{3}\$ leaf soil with a little sphagnum added. They like occasional waterings of weak liquid cow manure. They require plenty of heat and moisture during the growing season. While resting they should be moved to a cooler house and the watering limited. Upright scapes, 3-4' high. Large 4" flowers, the sepals and petals a golden brown, with silver white behind. Lip rose purple with a white border. Yellow marked with rose purple in the throat. A most decorative plant when in flower.

3-4 bulbs 7.50

Grandifolius—Stronger plants.

10.00-15.00

Grandifolius—A few very strong specimens. 20.00-25.00

PHALAENOPSIS: (The Moth Orchid)

A heat and moisture loving family that can be grown very successfully in a warm orchid house. In potting use plenty of broken crocks for drainage and $\frac{2}{3}$ peat with $\frac{1}{3}$ live sphagnum moss. Many people use just straight peat. They are successfully grown in wood baskets, pans or pots, and in the case of pots use at least half crocks. Their growing season is from spring to late fall and while growing they require considerable water, and a moistened atmosphere. If grown with other plants they should be grown in a shady position. Through the winter months, if grown with Cattleyas, they should be placed in the warmest section of the house and the amount of water given lessened.


One of the showiest and most beautiful of all spray orchids having large flowers of about 4". All plants quoted are flowering size.

Alpha. (Confirmation X Sanderiana)—Very lovely, large light lavendar pink sprays.

Nice plants 5.00-10.00

Amabilis. (Malaya)—Winter Fine large flowers on branching sprays. White with yellow crest spotted with red.

Nice plants 7.50



Phalaenopsis.

PHALAENOPSIS—(Cont'd.)
Amabilis—Larger plants. 10.00-15.00
Elizabethiae, (Amabilis $ imes$ Rimestadiana)—One of the
finest of the whites. Nice plants 10.00
Elizabethiae—Stronger plants. 12.50-20.00
Elizabethiae X Fontainbleau—Very fine, large, light flowers on good spikes. Nice plants 7.50-10.00
Elizabethiae $ imes$ Fontainbleau—Stronger plants. 15.00-20.00
Esmeralda, (Cochin, China)—Fall. Small pretty species. Pink with deeper lip. Nice plants 7.50
Grande Conde, (Sanderiana $ imes$ Schilleriana)—Nice large
many flowered sprays, pink. Nice plants 7.50-15.00
Grande Conde—Larger plants. 15.00-20.00
Hawaii, (Fontainbleau X Schilleriana)—Fine pink type
on large sprays. Nice plants 10.00
Hawaii—Larger plants. 12.50-17.50
Honolulu, (Fontainbleau X Schilleriana)—Fine pink type on large sprays. Nice plants 10.00
Honolulu—Larger plants. 10.00-20.00
Katherine Siegwart, (Amabilis × Gilles Gratiot)—A very
fine white type. Nice-plants 10.00
Katherine Siegwart—Stronger plants. 12.50-20.00
Luedemanniana, (Philippines) —Spring. A very pretty species with shadings of purple. Nice-plants 7.50-10.00
Raritan—A very fine pink hybrid. Nice-plants 10.00
Rimestadiana, (Java)—Various. A fine large white.
Nice plants 15.00
Regnier, (Ludemanniana X Schilleriana)—Various. A very pretty Ludemanniana type hybrid.
Nice plants 10.00-15.00
Rothschildiana, (Schilleriana X Amabilis)—A very fine pink. Nice plants 10.00-20.00
Sanderiana, (Philippines)—Winter. A very handsome rose pink. Nice plants 7.50-12.50
Schilleriana, (Philippines)—Winter. One of the most
popular in the pinks. Nice plants 7.50-10.00
Schilleriana—Stronger plants. 12.50-20.00
Stuartiana, (Philippines)—Winter. A very beautiful species. White with cream white, spotted with browns and red-purples. Nice plants 10.00-15.00
(Note:—We also have a fine lot of both species and hybrids in smaller plants to flower next season, at

DUST SENIODOIC (Cami'a)

PHOLIDOTA

correspondingly lower prices.)

Imbricata, (India)—Spring. Of botannical interest and commonly known as the Rattlesnake Orchid from their inflorescence. Cultural requirements same as Lycaste.
 Small yellowish white flowers closely set and resembling the rattlesnake's rattles.
 5-6 bulbs
 5.00

PLATYCLINIS

Plants of graceful habit that should be in every collection. They are dwarf and will do well in the Cattleya house. A compost of $\frac{2}{3}$ peat and $\frac{1}{3}$ sphagnum is best and they like a rest after growth.

Cobbianum, (Philippines)—Fall. Very small yellow flowers with orange lip densely set. 5-6 bulbs 5.00

Filiformis, (Philippines)—Spring. A beautiful graceful species with fragrant small yellow flowers. Many on a slender arching spike and commonly called The Golden Chain Orchid.

5-6 bulbs
5.00

Filiform's—Larger plants up to beautiful specimens.

7.50-20.00

Glumacea, (Philippines)—Spring. Very lovely with slender drooping spikes, many flowered. Yellowish white with a decided new-mown hay fragrance.

5-6 bulbs 5.00

Glumacea—Larger plants. 7.50-10.00

Latifolia, (Philippines)—Spring. Creamy white flowers. 5-6 bulbs 5.00

Moelleri, (Philippines)—Spring. 5-6 bulbs 5.00

PROMENEA

Citrina, (Colombia)—Very beautiful dwarf orchids that deserve a place in every collection. $\frac{2}{3}$ peat and $\frac{1}{3}$ moss, and a warm house suits them best with plenty of water during their growing season. Flowers about 2'' across, bright lemon yellow. Lip spotted with red.

4-5 bulbs 3.50

Citrina—Larger plants.

5.00-7.50

RENANTHERA

A beautiful, brilliant, and showy family allied to Vandas and requiring similar culture. Give as much light as possible without burning.

Coccinea, (Burma and Cochin, China)—Various. Tall growing plant with long branched many flowered spikes. Blood red, spotted with yellow.

5-6 pairs of leaves 10.00

Coccinea—Larger plants.

12.50-20.00

Imschootiana, (Burma)—Spring. Very handsome, large branched, many flowered spikes of a bright vermillion color.
4-5 pairs of leaves 10.00

Imschootiana—Larger plants.

12.50-20.00

Mayangii.

4-5 pairs of leaves 10.00

Storiei, (Philippines)—Various. Long branching many flowered spikes. Upper sepals and petals orange, lower blood red with yellow and white in lip.

4-5 pairs of leaves 10.00

Storiei—Larger plants.

12.50-20.00

RHYNCOSTYLIS

A strikingly beautiful family and so closely allied to Saccolabiums that their culture is the same.

Blumei, (Syn. Rhyncostylis Retusa)—Very beautiful hanging spikes sometimes 2' long, densely flowered. White spotted with amethyst purple. All purple lip.


3-4 pairs of leaves 10.00-15.00

Blumei—Larger and stronger plants.


17.50-25.00

Blumei var. Majus—Only one.

25.00



Platyclinis Glumacea.



Saccolabium Blumei.

SACCOLABIUM (The Fox Brush Orchid)

Small beautiful flowers very closely set all around the long drooping racemes. The flowers are set so closely that they make a long solid mass of color, thereby

deriving their name, The Fox Brush Orchid. They like plenty of light and good drainage with a mixture of $\frac{2}{3}$ osmunda and $\frac{1}{3}$ moss and an abundance of water while growing. Even while resting do not allow to go quite dry and keep the atmosphere bouyant.

Ampullaceum, (India)—Summer. Rare. Erect spikes 3-5" high with many small bright rose-carmine flowers. 6-8 leaves 15.00

Blumei, (India)—Summer. A very beautiful species. (See Rhyncostylis Blumei for description).

(Note:-We have a few fine seeding Saccolabium Blumei Majus to flower in their next season, priced from \$7.50 to \$15.00, depending on size and strength).

SCHOMBURGKIA

These are strong growing orchids allied to Laelias. In nature they are found growing fully exposed to the tropical sun, hence they require little shade in cultivation. During the summer it is convenient to grow them with Dendrobiums, and in winter with the Cattleyas. The compost is similar to Cattleyas also, but they require more careful watering. They should never be repotted unless absolutely necessary. It is all right if the leading bulbs project over the edge of the pot.

Crispa, (British Guinea)—Winter. Strong growing. Spikes up to 5' long. Large flowers much crisped in browns shaded with yellow. Lighter lip with rose.

Crispa—Larger plants.

10.00

Superbiens, (Guatemala)—Winter. Spikes sometimes 7' with up to 20 large flowers. Deep rose, crimson lip with a yellow disk. 4 bulbs 10.00

Superbiens—Larger plants.

12.50-15.00

Tibicinis, (Honduras)—Late spring. Long spikes of reddish purple flowers. 7.50-10.00

10.00-12.50

Tibicinis—Larger plants. Undulata, (Colombia)—Spring. Long spikes with large undulated purple brown flowers. Very handsome.

4-5 bulbs

Undulata—Larger plants.

10.00-12.50

Unidentified species—A beautiful yellow form. Flower very crisped. 4 bulbs 15.00

SOBRALIA

A lovely family of terrestrials, free flowering and of easy culture. They have no pseudo-bulbs, but long slender stems. The flowers are produced singly but in succession; as one flower dies another takes its place. They resemble Cattleyas in shape and size. In color they range from pure white to rich purple. Good osmunda with about 1/4 sphagnum moss is a good compost. They like an abundance of water while growing, and while resting they should not be allowed to go quite dry.

Keinastiana, (Mexico)—Summer. Large flowers of a pure translucent white. 4.5 stems 7.50

Keinastiana—Larger plants.

10.00-15.00

Macrantha, (Mexico)—Summer. Large fragrant flowers rich crimson purple.


4-5 stems 5.00

Macrantha—Larger plants.

7.50-10.00

Macrantha alba, (Syn. Keinastiana).

7.50-10.00



Schomburgkia Undulata.

SOPHROLAELIO-CATTLEYA

Hybrids between Sophronitis and Laeliocattleya. A marvelously colored hybrid group but with the unfortunate qualities of being weak growers. We therefore list only a few of what we have found to be the stronger types.

Comuse, (Slc. Meuse \times C. Comet)—A large and beautifully colored flower. 4-5 bulbs 15.00-25.00

Mrs. George Baldwin, (L. Purpurata \times Slc. Meuse)—A very dark medium sized flower. 4-5 bulbs 15.00-25.00

Ramona, F.C.C.-A.O.S.; F.C.C.-R.H.S. (Lc. Linda \times Slc. Meuse)—A marvelously colored blood crimson flower, with brilliant lighter shading. Only one plant

4 bulbs 100.00

STANHOPEA

The flowers of this remarkably weird genus are large, showy and often strongly scented. They are wax-like and the lip is of curious structure. Because of the long spikes which grow downward sometimes through the compost, the plants do best in baskets. The best compost is $\frac{2}{3}$ osmunda with $\frac{1}{3}$ sphagnum moss. When growing they require an abundance of water.

Bucephalus, (Peru)—Late summer. Large fragrant tawny yellow with crimson purple and orange flowers.

3-4 bulbs 7.50

Insignis, (Brazil)—Summer-fall. Large fragrant flowers, yellow spotted with purple.

4-5 bulbs 10.00

Oculata (Mexico)—Summer-fall Large fragrant flowers

Oculata, (Mexico)—Summer-fall. Large fragrant flowers, yellow with red spots, with orange-yellow.

4-5 bulbs 5.00

Oculata—Larger plants. 7.50-10.00

Tigrina, (Mexico)—Summer-fall. Very scarce. Very large showy flowers, a wonderful combination of colors consisting of yellow, orange, white and purple.

3 bulbs 10.00-12.50

Wardii, (Guatemala)—Summer-fall. Large fragrant flowers, golden yellow with red purple. 4-5 bulbs 5.00
Wardii var. Aurea—Finer type. 4-5 bulbs 10.00

STENOGLOTTIS

Longifolia, (Natal)—Fall-winter. Terrestrial natives of South Africa. In the wilds these plants are found in moist shaded places, often on rocks to which they cling with their thick fleshy roots. In cultivation they succeed in a compost of good osmunda, sometimes surfaced with sphagnum. They like a cool section of the Cattleya house and require considerable water when growing. As they are deciduous they shed their leaves after flowering at which time they should be given a very decided rest until new growths appear. Small, beautiful, lilac, purple flowers very densely set around the erect spike and resembling a solid purple tapered cylinder. (The common name should be The Purple Candlestick Orchid). Of such easy culture a plant or two should be included in every collection.

3-4 growths 7.50

Longifolia—Larger plants.

10.00-15.00


THUNIA

A beautiful orchid of easy growth. Compost: $\frac{1}{3}$ good osmunda, $\frac{1}{3}$ loam, and $\frac{1}{3}$ sphagnum moss. Repot in the spring when growths start. While growing they require considerable water and a decided rest. Good drainage is essential at all times.

Bensoniae, (Moulmein)—Fall. Large flowers amethyst purple with yellow veinings in the deeper lip.

2-3 growths 10.00

Marshalliana, (Moulmein)—Summer. Very beautiful flowers pure white with yellow veining. 2-3 growths 10.00



Stanhopea.

TRICHOSMA

This is an easily cultivated orchid. They should be potted in rough fibrous peat with good drainage and when in active growth must be kept moist. Less water is needed in winter but the roots must at no time be allowed to get dry.

Suavis, (North India)—Winter. Small flowers, very fragrant, sepals and petals creamy-white. Lip white, streaked with red-purple, with center yellow and crimson-brown.

3-4 stems
5.00

TRICHOPILIA

These plants are found at considerable elevation throughout Central America. They like light and should be shaded only during the brightest summer months. They should be grown in $\frac{2}{3}$ peat and $\frac{1}{3}$ moss with ample drainage, and like to be hung close to the glass. When growing, they like an abundance of water with less through the winter months.

Coccinea var. Marginata, (Central America)—Spring.
Flowers reddish-crimson with white margin. Deeper lip.
3-4 bulbs 5.00

Fragrans, (Colombia)—Fall and various. Fragrant white flowers tinged with green with a bit of yellow in the throat.

4-5 bulbs 5.00

Suavis, (Central America)—Spring. Large fragrant flowers, cream-white spotted with pale rose, orange in the lip.

3-4 bulbs

5.00

Suavis—Stronger plants.

6.00- 8.00

VANDA

A truly handsome family of orchids distributed through the warmer countries of the East. In habit the majority of the species resemble Aerides and do well with the same treatment. One of the most beautiful of all orchids—Vanda Coerulea—a true blue, is the outstanding gem of this family.

Agnes Joachim, (Teres X Hookeriana)—Very beautiful when in flower and remarkably like the colored plate on the front cover except that it is a little lighter. Of easiest culture. These plants, like V. Teres, require all of the light possible and we have found it best to keep them from shrivilling too much during the winter months. We therefore do not give them the decided long cool rest that some authorities maintain

Lagers Hurrell

VANDA—(Cont'd.)

as best. In early spring, (May) after danger of frost is past, we move the plants outside in direct sunlight and leave them in a hanging position until late fall just before frost, at which time we bring them back in. V. Teres, we treat in the same way, with the result that we get 3 and 4 concurrent flower spikes throughout the year. In the Hawaiian Islands a number of our friends have informed us that they plant both Teres and Joachim in the ground along a fence or post, and that they flower for them continuously all year around. A few plants of both this and Teres should certainly be included in every collection. They like a compost of $\frac{2}{3}$ osmunda and $\frac{1}{3}$ sphagnum moss, and when growing a copious amount of water. When outside throughout the summer it is advisable to syringe the stems and foliage 2 or 3 times a day, and especially during the late evening during the hot summer months. Single stem of flowering strength. 3.50- 7.50

Amesiana, (Burma)—Spring. Large branched spikes with fragrant flowers, white with rose lip with deeper shadings. Scarce.

Nice plants 10.00-15.00


Batemannii, (Burma)—Spring. A large growing plant, l-6' high with leaves up to 2' long. Long, many flowered spikes, yellow densely spotted with redpurple. The flowers have been known to last 4 months.

6-8 leaves 10.00

Batemannii—Larger and stronger plants. 12.50-25.00

Boschii, (Tricolor X Luzonica)—A very unusual hybrid Vanda cross. One fine plant only with 22 leaves about 2' high.

35.00



ula Coerulea

Coerulea, (Blue Orchid), (Burma, North India and Assam)
—Fall-winter-spring. The finest of the Vandas with large flowers sometimes 4" across in shades of blue, some fine types being entirely deep Coerulean blue. Likes a warm moist atmosphere while growing and after flowers and growth are completed, does best moved to a cooler place and kept as dry as possible without shrivilling of the foliage.

Nice plants with 3-4 pairs of leaves 7.50-10.00

Coerulea—Stronger plants, 12.50-15.00

Coerulea—Larger and stronger plants. 12.50-20.00

 $\label{eq:coerulea} \textbf{Coerulea---} A \ \text{few fine selected types.} \qquad \qquad \textbf{25.00-50.00}$

Coerulea var. Summit—Very large well formed deep blue. 75.00

Cristata, (North India)—Spring. Straw yellow flowers with a red purple lip with whitish veinings. One plant only.

Faustii, (Phallax X Gil Triboulet)—An unusual hybrid Vanda cross. Only one plant. 8 leaves 25.00

Kimballiana, (Burma)—Autumn. Flowers white or slightly flushed, lip with yellow, red-brown and amethyst colors.

Nice plants 10.00-15.00

Kimballiana—Stronger plants.

20.00

Lamellata, (Philippines)—Winter. Many light yellow flowers, with chestnut brown blotches.

Nice plants 20.00

Lowii, (Syn. Arachnanthe Lowii)—(See description and culture for this wonderful variety.)

Luzonica, (Luzon)—Autumn. Beautiful pure white flowers with a band of crimson at the base of the sepals and petals. Lip crimson.

Good plants 15.00-25.00

Sanderiana, (Philippines)—Summer-fall. A truly magnificent species. Very large flowers sometimes measuring 4-5". Upper sepals soft rose suffused with white with crimson spots near the base. The two lower are golden brown veined with brown-red veins. Very scarce.

A few nice plants 20.00-35.00

Suavis, (Java)—Various. A very showy large growing species with many flowered spikes sometimes attaining a length of 2'. Flowers white, spotted with blue purple. Lip rose purple.

Nice plants with 8-12 leaves 15.00

Suavis—Larger and stronger plants. 17.50-25.00

Teres, (India)—Spring. This charmingly different orchid is pictured in color on the front of this catalog and for further description and culture, see Vanda Agnes Joachim. This plant is one of the easiest of all orchids to grow.

Single stems, 12-15" high of flowering strength. 3.50 Teres—Single stems, taller and stronger 5.00-7.50

Teres Andersonii—Of richer colorings than the type.

Single stems 12-15" high of flowering strength. 4.50

Teres Andersonii—Taller and stronger stems. 5.00-8.50
Tricolor, (Java)—Various. A very large growing plant similar in habit to Suavis but with flowers yellowish white spotted with red-browns and lip with a bright

Tricolor—Larger plants and stronger. 17.50-25.00

magenta purple. Very striking. 8-10 leaves 15.00

Tricolor—A few magnificent specimens, 5' and more.

30.00-50.00

Tricolor var. Patersoni, (Java)—Various. A beautiful form with creamy white flowers densely spotted with chocolate brown. Lip bright magenta. 20.00-35.00

Tricolor var. Planilabris, (Java)—Various. Another fine distinct form. Larger flowers than the type, yellow marked with chocolate brown, with distinct deep magenta margined lip. Only one. 25.00



Vanda Suaris—Tricolor type.

VANILLA

There are but a few species in this genus, all of which are climbers. Vanilla is, perhaps, the only genus of orchidaceous plants that has an economic value. The fruits of the various species produce the vanilla of commerce used so extensively for flavoring. The plants require strong heat and an abundance of water when growing, and should be potted small in peat and sphagnum and trained against a wall.

Planifolia, (Central America)—Summer-fall. The flowers are a beautiful citron yellow and very showy.

Single stems, 2-4' 3.50

Planifolia—Longer stems. 4.00- 7.50

Planifolia var. Varigata—Even out of flower a beautiful climber with its fleshy green leaves variagated with white.

Single stems, 2-4' 4.00

Planifolia var. Varigata—Longer stems. 4.50-7.50

ZYGOPETALUM

Mackayii, (Brazil)—Autumn. A wonderfully attractive orchid of easy culture which should be included in every collection. Its marvelous fragrance alone makes it a plant to be desired and its beautiful spikes with contrasting colors of purples, whites and lined with violet purple, makes it doubly desirable. While several authorities advise rich composts and heat, we find our Zygopetalums do best with a good supply of drainage about ¾ good osmunda fibre and ¼ live sphagnum moss. In the late spring, we place the plants outside under slat shades on a well drained bed of stone and leave them until late fall, when we place them in a cool position. When growing they require considerable water.

3-4 bulbs

Mackayii—Larger and stronger plants.

12.50-17.50

HOUSE CULTURE

We believe the following suggestions, in addition to "General Culture" will be of value to those who desire to grow a few Orchid plants in the house.

An air-conditioned home is quite ideal for growing plants, provided there is a sunny room or a bay window having a favorable exposure. There is a regulated amount of humidity in an air-conditioned house that is not present in homes heated with hot water or steam, unless the latter two are equipped with humidifiers. Humidity is quite necessary and is maintained to varying extents in greenhouses through syringing and damping down. Unfortunately, in a home, we cannot do this and so must find other ways to give the plants the humidity they lack. We suggest a shallow tray about six inches deep having a metal lining with a vent in the bottom, and filled with about four inches of nice, clean pebbles or half-inch stone. Two inches above this, place a rack, preferably of thin wood slats,

spaced one-half inch apart. The Orchids should be placed on this slat top. By keeping the stone and slat top wet, the plants receive a certain amount of humidity.

Plants may require more water in the Winter in the home than they do in the Greenhouse. For this reason they should be looked over at least once a week for a good watering. A hand sprayer is handy for syringing and can be used on the foliage several times on nice days. Through the Summer or times when the home is not artificially heated, it will often be found the plants take longer to dry out, and of course require less water if such is the case.

Orchid plants do very well out of doors through the Summer but cannot stand full sun. Moderate shade from a tree, or a framework of slats gives a very nice light. They will require considerably more water and syringing of the foliage outside than they will in the house. We have noted in our recommendations those varieties best suited for this culture.

VARIETIES RECOMMENDED FOR HOUSE CULTURE

Cypripediums—All of the varieties listed under Collection No. 1, will do well in the Home. Each \$ 3.50;3 for \$10.00 Selenipediums—All listed in Collection No. 2, are recommended.

Each \$ 3.50; 3 for \$10.00

Cattleya Species—As listed in Collection No. 10 are recommended. Each \$ 6.00; 3 for \$17.50

Cymbidiums—Are recommended provided they can be grown outside through the Summer, as detailed under Cymbidium Culture.

Each \$12.50; 3 for \$35.00

Cattleya Hybrids—Will do well but because of their higher cost we would recommend other types to start with.

Lagers, Hurrell

A Glass Enclosure for Your Orchids

A truly delightful hobby—growing plants.

No longer is it an expensive luxury to build a small glass enclosure for your orchids and other favorite flowers.

Advanced designs and manufacturing methods make it possible to build one like these pictured, complete with heating, benching and all accessories, at very little cost.

The heating may be connected with real economy, to the same boiler that heats the building to which the glass structure is attached, or it may have an independent system.

Larger greenhouses and conservatories can be built at proportionately higher prices with separate compartments for orchids and other flowers.



Lord & Burnham Company

It is surprising how many plants can be housed in a small glass garden like this. Note the slat shading on the roof for protection.

(Refer to shading under General Culture.)



Lord & Burnham Company

The materials to build a glass enclosure like this, prefabricated, and of easy assembly, can be purchased for less than \$200.00. Size 5 x 12 feet.

The pleasure derived from growing flowering plants cannot be adequately described except by those who indulge in this fascinating hobby. We sincerely believe the family, "Orchids," furnish the climax to a grand recreation.

We shall be glad to advise regarding contemplated alterations or new building at any time.

BEGINNERS COLLECTIONS

In order to stimulate interest and to assist those to whom Orchids are a new field, we have made up the following series of collections. In the groups, we have been careful to include only varieties that are suited as to temperature and have not listed any of difficult culture. In the majority we give you a choice of flowering seasons.

These collections are priced below our catalog listings of similar quality, and we therefore reserve the right to limit a purchaser to only

Collection No. 1—6 Cypripediums in variety: Insigne; I. Hurrellianum; I. Sanderae; I. Brightness; Aureum; Leeanum; L. Masreelianum; Nellie; Crossianum; Pavoninum Inversum; (Or our Collection No. 2—6 Selenipediums in variety: Conchiferum; Calurum; Dominianum; Lindleyanum; Nitidissimum; Schroederae; Penelaus; Collection No. 3—6 Dendrobiums in variety: Nobile; N. Cooksoni; N. Ashworthi; Fimbriatum; Chrysotoxum; Moschatum; N. Nobilius; Thyrsiflorum (Or our selection if preferred) 20.00 Collection No. 4---6 Botanicals in variety: Bulbophyllum Gibbosum; Platyclinis Glumacea; Vanilla Planifolia; Promenea Citrina; Megaclinum Falcatum; Pholidota Imbricata; Angraecum Eichlerianum; Bulbophyllum Careyanum; Maxillaria Tenuifolia; Ornithidium Densum; Bulbophyllum Caricinum; (or our selection if preferred) 15.00 Collection No. 5-6 Oncidiums in variety: Sphacelatum; Varicosum Rogersi; Ampliatum; Microchilum; Altissimum; Ornithorynchum; Wentworthianum; Flexuosum; (Or our selection if preferred) 25.00 Collection No. 6-6 Laelias in variety: Anceps; Anceps Alba; Anceps Williamsi; Acuminata; Crispa; Gouldiana; Autumnalis; Elegans; (Or our selection if preferred) 25.00 Collection No. 7-6 Miltonias in variety: Bleuana; Vexillaria; Phalaenopsis; Marietta Armacost; and 2 Hybrid seedlings of flowering strength 30.00

SERVICE:

It is to our benefit that your plants do well and we will be glad to assist the beginner or amateur by calling to check over plants and conditions from time to time. We also extend our services to those wishing advice on alterations or new building of glass. There are no charges for this service. one collection of each group. We also give you your choice of a selection in each group namely, one plant each of a variety, the total not to exceed six.


If you are undecided as to what group would best suit your greenhouse, home or climatic requirements, fill in the questionnaire and send to us. We can then recommend the appropriate selections.

All plants are of flowering size and in healthy condition.

Collection No. 8—6 Coelogynes in variety: Asperata; Barbata; Cristata (Cool); Tomentosa; Dayana; Flaccida; Massangeana; Fimbriata	25.00
Collection No. 9—6 Phalaenopsis in variety: Schilleriana; Honolulu; Āmabilis; Hawaii; Fontainbleau; Alpha; Elizabethe X Fontainbleau; Sanderiana; Grande Conde; (Or our selection if preferred)	40.00
Collection No. 10—6 Cattleya Species in variety: Percivaliana; Trianae; Schroederae; Mossiae; Lobata; Gaskelliana; Bowringeana; Labiata; Gigas; (Or our selection if preferred)	35.00
Collection No. 11—6 Cattleya Hybrids in variety: Fabia; Enid; Hardyana; Harold; Leda; Moira; Miss Kemp; Maggie Raphael; Peetersi; Portia; (Or our selection if preferred)	50.00
Collection No. 12—6 Laeliocattleya Hybrids in variety: Aphrodite; Barbarossa; Berthe Fournier; Velma Woolworth; Victoria; Callistoglossa; Damon; Dominiana; Eximia; (Or our selection if preferred)	50.00
Collection No. 13—6 Brassocattleyas in variety: Andre Maron; Mirabilis; Maronae; Speciosa; Thorntonii; Veitchii; Decia; Aida; Heatonensis; (Or our selection if preferred)	55.00
Collection No. 14—6 Cymbidiums in variety: Beatrice; Brugense; Doreen; Doris; Schlegelii; Dryad; Pauwelsii; Moira; Winter Cheer; Tracey-	

Repotting. We have had so many requests from Amateur growers and beginners who do not have the time to devote to the re-potting of their Orchids that we have arranged a "Potting service" to aid them. Our men are competent to handle all phases of this work. The charges are only actual time, materials used, plus traveling expenses.

anum: (Or our selection if preferred) 70.00



Pot hangers.

MATERIALS FOR ORCHID CULTURE

Orchid Peat. (Osmunda Fibre)—Finest quality, fresh selectedper bag \$	3.00
Orchid Peat—Chopped, ready for use. Clean selected material with greater value than in bulk, as all waste has been eliminatedper bag	5.00
Sphagnum Moss—Fine quality, live, fresh selected	3.00
Charcoal for Orchidsper bag	3.00
Osmunda Fibre Screenings— Fresh material	2.00
Labels— Indestructible Celluloid Faced hanging labels with copper wire attached. Size 3½" x 5%".	1 50
per 100 Celluloid labels, sticking; fine heavy quality, size 6" x 3/4"per 100	1.50 4.00
Insecticides— Wilson's O. K. Plant Spray for Orchids: ½ pint size 1 quart size 1 gallon size Larger sizes from 5 to 50 Gallon drums also carried in stock. Red Arrow Garden Spray for Orchids: 1 Oz. Glass 4 Oz. Glass 1 Pt. Glass 1 Qt. Tin 1 Gal. Tin 2 each 2 each 3 Gal. Tin 4 Oz. Grass 4 Oz. Glass 6 each 9 each 1 Qt. Tin 7 each 1 Gal. Tin 8 each	.40 1.00 3.00 .35 1.00 2.50 4.00 12.00
Shading Materials— Orchid Shade: 50 lbs\$	6.50
Square Wood Orchid Baskets—4" sizeper dozen \$5" sizeper dozen6" sizeper dozen7" sizeper dozen8" sizeper dozen9" sizeper dozen10" sizeper dozen12" sizeper dozen	4.50 5.00 6.00 6.50 7.00 8.00 9.00

Pot Hangers—Heavy Gauge galvanized wire. Best and most practical hangers made in both single and double sizes.

		Single Hangers	
12"	size	per dozen \$	1.10
15"	size	per dozen	1.35
18"	size	per dozen	1.75
		Double Hangers	
12"	size	per dozen \$	1.35
15"	size	per dozen	1.75
18"	size	per dozen	2.25
24"	size	per dozen	3.00

Pots—A very fine grade of the following standard sizes:

Size H	Per lundred	\$	Size H	Per undred
l inch\$	1.20	$5\frac{1}{2}$	inch	6.75
13/4 inch	1.20	6	inch	8.10
2 inch	1.20	61/2	inch	10.80
21/4 inch	1.27	7	inch	13.50
2½ inch	1.50	8	inch	19.50
3 inch	1.95	9	inch	30.00
3½ inch	2.40	10	inch	40.50
33/4 inch	2.70	11	inch	60.00
4 inch	3.00	12	inch	82.50
4½ inch	4.05	14	inch	135. 0 0
5 inch	5.40	16	inch	300.00

We can also supply saucers, cyclamen pots, azalea pots, bulb pans and rose pots.

Books on Orchids-


The Orchid Grower's Manuel, by B. S. Williams. A very fine Old English work. 1894. There are no new copies to be had. 300 illustrations. Descriptive of all kinds of Orchids and general cultivation. 796 pages.

20.00

We acquire from time to time, many old rare works on Orchids, and will be glad to quote prices on request.

Let us recommend and quote you on Spraying Equipment.

NOTE:—Order your Winter and Spring supply of Orchid Peat and Sphagnum Moss early.




Wood baskets.



"AN ORCHID TO YOU"

INDEX

	ge		age
INTRODUCTION	1	Cirrhopetalum	27
ORCHIDS	3	Coelogyne	27
		Coryanthes	28
"Orchids are easy to grow"	3	Cymbidium	
"Orchids are not expensive"	3	Cypripedium	30
"Orchids do not demand a great deal	0	Selenipedium	
of attention"	3	Cyrtopodium	37
"Care of Orchid flowers"	4	Dendrobium	
GENERAL CULTURE:		Epi-Cattleya	
House Culture	1	Epidendrum	40
		Epiphronitis	41
Greenhouses		Eria	41
Ventilation		Gomeza	41
Shading		Gongora	41
Watering, Syringing and Damping		Laelia	41
Resting Period		Laeliocattleya	42
Heating and Temperature		Lockhartia	45
Benching and Stagings		Lycaste	45
Diseases, Insect Pests and Control	/	Masdevallia	45
Potting:		Maxillaria	45
Time to Pot		Megaclinium	45
Selecting Plants to be Repotted		Miltonia	46
Making Ready Compost		Neobenthamia	47
Removing from pots, cleaning, etc		Odontoglossum	47
Selecting new pot size		Oncidium	
Crocking or drainage		Ornithidium	
Setting the plant		Peristeria	
Completion of operation	10	Pescatoria	
SERVICE	10	Phaius	
		Phalaenopsis	
FRESHLY IMPORTED ORCHIDS		Pholidota	
EVOLUTION	14	Platyclinis	
I ICTING OF CTOCK.		Promenea	51
LISTING OF STOCK:		Renanthera	51
Acampe	15	Rhyncostylis	
Acropera	15	Saccolabium	52
Ada	15	Schomburgkia	52
Aerides		Sobralia	52
Aerido-Vanda	15	Sophrolaelio-Cattleya	53
Angraecum	15	Stanhopea	53
Anguloa	16	Stenoglottis	53
Arachnanthe	16	Thunia	53
Aspasia	16	Trichosma	
Bifrenaria	16	Trichopilia	
Bletia	17	Vanda	53
Brassavola	17	Vanilla	5.5
Brassia	17	Zygopetalum	5.5
Brassocattleya	17		
Brassolaelia		HOUSE CULTURE	. 55
Brassolaeliocattleya		A GLASS ENCLOSURE FOR YOUR	
Bulbophyllum			
Burlingtonia		ORCHIDS	56
Calanthe		SERVICE	57
Camarotis			
Catasetum		BEGINNER'S COLLECTIONS	. 57
Cattleya Species		MATERIALS FOR ORGUID SUBTICE	Г
Cattleya Hybrids		MATERIALS FOR ORCHID CULTURE	. 58
Chysis		"AN ORCHID TO YOU"	. 59



DIRECTIONS

BY RAIL—From New York, Lackawanna Railroad from Hoboken to Summit. 33 minutes. BY AIR—Newark Airport. Upon arrival or previous to arrival phone or write. We will arrange to meet you. 15 minutes to Summit.

BY AUTOMOBILE—Follow main routes as indicated on map.

